

Index

Symbols

802.11e task group 54
 802.11 family of standards 2
 802.11 network 2

A

access categories (ACs) 6, 10, 32
 access controllers (ACs) 199, 200
 access point (AP) 33, 34, 36, 37, 38, 39, 88,
 100, 101, 198, 199, 200, 201, 203, 206,
 207, 224, 227, 228, 229, 407
 access-request sequence (ARS) 33, 34, 35, 36,
 37, 38, 42
 acknowledgement (ACK) 6, 9, 10, 11, 28, 34,
 42, 233, 234, 235, 238, 239, 240, 243,
 252
 active connection list (ACL) 332
 active service flows 332
 adaptive face routing (AFR) 277, 278
 adaptive modulation and coding (AMC) 331,
 333, 334, 335, 340
 adaptive multi rate retry (AMRR) 233
 ad hoc wireless networks 135, 136, 137, 138,
 139, 140, 141, 142, 144, 171, 173, 174,
 176
 admission control 348, 349, 356, 358, 366,
 368, 372, 373, 376, 377, , 427, 428, 430,
 436, 453, 454, 455, 456, 457
 admission control schemes 54
 admitted service flows 332
 advanced video codec (AVC) 114, 117, 122,
 133
 analytical hierarchy process (AHP) 402, 405,
 406, 424

arbitrary distributed interframe space (AIFS) 6
 artificial neural network (ANN) 89, 93, 97,
 101, 103, 105, 106
 artificial neural networks (ANN) 381
 artificial neural networks model 87
 ATM network 89, 108
 authentication 199
 automatic repeat request (ARQ) 231
 autonomous system (AS) 185, 186, 187, 188
 autonomous WLAN architecture 198
 auto rate fallback (ARF) 233, 234
 autoregressive (AR) 90, 91, 92
 autoregressive integrated moving average
 (ARIMA) 87, 88, 89, 90, 91, 100, 101,
 103, 105, 106, 108, 110, 111
 autoregressive moving average (ARMA) 88,
 90, 91, 92

B

bandwidth 87, 88, 89, 106, 108, 109, 110, 348,
 349, 354, 356, 358, 362, 363, 364, 365,
 366, 367, 368, 369, 370, 371, 372, 373
 base layer (BL) 119, 120, 121
 base station (BS) 74, 75, 76, 81, 332, 333, 336,
 337, 339, 340, 341, 430, 431, 432, 435,
 436
 basic service set (BSS) 199, 201
 best effort (BE) 332, 336, 337, 338
 beta reputation system 281
 beyond third generation (Beyond 3G) 348, 377
 bit error rate 72, 143, 231, 256, 262, 264, 331,
 403, 419, 429, 433
 bitstream scalability 114
 black burst (BB) protocol 235, 236
 black bursts (BB) 236, 237, 238, 239

blockBusy 319, 320
 blockFree 319, 320, 321
 Bluetooth 348, 401, 407
 body area network (BAN) 383, 384, 385, 386, 387
 border gateway reservation protocol (BGRP) 186, 187, 188, 191, 194
 bounded face routing (BFR) 277
 broadband wireless access (BWA) systems 330
 broadband wireless access networks 330, 343
 broadcast multicast–service center (BM-SC) 461, 462, 463, 479
 burstiness 88

C

call admission control (CAC) 348, 349, 350, 362, 364, 365, 366, 367, 368, 369, 427, 428, 430, 431, 432, 433, 434, 435, 436, 437, 438, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453
 call blocking probability (CBP) 428, 431, 434, 435, 439, 441, 442, 443, 444, 449, 450, 452
 call dropping probability (CDP) 431, 434, 441, 442, 443, 444, 449, 450, 452
 care of address (COA) 181, 182, 188, 191
 carrier sensing multiple access protocol with collision avoidance (CSMA/CA) 31
 cellular systems 72, 76
 centralized architecture 407
 centralized infrastructure wireless networks 3
 chronic obstructive pulmonary disease (COPD) 382, 383, 384, 386
 circuit-switched (CS) 461
 clear to send (CTS) 6, 32, 136, 138, 141, 142, 150, 151, 153, 154, 155, 156, 157, 158, 159, 160, 168, 169, 234, 235, 236, 237, 238, 239
 coarse granular scalability (CGS) 119, 120
 code division multiple access (cdma) 400
 code division multiple access (CDMA) 116, 134, 445, 454, 455, 456, 457
 collision resolution queue (CRQ) 34, 35, 36
 combined scalability 117
 common part sub-layer (CPS) 331, 332
 confidentiality 199
 congestion control (CC) 430
 connection admission control (CAC) 332, 335, 336, 341, 342, 343, 344
 connection identification (CID) 332
 constant bit rate (CBR) 41, 53, 55, 59, 60, 61, 62, 68, 69
 contention free periods (CFPs) 5, 7
 contention periods (CPs) 5, 7
 contention window (CW) 6, 33, 34, 36
 control and provisioning wireless access protocol (CAPWAP) 197, 198, 199, 200, 201, 202, 203, 204, 208, 209, 218, 219, 220, 222, 223, 224, 225, 226, 227, 229
 controlled access periods (CAPs) 5, 7, 53, 56, 61, 62, 63
 convergence sub-layer (CS) 331, 332
 core network (CN) 461
 correspondent node (CN) 181, 182, 190
 critical transmitting range (CTR) 307, 308
 crossed link detection protocol (CLDP) 276, 277
 cross-layer 30, 31, 32, 33, 36, 39, 40, 50, 51, 52, 71, 72, 73, 84, 85, 113, 115, 116, 123, 124, 126, 128, 131, 132, 133, 134, 135, 136, 137, 138, 140, 171, 349, 371
 CSMA/CA algorithm 5, 6

D

DATA frame 150, 151, 153, 154, 155, 157, 158, 159, 170, 171
 data link control (DLC) 72, 79, 80, 81, 82, 83, 84
 data link layer 231
 data rate requirement 352
 data traffic 74
 data transmission queue (DTQ) 34, 36, 38, 39, 42
 data transmission rules (DTR) 34
 deauthentication 199
 decentralized architecture 407
 delaunay triangulation (DT) 276, 278
 device service (DS) 384, 385, 386, 387
 differentiated architecture (DiffServ) 184, 185, 186, 187, 188, 195
 distributed coordination function (DCF) 5, 6, 7

distributed queueing collision avoidance
 (DQCA) 30, 31, 33, 34, 35, 36, 37, 38,
 39, 41, 42, 43, 44, 45, 47, 49, 50
distributed queueing random access protocol
 (DQRAP) 33, 49
distributed-queueing request update multiple ac-
 cess (DQRUMA) 4, 5
distribution system (DS) 199
downlink 71, 72, 73, 74, 76, 80, 83, 84
downlink (DL) 331, 332, 333, 339, 341
downlink system 73
dynamic aggregation of reservations for Inter-
 net services (DARIS) 186, 188
dynamic power setting (DPS) 459, 468, 469
dynamic queue length 72, 79, 84
dynamic resource allocation 347, 348
dynamic service addition (DSA) 332, 336
dynamic service change (DSC) 332, 336
dynamic service deletion (DSD) 332, 336
dynamic slot assignment (DSA++) 4, 5

E

EDCA protocol 57
efficient HCF (FHCF) 57
elimination yield - non preemptive multiple ac-
 cess (EY-NPMA) 3, 5, 57, 69
e-mail 349, 359, 361
end-of-file 62
end-to-end principle 179
energy-efficiency 177
energy minimization 116, 117, 130, 131, 132
enhanced data rates for GSM evolution
 (EDGE) 400
enhanced distributed channel access (EDCA)
 2, 3, 4, 5, 6, 7, 20, 21, 22, 26, 28, 29, 57,
 123
enhanced distributed channel access mecha-
 nism (EDCA) 203, 205, 206, 207, 215,
 216, 218, 219, 224, 225, 226, 227
enhanced topology control 319
enhancement layers (EL) 119
ethernet MAC address 181
european telecommunications standards insti-
 tute (ETSI) 3, 26
evolved - multimedia broadcast / multicast
 service (E-MBMS) 458, 459, 465
extended service set (ESS) 199

F

fast handovers for mobile IPv6 (FMIPv6) 353,
 354, 374
feedback packet (FBP) 34, 36, 37, 38, 42
file transfer protocol (FTP) 382
fine granular scalability (FGS) 119
finite state machine (FSM) 203
first-in first-out (FIFO) 30, 33, 36, 38, 40
FlowSpec 350
foreign agent (FA) 181
forward error correction (FEC) 233
fourth generation (4G) 347, 348, 349, 350,
 354, 357, 358, 359, 360, 361, 362, 366,
 367, 368, 369, 370, 371, 372, 373, 374,
 375, 376, 377, 378, 380, 381, 394, 395,
 397, 400, 406, 407, 414, 415, 421, 422,
 423, 458, 459
fourth generation (4G) wireless networks 347,
 348, 349, 350, 357, 358, 359, 360, 361,
 362, 369, 370, 371, 372, 400, 414, 420
fractional autoregressive integrated moving
 average (FARIMA) 87, 88, 90, 92, 100,
 101, 103, 104, 105, 106, 110
frame check sequence (FCS) 315
frame control (FC) 42
frame control sequence (FCS) 42
frame error rate (FER) 231, 233
frequency division duplex (FDD) 330
frequency division multiple access (FDMA)
 430
fuzzy logic 404, 422
fuzzy logic model 89

G

gabriel graph (GG) 276
gateway GSN (GGSN) 461, 462, 463
gateway peers 273
generalized autoregressive conditional het-
 eroscedasticity (GARCH) 89, 92, 93,
 111
general packet radio service (GPRS) 382, 385,
 387, 388, 393, 400, 401, 461
generic access network 380
global network computer 273
global positioning system (GPS) 383

GPRS support nodes (GSNs) 461
 greedy-face-greedy (GFG) 277, 278
 greedy other adaptive face routing (GOAFR) 277, 278
 greedy perimeter stateless routing (GPSR) 277, 288, 289, 291, 297, 298
 grey relational analysis (GRA) 402, 405, 406
 grey relational coefficient (GRC) 406
 group of pictures (GOP) 117, 118, 119, 120, 121, 122, 128, 131, 132
 guard channels (GC) 432, 441, 442, 443, 444, 445, 448, 449, 450

H

HCF controlled channel access (HCCA) 53, 54, 55, 56, 57, 58, 61, 63, 69, 123, 133
 heterogeneous traffic 71, 72, 73, 83
 heterogeneous traffic systems 72
 hidden markov models (HMM) 381
 hierarchical mobile IPv6 mobility management (HMIPv6) 353, 354, 375
 high delay structure 121
 high performance local area network (HIPER-LAN) 3, 26, 29
 high speed protocol access 381
 home agent (HA) 181, 182
 home location register (HLR) 461
 hybrid automatic repeat request (HARQ) 334
 hybrid control channel access (HCCA) 2, 4, 5, 7, 8, 20, 21, 22, 23, 24, 25, 29
 hybrid coordination function (HCF) 1, 2, 3, 5, 7, 8, 18, 19, 20, 21, 22, 23, 24, 25, 29, 53, 57, 123

I

IEEE 802.11e 2, 3, 5, 7, 25, 26, 28, 29, 53, 54, 55, 56, 63, 68, 69, 70
 IEEE 802.11 standard 54
 inference 381
 infrastructure network 306, 317
 instantaneous decoder refresh (IDR) pictures 117, 119, 130
 integrated services (IntServ) 184
 interference 136, 137, 138, 141, 142, 144, 146, 147, 148, 149, 150, 154, 155, 156, 157, 158, 159, 160, 162, 167, 170, 171, 172, 173

interference cost (IC) 318, 320, 322, 323
 interference cost reduction (ICR) 313, 315, 316, 317, 318, 322, 323, 324, 325
 inter-frame space (IFS) 235, 236
 Internet 54, 68, 272, 273, 380, 381, 382, 384, 394, 395, 396, 398, 399
 Internet engineering task force (IETF) 353, 356, 358, 359, 360, 362, 372, 373, 375
 Internet protocol (IP) 178, 179, 180, 181, 182, 184, 185, 187, 188, 190, 191, 192, 193, 194, 195, 196, 206, 208, 221, 225, 226, 334, 336, 347, 348, 350, 351, 354, 357, 358, 359, 360, 361, 362, 371, 372, 373, 374, 375, 376
 Internet topology 87
 IP address 89, 179, 180, 181, 182, 187, 188, 190, 191, 192
 IP-multimedia-system 380
 IP network 347, 348, 358, 360
 IP users 178
 ISO/OSI network model 137, 138, 140

J

jitter 231, 240, 244, 248
 joint video team (JVT) 117, 134

K

key performance indicators (KPIs) 402, 403, 404
 key picture (KP) 119, 131

L

latency 271, 272, 273, 288
 LEAR protocol 138
 least mean square (LMS) 89
 legacy networks 349
 lightweight multiagent systems 312
 line-of-sight (LOS) 232
 link COA (LCOA) 182
 link creator (LC) 316
 link creator (LC) node 316
 local mobility anchor (LMA) 183
 logical link control (LLC) 234
 long-range dependent (LRD) 88, 89

long term evolution (LTE) 72, 458, 459, 478,
483, 485, 486, 488
low delay structure 121

M

macro cooperation 406, 407
macro diversity combining (MDC) 459, 469,
470
MAC service data unit (MSDU) 7, 54, 55, 56,
58
maximum access delay 76
maximum allowed delay 71, 72, 73, 75, 76, 79,
80, 81, 82
maximum delay 75, 81, 82
maximum latency (ML) 332
maximum likelihood estimation (MLE) 90
maximum service interval (MaxSI) 55
maximum sustained traffic rate (MSTR) 332
mean square error (MSE) 119
media independent handover (MIH) 353, 374
medium access control (MAC) 30, 31, 32, 35,
36, 39, 42, 44, 46, 49, 50, 51, 52, 123,
133, 134, 197, 199, 200, 201, 202, 203,
204, 205, 206, 207, 208, 209, 210, 212,
213, 216, 217, 218, 220, 221, 222, 224,
225, 226, 229, 231, 234, 238, 240, 256,
257, 259, 260, 262, 263, 264, 265, 266,
267, 268, 270, 276, 310, 330, 331, 332,
333, 334, 336, 339, 340, 341, 342, 343,
345, 349, 371
medium access control (MAC) mechanism 135
medium access control (MAC) protocol 2, 3, 4,
5, 7, 18, 25, 26, 27, 28, 29, , 30, 31, 49,
50, 52, 53, 54, 55, 62, 63, 64, 68, 70, 73,
85, 135, 136, 137, 138, 139, 150, 160,
168, 170, 173, 231, 234, 238, 257, 262,
263, 266, 267, 268, 269
medium granular scalability (MGS) 119, 120,
131
mesh access point (MAP) 305
micro cooperation 406, 407
micro-electromechanical systems (MEMS) 272
minimum allowed rate 75, 79, 80
minimum guaranteed-rate 77
minimum required rate 75
minimum reserved traffic rate (MRTR) 332

Minimum reserved traffic rate (MRTR) 332
min-max battery capacity routing (MMBC)
137
MobiHealth 378, 380, 381, 382, 383, 384, 385,
386, 387, 394, 397, 398
MobiHealth system 380, 382, 383, 384, 385,
386, 394
mobile access gateway (MAG) 183
mobile access scheme based on contention and
reservation for ATM (MASCARA) 4, 5,
26
mobile base unit (MBU) 383, 384, 385, 386,
387, 388
mobile era 380
mobile Internet 197, 198
mobile IPv4 181
mobile IPv6 (MIPv6) 351, 353
mobile network operators (MNOs) 379, 380
mobile service user 378, 381
mobile switching center (MSC) 435
mobile TV 460
mobile Web 2.0 379, 394, 398
mobile Web 2.0 applications 379
mobility anchor point (MAP) 182, 183, 353,
354
mobility management protocols 178, 180, 183,
192
MOB philosophy 77
MOB scheme 73, 74, 75, 76, 77, 79, 82, 83
moving average (MA) 90, 91, 92, 110, 111
MPEG video 89, 108
multi-agent systems (MAS) 306, 312, 313
multi attribute decision making (MADM) 404,
405, 406, 422, 426
multibeam opportunistic beamforming (MOB)
72, 73, 74, 75, 76, 77, 79, 81, 82, 83
multi-constrained optimal path (MCOP) 139
multi-constrained path (MCP) 139, 140
multi-fractal wavelet model (MWM) 89
multi-hop ad-hoc networks 230, 231, 232, 240,
255, 262, 263, 264
Multi-hop ad-hoc networks 230
multimedia broadcast/multicast service
(MBMS) 458, 459, 460, 461, 462, 463,
464, 465, 466, 467, 468, 469, 470, 471,
472, 473, 474, 475, 476, 477, 478, 479,
480, 481, 482, 483, 484, 485, 486, 487,
488

multipacket reception (MPR) 73
 multiple access collision avoidance with piggyback reservation (MACA/PR) 234, 235, 239
 multiple-input-multiple-output (MIMO) 72, 74, 80, 81, 82, 85, 407, 411
 multiple-input-single-output (MISO) 74
 multi-radio wireless mesh networks (MR-WMN) 304, 305, 306, 307, 309, 310, 311, 312, 313, 315, 316, 317, 319, 320, 322, 323, 324, 325
 multiuser MIMO 74

N

NetLogo 304, 306, 319, 326
 network address translator (NAT) 384
 network allocation vector (NAV) 236
 network capacity 305, 310, 311, 314, 315, 324, 325
 network layer 231
 network nominal capacity 379
 network-related context 379
 network simulator (NS) 123, 134
 network traffic 88, 89, 90, 101, 102, 106, 107, 109, 110, 112
 new access router (NAR) 182
 next generation networks (NGNs) 348, 359, 362, 433
 next generation wireless networks 400, 411
 non-KP (NKP) 119
 non line-of-sight (NLOS) 232
 non-real-time (NRT) 429, 432, 434, 443, 455
 non-real-time polling service (nrtPS) 332, 336, 337, 338
 NS2 network simulator 53, 55, 63

O

online-gaming 71
 opportunistic auto rate (OAR) 234
 opportunistic scheduler 75
 other adaptive face routing (OAFR) 277
 other face routing (OFR) 277, 278
 outage concept 72, 73

P

P2P (overlay) network 273
 packet data networks (PDNs) 461
 packet error rate (PER) 114, 115
 packet loss rate (PLR) 349, 350, 360, 371
 packet scheduling policies 54
 packet-switched (PS) 461
 path reduction (PR) 304, 313, 318, 319, 320, 322, 323, 325
 path reduction (PR) algorithm 304, 318, 319, 320, 321, 322, 323, 324
 PDA 230, 383, 401
 peak signal-to-noise ratio (PSNR) 119, 128
 physical layer 231
 physical layer (PHY) 30, 31, 32, 37, 39, 40, 41, 42, 44, 46, 51, 123, 133, 232, 233, 256, 263, 264, 306, 330, 331, 332, 333, 334, 340, 341, 342, 343
 physical layer protocol data unit (PPDU) 334
 physical rate-based admission control (PR-BAC) 57
 pipelined recurrent neural network (PRNN) 89
 point coordination function (PCF) 5, 55, 63
 point-to-multipoint (PTM) transmission 460, 464, 465, 467, 474, 475, 476, 479, 480, 485
 point-to-point (PTP) transmission 460, 464, 465, 467, 474, 475, 476, 477, 479, 480, 482
 portable devices 113, 114, 116
 portal node 305, 315, 316, 317, 318, 319, 320, 323
 power control 168, 173, 174, 176, 177
 power-rate-distortion 116
 prediction and optimization-based HCCA (PRO-HCCA) 58
 predictors 381
 previous access router (PAR) 182
 priority oriented adaptive control with QoS guarantee (POAC-QG) 2, 4, 5, 8, 13, 14, 15, 17, 20, 21, 22, 23, 24, 25, 29,
 priority oriented adaptive polling (POAP) 2, 4, 5, 8, 9, 10, 11, 12, 20, 21, 22, 25, 29,
 priority oriented hybrid access (POHA) 1, 2, 3, 4, 8, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 29,

priority unavoidable multiple access (PUMA) 236, 266, 267
privacy sub-layer (PS) 331
PRMA protocol 4
provisioned service flows 332
proxy MIP 182, 183
public land mobile network (PLMN) domain 461

Q

QoS access point (QAP) 55, 57, 59, 61, 62, 63
QoS supportive adaptive polling (QAP) 3, 4, 5, 27
quality of service (QoS) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 13, 14, 15, 16, 24, 25, 26, 27, 28, 29, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 75, 234, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 269, 304, 305, 306, 307, 309, 310, 311, 323, 324, 325, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 469, 477
quality scalability 117
quantization parameter (QP) 119, 120, 121, 132
queueing discipline rules (QDR) 34, 36

R

radio link control (RLC) 331
radio network controllers (RNCs) 461, 463, 464
radio network subsystem (RNS) 461
radio resource management (RRM) 349, 353, 367, 372, 427, 430, 452
radio resource units (RRU) 430
range assignment (RA) 307
rate-distortion 116, 117, 119, 122, 128, 133
rate-distortion-complexity 113, 119, 120, 132
rate-distortion tradeoff 114, 128
rate outage 76, 77
rate splitting (RS) 459, 469, 471

rate variance envelop based admission control (RVAC) 58
real-time delay-sensitive applications 71
real-time polling service (rtPS) 332, 336, 337, 338, 343
real-time (RT) 429, 432, 434, 443, 455
receiver based auto rate (RBAR) 234
receiver sensitivity (RS) 331
receiver thread 203, 204
recurrent neural networks (RNN) 89, 95
regional COA (RCOA) 182
relative neighborhood graph (RNG) 276
replay attack 204
request to send (RTS) 6, 32, 136, 138, 141, 142, 146, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 168, 169, 170, 234, 235, 236, 237, 238, 239
request transmission rules (RTR) 34, 35
reservation table (RT) 235, 239, 265
resource reservation protocol (RSVP) 184, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196
RF transmission 136
robots 272
round-robin (RR) 56

S

satisfaction degree function (SDF) 402
scalable video codec 121
scalable video codec (SVC) 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 126, 127, 128, 129, 130, 131, 132, 133
scheduling delay outage 76
sensor networks 305, 307, 317, 327
service classes (SCs) 347, 348, 349, 357, 358, 359, 360, 361, 363, 365, 366, 367, 368, 369, 372, 428, 431, 432, 433, 434, 435, 438, 439, 440, 441, 442, 443, 444, 446, 448, 449, 450, 451, 452, 453
service flow identifications (SFID) 332
service interval (SI) 5, 7, 8, 13, 14, 16
service level agreements (SLAs) 184, 210, 350, 428, 431, 432
service level specification (SLS) 350
service set identifier (SSID) 199, 220
serving GSN (SGSN) 461

session manager thread 203, 204
 short interframe space (SIFS) 34, 42
 short-range dependent (SRD) 88
 signal-to-interference ratio (SIR) 433, 445, 446, 454, 455, 457
 signal to interference and noise ratio (SINR) 331, 333
 signal-to-noise-interference-ratio (SNIR) 75, 76, 77, 78, 79, 80, 81, 82, 83, 309, 316, 320, 321, 322, 403, 418, 433
 signal-to-noise ratio (SNR) 32, 37, 41, 119, 120, 232, 233, 234, 256, 264, 403, 412, 428, 445
 simultaneous multiple access (SIMA) 352, 353
 single radio mesh network 305
 slow start power controlled (SSPC) protocol 150, 151, 152, 153, 154, 155, 156, 159, 160, 168, 169, 170, 172
 smart phone 401
 spatial scalability 117, 118
 subscriber station (SS) 332, 333, 336, 339, 340, 341
 support vector machine-based model 87, 90
 support vector machines (SVM) 382, 383
 support vector machine (SVM) 89, 90, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 111, 112
 surrogate host (SH) 384, 385
 surrogate object (SO) 384, 385, 386, 387

T

TCP protocol 180
 temporal scalability 117, 118, 120
 third generation (3G) networks 433
 third generation (3G) technologies 348
 threshold autoregressive (TAR) 88
 time-bounded traffic 54
 time-critical applications 271
 time division duplex (TDD) 330, 342, 345
 time division multiple access (TDMA) 430
 time division multiplexing (TDM) 235
 time series model 87, 88, 90, 91, 108
 topology control (TC) 305, 306, 307, 308, 309, 310, 312, 313, 315, 317, 318, 319, 320, 323, 324, 325
 traffic flow 349

traffic flows 2, 20
 traffic model 87
 traffic priority 332
 traffic specifications (TSPECs) 7, 55, 56, 59
 traffic streams (TSs) 1, 2, 4, 7, 8, 14, 15, 16, 17, 21, 22, 23, 25, 55
 transmission opportunities (TXOPs) 55, 56, 57
 transmit power control (TPC) 304, 305, 306, 307, 309, 313, 315, 317, 319, 325
 triangular routing 181

U

UMTS terrestrial radio access network (UTRAN) 461, 476, 485, 487, 488
 universal mobile access 380
 universal mobile telecommunications system (UMTS) 382, 385, 401, 423, 458, 459, 460, 461, 462, 463, 465, 477, 486, 487, 488
 unsolicited grant service (UGS) 332, 336, 337, 338
 uplink (UL) 331, 332, 333, 336, 339, 341
 uptime 430
 user equipment (UE) 461, 462, 475, 481
 user priorities (UPs) 6
 user-related context 379

V

variable bit rate (VBR) 53, 55, 57, 58, 59, 60, 61, 62, 68, 69
 VBR traffic 4, 8, 13, 14
 video conferencing 429
 video encoding 113, 115, 116, 117, 121, 132
 video streaming 71
 video-streaming 349
 virtual access points 406
 virtual geo-tags 379
 voice over IP 74

W

wavelet-based model 87, 90, 101
 wideband code division multiple access (WCDMA) 400, 418, 420, 461, 486, 487
 wired broadband access networks 330
 wired local area network (LAN) 2

Index

- wireless access network 197, 330, 333, 343
- wireless ad network 176
- wireless intelligent network environments 73
- wireless link capabilities 72
- wireless local area network (WLAN) 2, 3, 4, 8, 17, 18, 24, 25, 27, 28, 29, , 30, 31, 32, 33, 41, 50, 51, 52, 54, 55, 56, 57, 63, 69, 71, 72, 74, 76, 79, 83, 84, 87, 88, 90, 100, 101, 102, 104, 105, 106, 107, 112, 114, 115, 117, 123, 130, 133, 182, 191, 197, 198, 199, 202, 203, 205, 206, 207, 208, 209, 210, 211, 214, 215, 216, 217, 219, 220, 221, 222, 225, 226, 227, 228, 229, 348, 352, 353, 354, 355, 356, 358, 372, 373, 375, 376, 382, 385, 387, 388, 400, 401, 403
- wireless mesh network (WMN) 304, 305, 306, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 322, 323, 324, 325
- wireless metropolitan area network (WMAN) 400
- wireless networking 1
- wireless networks 378, 379, 382, 387, 395, 396, 399, 400, 401, 402, 404, 407, 410, 411, 414, 415, 418, 423, 424, 425, 426
- wireless node 136, 140, 161
- wireless peers 273
- wireless personal area network (WPAN) 400
- wireless router 406
- wireless sensor network 173
- wireless station 6, 9, 12, 19, 57
- wireless termination point (WTP) 199, 200, 201, 202, 203, 204, 205, 207, 208, 209, 210, 211, 212, 213, 215, 216, 218, 219, 220, 221, 222
- WLAN systems 71, 72, 74, 76, 79, 83
- WLAN traffic 87, 88, 90, 100, 101, 102, 104, 106, 107
- worldwide interoperability for microwave access (WiMAX) 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 348