

Index

A

abstraction 329, 330, 338, 340
 accessibility 287, 289, 292, 293, 294, 295, 302
 access networks technologies 133, 134
 accuracy 106, 110, 111, 112, 115, 118, 119, 120, 123
 adaptive 37
 adaptive modulation and coding (AMC) 93, 94, 95, 97, 103
 adaptive signal alphabets 126
 ad-hoc networks 1, 20, , 37, 49, 50, 60, 61, 344
 ad hoc on-demand distance vector (AODV)
 routing protocol 42, 43, 44, 47, 48, 49, 58, 59, 62, 69, 72, 73, 74, 75, 76, 77, 78
 Advanced Video Coding (AVC) codec 227, 229, 230, 242, 243
 agent communications languages (ACLs) 22
 Aglets mobile agent platform 346, 360
 algorithm 111, 114, 119, 120, 121
 All-IP networks 175, 199
 ALOHA system 94
 Android 153, 154, 155, 157, 158, 160
 annular-angular-projection value search (AAPVS) algorithm 168, 169, 170, 171, 172
 annular constraint 164, 167, 169, 172
 annular-double angular search (ADAS) algorithm 166, 169, 170, 171, 172
 annular with angular search (AAS) algorithm 166, 167, 169, 170, 171, 172
 AODV over backbone (AODVoB) 58, 59
 AODV-RRS 72, 73, 74, 75, 76
 assistant node 37, 40
 assistant table list (ATL) 40, 41, 48
 asymptotic analysis 67

audio documents indexing based on a speaker discrimination system (ADISDS) 244, 245
 autocorrelation function 227, 232, 234, 235, 238
 automatic repeat request (ARQ) 177, 179, 181, 182, 189, 192, 197, 198, 199

B

babble noise 202, 208, 209, 210, 211, 212
 baseline profile (BP) 230
 base stations 84, 85
 basic support for cooperative work (BSCW) 265, 284
 battery 150
 benchmark 149
 biometrics 245, 246, 258, 260
 biometry 244, 245, 258
 bit error rate (BER) 127
 blogs 331, 333, 335
 broadband streaming systems 175
 broker agents (BroA) 349
 buffer management 80, 81, 82, 84, 88, 90, 91, 92
 buffer starvation 87
 buffer utilization 88
 business zone (BZ) 134
 buyer agents (BA) 347, 349, 350, 356, 357, 358, 359
 buyer negotiation agents (BNA) 349, 350, 357

C

call admission control (CAC) 124
 car noise 202, 208, 209, 210, 211, 212

- carrier-sense multiple access (CSMA) 38, 39, 40, 48, 49
 - cell phase type system 109
 - cellular IP networks 80, 81, 84
 - cellular wireless access networks 106
 - center processing units (CPU) 150, 151, 153, 154, 155, 156, 157, 158, 159, 160
 - certificate authorities (CA) 348, 350, 354, 356, 358, 359
 - channel state information (CSI) 94, 95, 99, 101
 - CipherValue 28
 - clear to send (CTS) 39, 40, 41, 42
 - cluster formation and management 1, 3
 - clusterhead computation 12
 - clustering 1, 3, 4, 5, 8, 14, 19, 20
 - cluster management 1
 - codebooks 162, 163, 167, 168, 169, 170, 171, 173, 174, 214, 215, 216, 217, 221, 222, 223, 226
 - codewords 162, 163, 164, 165, 166, 167, 168, 169, 171, 172, 173, 214, 215, 216, 217, 218, 219, 220, 221, 222, 225, 226
 - codeword search 214, 216, 217, 218, 221, 225, 226
 - collaborative environments 264, 265, 270, 276
 - collaborative universal remote education (CURE) 266, 284
 - collaborative virtual workspaces (CVW) 264, 265, 271, 272, 273, 274, 275, 276, 277, 278, 279, 282, 283
 - collaborative working environments (CWEs) 22
 - community management 338, 339
 - community networks 329, 330, 331, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343
 - community, sense of 339
 - community services 330
 - community support systems 331
 - compensation 291
 - complexity 106, 112, 118, 119, 122
 - compression, lossless 162
 - compression, lossy 162, 163
 - compression methods 162
 - computer networks 263
 - confidentiality 345, 346, 351, 355, 358, 360
 - connection completion probability (CCP) 80, 85, 86, 87, 88, 89, 90
 - constant bit rate (CBR) 45, 228
 - content adequacy 287, 289, 292, 294, 302, 303
 - content usefulness 287, 289, 292, 294, 302
 - control unit (CU) 95, 99, 100, 101, 103
 - cooperation application system technology (COAST) 265
 - counter mode with CBC-MAC protocol (CCMP) 137
 - covariance matrix 205, 211
 - cryptographic keys 346, 347, 348, 349, 351, 352, 353, 354, 355, 358, 359, 360
 - cryptographic keys, public 348
- D**
- data compression 162, 163, 172, 173, 214, 215
 - data rate 37, 40
 - Davis, Fred D. 290, 293, 294, 305
 - delivery agents (DA) 349, 351
 - differentiated service code point (DSCP) 136, 137
 - digital forensic agents (DFA) 349, 350, 354, 355, 356
 - digital forensics 345, 346, 347, 350, 351, 353, 354, 356, 359, 360, 361
 - digital signals 127
 - directory services agents (DSA) 349, 350, 351
 - discrete time markov model 112
 - disk activities 150
 - distributed coordination function (DCF) 38, 40
 - distributed mobility adaptive clustering (DMAC) 4
 - dominating set 1, 3, 4, 8, 9
 - double annulus search (DAS) algorithm 164, 165, 166, 169, 170, 171, 172
 - DSR over backbone (DSRoB) 58, 59
 - dynamic channel assignment (DCA) 93, 94, 95, 100, 101, 102, 103
 - dynamic source routing (DSR) protocol 58, 59
 - Dynamic Time Warping (DTW) recognition model 246, 247
- E**
- ease of use 287, 289, 290, 293, 294, 295, 302
 - e-commerce 311, 345, 346, 356

Index

- e-communities 310, 311, 313, 314, 326
- e-community evaluation framework 310, 311, 314, 315, 317, 325, 326
- e-community evaluation framework: community's commitment 310, 315, 316, 320, 321
- e-community evaluation framework: community's commitment: content 311, 312, 313, 314, 316, 320, 322
- e-community evaluation framework: community's commitment: interactivity 313, 316, 321, 322, 323
- e-community evaluation framework: community's commitment: operators' commitment 312, 316, 322, 323
- e-community evaluation framework: community's commitment: services 311, 312, 314, 316, 322, 324
- e-community evaluation framework: community's commitment: support 312, 313, 316, 321, 322
- e-community evaluation framework: members' commitment 310, 312, 314, 315, 323
- e-community evaluation framework: members' commitment: participation 311, 312, 314, 317, 323, 325
- e-community evaluation framework: members' commitment: relationships 312, 314, 317, 324, 325
- e-community evaluation framework: members' commitment: users' commitment 312, 314, 317, 323, 324
- e-community evaluation framework: technical characteristics 310, 313, 315, 319
- e-community evaluation framework: technical characteristics: openness 311, 313, 315, 320, 321
- e-community evaluation framework: technical characteristics: performance 313, 315, 320
- e-community evaluation framework: technical characteristics: reliability & maintainability 312, 313, 315, 319, 320
- e-community evaluation framework: technical characteristics: security 312, 313, 315, 320, 321
- e-community evaluation framework: usability 310, 312, 313, 315, 318, 327
- e-community evaluation framework: usability: archives accessibility 312, 313, 315, 317, 318
- e-community evaluation framework: usability: forum structure 312, 313, 315, 317, 318, 319
- e-community evaluation framework: usability: navigation 315
- e-community evaluation framework: usability: user interface 312, 313, 315, 318
- efficiency 291
- efficient and high throughput (EEHT) protocol 40, 45, 47
- eikonal equation 62, 68
- e-learning 151, 287
- e-learning communities 311, 312
- electronic communities of wireless networks (ECWN) 310, 311, 314, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326
- electronic service quality (e-SQ) 290, 291
- elliptic curve integrated encryption scheme (ECIES) 25, 28, 29, 32, 33
- e-marketplaces 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 356, 359, 360, 361
- end-to-end delay 62, 63, 73, 74, 75, 76
- energy efficient 37, 49
- equal-average equal-variance equal-norm nearest neighbor search (EEENNS) algorithm 216
- equal-average equal-variance nearest neighbor search (EENNS) algorithm 162, 164, 165, 169, 170, 171, 172, 216, 217
- equal-average nearest neighbor search (ENNS) algorithm 216, 217
- Equal Error Rate (EER) 244
- Euclidean distance 163, 164, 165, 215, 217, 218, 219, 220, 221
- evaluation frameworks 311
- exploratory factor analysis (EFA) 289, 298
- extended profile (XP) 230
- extended random walk (ExtRW) 110, 115, 123
- extensible access control markup language (XACML) 34

extensible markup language (XML) 21, 22, 23, 24, 25, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36

F

fast Fourier transform (FFT) spectrum 126, 128, 129, 130, 131, 204
 fast nearest-neighbor search (FNNS) algorithm 216
 federated collaborative virtual workspace (FCVW) 263, 272, 273, 274, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286
 fingerprints 245
 finite state Markov chain (FSMC) 93, 94, 95, 97, 98, 100
 'FIXED' flow 134
 fixed mobile convergence 133, 134, 148
 fixed signal alphabets 126, 127, 128, 129, 130, 131, 132
 Foldera Web service 265, 266, 284
 forward error correction (FEC) 175, 176, 177, 179, 180, 182, 183, 184, 185, 186, 187, 188, 189, 192, 197, 198
 frequency domain equalizer 126, 130
 Friendfeed 150
 FTIMIT corpus 202
 fulfillment 291
 fusion, parallel 244, 246, 252, 253, 255, 257, 258, 259
 fusion, serial 244, 246, 248, 252, 253, 254, 257, 258, 259
 fusion, serial-parallel 244, 246, 253, 255, 257, 258
 fuzzy logic selective cell drop (FSCD) 82

G

Gamma Beta AR (GBAR) process 236, 237
 Gamma distribution 234, 236
 Gaussian mixture models (GMM) 245, 247, 260, 261
 Gaussian white noise (GWN) 202, 208, 209, 210, 211
 Gbest 81, 83
 generalized Lloyd algorithms (GLA) 163, 215
 general packet radio service (GPRS) 107
 generic access network controller (GANC) 136

global system for mobile communications (GSM) 107
 groups of pictures (GOP) 229, 230, 239, 240, 241
 groupware 263, 264, 265, 266, 270, 271, 272, 276, 279, 282, 284, 285, 286
 guard agents (GA) 348, 350, 356

H

Habanero groupware project 266, 284, 285
 hadamard transform based partial distortion search (HTPDS) algorithms 217
 handover 106, 107, 108, 113, 114, 120, 124
 handover vector (HOV) 108, 109, 110, 111, 115, 122, 123, 124
 HBRD method 39
 H-DEGREE 14, 15, 17, 18
 heterogeneous networks 175, 176, 179, 180
 heterogeneous nodes 37
 hidden Markov models (HMM) recognition model 246, 247, 259
 high level application development 149
 home gateway initiative (HGI) 137, 147

I

IBM Lotus Notes 266
 IEEE 802.11 (WLAN) standard 311
 IEEE 802.16e (mobile WiMAX) standard 176
 image block data 162
 image coding 214, 215, 218, 219, 220, 223, 224, 225, 226
 image compression 162, 163, 173
 improved equal-average equal-variance nearest neighbor search (IEENNS) algorithm 216
 information collection agents (ICA) 349
 information quality 287, 289, 292, 294
 information search agents (ISA) 348, 350
 integrated encryption scheme (IES) 25
 intelligent gateway gadget 81, 88, 90, 92
 interactive development environment (IDE) 265, 267, 268, 276, 278, 284
 interactivity 287, 289, 292, 293, 294, 295, 302
 interface design 287, 289, 292, 293, 298, 302, 303

Index

Internet protocol (IP) 175, 176, 177, 178, 179, 182, 190, 199, 200

IPsec connection 134, 135, 136, 137

Isabel environment 266

J

Java language 346, 360, 361

Java ME 151

Jazz environment 266, 267, 284, 285

joint video team (JVT) 229, 230

K

knowledge, explicit 336

knowledge, implicit 336

knowledge representation 21

Kruskal 53

L

learner behavioral intention 287, 289, 302, 303

learner satisfaction 287, 289, 292, 295, 296, 298, 301, 302, 303

least cluster change (LCC) 3

lightweight architectures 338

line of sight (LOS) radio channel 126, 128, 130, 131, 132

link cluster algorithm (LCA) 3

LiveMeeting 270, 285

location prediction 106

load balancing 1, 17

Locales framework 269, 284, 285

local stability 1

lurkers 312

M

mac protocol data unit (MPDU) 137

macro-blocks (MB) 230, 231

main profile (MP) 230

marketplaces, agent-based 345

Markov chains 113, 237, 240

markovian approach 106, 122

Marratech system 265, 268, 285

MC routing 38

mean-square error (MSE) 216

media independent handover 133, 134, 148

medium access control (MAC) 37, 38, 39, 40, 45, 47, 48, 49

Mel frequency spectral coefficients (MFSC) 201, 202, 203, 204, 207, 208

micro mobility 80

middleware systems 329, 330, 336, 337, 343

MILK project 336

minimum connected dominating set (MCDS) 50, 51, 52, 53, 54, 55, 56, 57

minimum dominating set (MDS) 50, 52, 53

minimum mean square error (MMSE) 126, 129, 130

minimum spanning tree (MST) 53

m-learning service quality 287, 288, 298

mobile ad hoc network (MANET) 1, 2, 3, 4, 7, 37, 39, 49, 62, 63, 69, 73, 76, 77

mobile agent-based e-commerce model (MA-ECM) 346, 360

mobile agents 344, 345, 346, 347, 348, 349, 350, 351, 352, 356, 357, 359, 360

mobile agents, security issues regarding 344, 345

mobile application 149, 151, 157

mobile community networks 329, 330, 331, 333, 334, 335, 338, 339, 340, 341

mobile computing 21, 35

mobile devices 329, 330, 333, 335, 336, 337, 339, 340

mobile edition (ME) 151

mobile learning (m-learning) 287, 288, 289, 292, 293, 294, 295, 297, 298, 299, 300, 301, 302, 303, 304, 306, 307

mobile technology 287

mobility 1, 2, 3, 4, 5, 6, 7, 13, 17, 19, 287

mobility-based D-Hop clustering algorithm (MobDHop) 4

mobility management 80

mobility model 106, 107, 108, 110, 112, 123, 124, 125

mobility of terminal 52

modulation scheme 127

monkey 155, 157, 160

Moving Pictures Expert Group (MPEG) 227, 228, 229, 230, 234, 241, 242

M tanks 75

MUD object-oriented (MOO) 263, 264, 265

multi-carrier modulation schemes 126, 127, 129, 130
 multicast transmission 175, 176, 179, 180, 181, 184, 197, 198, 199, 200
 multiclass (MC) 38
 multi-hop (networking) 346, 351
 multi layer perceptron (MLP) 244, 245, 247, 248, 249, 250, 251, 252, 254, 255, 256, 258, 261
 multipath radio channel 127
 Multiple Hop_Adaption (MH_A) integrity protection 346
 multipoint relay (MPR) 50
 multi-resolution computation method 217
 multi-resolution distortion check method 217, 220
 multi-user dungeons (MUD) 263, 265, 284
 Mushroom research project 268, 269, 285

N

negative acknowledgment (NACK) 177, 191, 192
 negotiation agents (NA) 349
 network activities 150
 network address translation (NAT) 135, 136, 148
 network bandwidth consumption 149
 network simulator (NS-2) 72, 73, 77
 network traffic 227, 228, 229, 230, 232, 235, 236, 237, 238, 239, 240, 241, 242, 243
 neural networks (NN) 245, 247, 249, 251, 252, 258
 nodeID 4
 nodes 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 17, 18, 37, 38, 39, 41, 42, 43, 44, 45, 46, 47, 48, 62, 63, 69, 70, 71, 72, 73, 74, 75, 76, 77
 non-clusterhead node 1, 8
 non-line-of-sight (NLOS) radio channel 129, 130, 131, 132
 norm-ordered search (NOS) 217

O

object-oriented technology 264
 operating environment 330
 optimal exploring model 62, 64

Orbit experiemental environment 269, 270, 285
 orthogonal frequency division multiplexing (OFDM) 126, 127, 129, 130, 131, 132

P

packet size 90
 packets successful delivery rate (PSDR) 73, 74, 75, 76
 particle swarm 80, 81, 84
 particle swarm optimization (PSO) 80, 81
 payment gateways (PG) 349, 350, 359
 Pbest 81, 83
 pie slice region 62, 63, 70, 72, 75
 Prim 53
 prioritization 84, 86, 87
 privacy 291, 345, 346, 347, 349, 356, 359, 360
 privacy enhancing technologies (PET) 349, 350, 354, 355, 356
 probability density functions (PDF) 234
 propagation equation 62, 68
 proxy-call session control function (P-CSCF) 135
 PSO algorithm 80, 81, 82, 83, 84, 85, 90
 public key infrastructure (PKI) 345, 346
 pyramid data structures 214, 216, 217, 218, 219, 224, 225, 226

Q

quadrature amplitude modulation (QAM) 126, 127, 128, 130, 132
 quality of service (QoS) 42, 43, 48, 49, 81, 94, 95, 99, 103, 150, 151, 177, 181, 335
 quality operator 150, 151, 154

R

radial method 62, 66, 67, 68, 69, 70, 77
 random walk (RW) 106, 108, 109, 110, 111, 122, 123
 random waypoint (RWP) 44, 56
 rayleigh fading 93
 rayleigh fading channel 95, 97, 98
 reconstructing scheme 62, 63, 69, 70, 72, 77
 RED algorithm 82

Index

- Reed Solomon (RS) FEC codes 177, 179, 183, 184, 185, 189
- registration authorities (RA) 348, 350, 356
- relay-CU link 99, 101
- reliability 93, 287, 288, 289, 290, 291, 292, 293, 294, 297, 298, 299, 300, 301, 302, 303, 306, 307
- reproducing vectors 214
- request to send (RTS) 39, 40, 41, 42
- resource constrained networks (RCNs) 21, 24, 25
- resource utilization 149
- responsiveness 288, 291, 297
- retinal scans 245
- RF transmitting 77
- route discovery 69
- route error (RERR) 43, 44
- route repair request (RRREQ) 70, 71, 72
- route replies (RREP) 43, 44, 58, 69, 72
- route request (RREQ) 43, 44, 58, 69, 71, 72, 76, 77
- routing protocols 50, 56, 59
- RW mobility model 106
- S**
- scalable video coding (SVC) 230
- scenario-based clustering algorithm for MANETs (SCAM) 4, 14
- SC system 126
- SDCARD 155
- second order statistical measures 202, 205
- secure and trustworthy mobile agent-based e-marketplace (STMAE) 347, 353, 360
- secure electronic transaction (SET) security protocol 345, 349, 358, 359, 361
- secure socket layer (SSL) security protocol 24, 345, 361
- security auditing 344, 345, 346, 347, 361
- security threats 345, 346
- service quality (SQ) 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309
- SERVQUAL instrument 287, 290, 292, 293, 298, 302, 303, 304, 306, 307, 308
- session initiation protocol (SIP) 135, 148
- shopping information agent system (SIAS) 346
- signal-on-noise ratios (SNR) 202, 208
- signal-to-interference plus noise ratio (SINR) 94, 95, 97, 98, 99, 100, 101
- signal-to-noise ratio (SNR) 177, 181, 182, 185, 186
- signcryption 25, 28, 29, 30, 32, 33, 35, 36
- single carrier modulation schemes 126
- single hop (networking) 346
- smartmobs 333
- SNR margin 128
- sociability 312
- social interaction 263, 264, 265
- social networks 332
- socialware 263, 264, 282
- software applications 330
- speaker characterization 202
- speaker discrimination 244, 245, 246
- speaker discrimination system (SDS) 244, 245, 258
- speaker identification 201, 205, 206, 207, 211, 246, 260
- speaker indexing 246
- speaker recognition 246, 247, 249, 255, 259, 260, 261
- speaker recognition systems 247
- speaker verification 246
- spectral characteristics 202
- spectral coefficients 201, 202
- spectral resolutions 201, 202, 203, 205, 207, 208, 211
- speech 202, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 257, 258, 260
- speech coding 214
- speech database 202, 212
- spontaneous interaction 336, 343
- static channel assignment (SCA) 93, 100, 101, 102, 103
- stream control transmission protocol (STCP) 176
- streaming servers 175
- Sudoku 155, 159, 160
- supplier agents (SA) 348, 349, 350, 351
- supplier negotiation agents (SNA) 349, 357
- support vector machines (SVM) 247
- system quality 287, 289, 292, 293, 294, 295

T

TCP, corruption-aware 176
 TCP-friendly rate control (TFRC) 176, 178, 179, 180, 191, 193, 194, 197, 198, 199
 TeamRooms project 270, 285
 TeamWave workplace 270
 technology acceptance model (TAM) 290
 third generation partnership project
 unlicensed mobile access (3GPP UMA) 134
 throughput 93
 tier two 85
 time-dependent relative error value (TREV) 123
 TIMIT corpus 202, 207
 topology control 50
 TORA over backbone (TORAoB) 59
 TORA protocol 59
 transmission 41, 46
 transmission control protocol (TCP) 176, 177, 178, 179, 182, 183, 185, 186, 187, 189, 190, 191, 197, 198, 199, 200
 transmission range 2, 4, 5, 7, 14, 15
 transmission rate 4
 transport layer security (TLS) 24
 trust 287, 288, 289, 291, 292, 293, 294, 302, 303, 307
 trusted third parties (TTP) 348, 349, 350, 360
 trust services 346
 TUKAN collaborative environment 265, 266, 267
 TV, time-shifted 175, 190
 Twitter 150
 typology 330, 331, 333, 334, 335, 336, 341

U

UGV network 93, 94, 95, 96, 97, 99, 100, 101, 102, 103
 UMA terminal 134, 135, 136, 137, 138, 141, 142, 146
 unicast transmission 175, 176, 177, 179, 197
 universal mobile telecommunications systems (UMTS) 106, 107
 unlicensed mobile access 133, 134
 unmanned airborne vehicle (UAV) 94, 103

unmanned ground vehicles (UGVs) 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103
 update (UPD) 59
 usability 312, 315, 327
 user interface agents (UIA) 349, 359
 user movements 106, 107, 116, 117, 122
 user priority 137
 utility function 149, 150, 151, 152, 153, 155, 157, 158

V

variable bit rate (VBR) 227, 228, 235, 238, 241, 242, 243
 VBR video traffic modeling 228
 vector features 162
 vector features: norm 162, 164, 171, 173
 vector features: projection angles 162, 171, 172
 vector features: projection axes 162, 164, 165, 166, 167, 168, 172
 vector quantization process 214
 vector quantization process: decoding 215
 vector quantization process: encoding 214, 215, 216, 217, 218, 219, 220, 222, 224, 225, 226
 vector quantization process: training 214, 215, 219
 vector quantization (VQ) recognition model 162, 163, 164, 165, 171, 172, 173, 174, 214, 215, 216, 217, 218, 219, 220, 223, 224, 225, 226, 246, 247
 vectors 162, 163, 164, 165, 166, 167, 168, 171, 172, 173, 174
 verbosity reduction 21, 27
 Video Coding Expert Group (VCEG) 227, 229
 video multicast 175, 176
 video streaming, multicast 176
 video streaming, unicast 175, 176
 video streams 175, 179, 180, 192
 virtual backbone 50
 virtual channel 138, 139, 140, 141, 142
 virtual communities 330, 331, 333, 335, 339, 342
 vocal characteristics 202
 voice over Internet protocol (VoIP) 133, 134, 135, 146, 147

Index

W

wavelet transform based partial distortion
search (WTPDS) algorithm 217
whiteboard programs 269, 270
wideband frequency-selective radio channels
127
WiFi 134, 136, 137, 138, 139, 140, 141, 142,
143, 144, 145, 146
wikis 333
WiMAX networks 175, 176, 177, 190, 192,
193, 197, 198, 200
wired IP networks 175
wireless ad hoc networks 51
wireless application protocol binary XML
(WBXML) 23, 24

wireless mobile devices 21
wireless mobile networks 21
wireless networks 175, 176, 178, 181, 186,
195, 310, 311, 317, 320, 321, 323, 324,
325, 327, 328

Y

YAML ain't markup language (YAML) 21
YASchema 26, 27, 28, 29, 30, 32

Z

zero-forcing equalizer 128