

Index

A

abstract data type (ADT) 17
 AbstractProduct role 59
 action
 function 81
 templates 86
 Adaptee 31
 Adapter 31, 120, 180
 application programming interface (API)
 330
 architectural description languages 238
 atomic state 78

B

balanced pattern specification language
 (BPSL) 1, 2
 behavioral properties 74
 Boolean sequence 217
 bridge Prolog rule 103

C

Calculus of Communicating Systems
 (CCS) 17
 checkin-checkout (CICO) pattern 200
 Class-Z 368
 Client axiom 166
 closed system 76
 code smell 74
 Command 120
 Component 53
 Composite
 class 97, 228
 leaf-classes 61
 pattern 98, 104
 CompositeVisitor pattern 267
 Concrete-Mediator class 13
 ConcreteFactory subclass 59
 ConcreteImplementor class 106
 ConcreteObserver class 56, 57
 ConcreteSubject class 56
 Constructors 212

Contracts 47
 CreateProduct methods 59
 cruise-control system 311

D

Decorator 120
 pattern 55
 Design
 pattern 9, 95, 227, 237, 358
 based on a specification language
 (DisCo) 47, 75, 77, 96, 231
 modeling language 20
 design
 recovery 369
 digital literacy 109, 280, 324, 357

E

Eclipse-based editor 315
 enterprise JavaBeans (EJBs) 328

F

Facade 180
 Factory 180
 first order logic (FOL) 2

G

Gang of Four (GoF) 125, 237, 304
 Generalisation 180
 generic model 157
 GetSingletonData 63
 GetState method 57
 goal-oriented requirement language (GRL)
 305, 319

H

higher-order logic (HOL) 16

I

Indirection 180
 instance level 79
 integrated development environment (IDE)
 330
 Intent-Oriented Design (IOD) 124
 Intention Revealing Selector 134

Interaction pattern specifications (IPSS)
 189
 Intercol 238
 International Organization for Standardiza-
 tion (ISO) 17
 interpreter pattern 193
 Inversion of Control 120

J

Java
 language 64
 virtual machine (JVM) 332
 joint
 action 76, 81

L

language
 for patterns' uniform specification
 (LePUS) 16, 231
 of temporal ordering specification (LO-
 TOS) 16, 96
 LazySingleton 116
 Leader-Follower 245
 Leaf classes 97
 linear time temporal logic 75

M

mathematical symbolic language 126
 Mediator 180
 metamodel 157
 -level constraints 185
 metamodelling 157
 language 110
 tools 111
 methods clause 161
 model
 driven architecture (MDA) 259
 refactoring descriptions 207
 modeling layer 64
 Modifiers 212
 Monitor Object pattern 245

N

non-functional requirements (NFR) 304
 null value 114

O

- object
 - orientation 47
 - constraint language (OCL) 185
 - design ontology layer (ODOL) 262
 - modeling technique (OMT) 45, 359
 - oriented (OO) 2
 - design
 - model 65
 - patterns 357
 - designers 68
 - graphical modeling 68
 - language 125
 - languages 127
 - meta-model 64
- Observer 180, 212
 - Mediator pattern 12, 17
 - Colleagues 12
 - design pattern 82
 - pattern 55, 82, 113
- observerState role 57
- Ocsid compiler 84
- open system interconnection (OSI) 17
- Operation 53
- OperationImp operation 106

P

- pattern
 - almanac 303
 - catalogs 237
 - composition 228
 - description language (PDL) 262
 - enforcing compiler (PEC) 324, 325
 - language 227
 - level 79
 - lint 329
- polymorph 101
 - Prolog 103
- polymorphic creation 226
- postcondition 206
- precondition collects properties 206
- preservation lemmas 88
- Prolog 114
- prototype
 - pattern 249
- PublicSingleton 115

R

- RAISE 47
- Rapide 238
- Rational Rose 95
- role-based metamodeling language (RBML) 183, 184
 - kernel 187
 - pattern 199
- run-time type identification (RTTI) 333

S

- scanners 1, 20, 44, 109, 123, 183, 236, 280, 302, 324, 373
- semantic constraint 113
- Semantic Web 259
- Setstate 176
- SetState method 56
- Singleton 63
 - pattern 113, 115, 247, 326
- SingletonOperation 63
- Slam-SI compiler 222
- software
 - architectures 44
 - Design patterns 237
- Spine language 109
- State 180
- static pattern specifications (SPSs) 189
- structural constraints 113
- subjectState_param role. 56
- subjectState role 57
- system for pattern query and recognition (SPQR) 124

T

- target programming language 120
- temporal
 - logic of actions (TLA) 2, 81
 - properties 74
- traversing a sequence 217

U

- unified modeling language (UML)
 - 2, 184, 359
 - based modeling languages 259
 - Class Diagrams 363

- meta-model 21
- metamodel 157
- model 23
- update method 57
- use case map (UCM)
 - model 305, 308
 - notation 305
 - scenario notation 319
- user requirements notation (URN)
 - 302, 303, 304

V

- Verification layer 65
- Visitor class 64

W

- WebOfPatterns (WOP) project 270
- Web ontology language OWL 258
- well-formed (wf) 48
- Wrapper-Facade pattern 241