

Symbols

2.5G Technology 146
 2G (see second generation)
 3G (see third generation)
 3GPP (see third-generation partnership project)
 4G (see fourth generation)
 8-PSK (8-Phase Shift Keying) 147

A

a posteriori probabilities (APPs) 188
 a priori 188
 abstract data type 275
 model 276
 abstract location 60
 ACA (see adaptive conjoint analysis)
 access cost 615
 accessibility 697
 accuracy 39
 ad hoc 308
 adaptation 609
 adaptive 8
 conjoint analysis (ACA) 759

adaptive modulation and coding (AMC) 152, 153
 additive white Gaussian noise (AWGN) 186
 administrative operations 769
 advanced
 communication age 719
 encryption standard (AES) 396, 496
 medical priority dispatch 106
 mobile phone system (AMPS) 144
 advertising 607, 608
 AES (see advanced encryption standard)
 affordability 505
 after-purchase evaluation 634
 agent 3, 367
 activation 373
 freeze 371, 373
 ontology 511
 pre-activation 372
 receptionist 370
 transport 372, 373
 agent's
 fitness function 532
 GUI 534

knowledge 533
 lifecycle 532
 task 533
 AGPS (see assisted GPS)
 AIDC (see automatic identification and data capture)
 alignment with business strategy 599
 always-on capability 467
 AMC (see adaptive modulation and coding)
 AMPS (see advanced mobile phone system)
 analog technology 143
 angle of arrival (AOA) 3
 anonymous 7
 anti-counterfeiting technologies 381
 AP mobile time and travel 722
 aperiodic 554
 APIs/SDKs 51
 APPs (see a posteriori probabilities)
 application 431
 in marketing 223
 programs 409
 architecture 515
 design 557
 ARPU (see average revenue per user)
 ASICs 153
 assistance data provider 51
 assisted GPS (AGPS) 45, 507
 asynchronous 7, 133, 174
 invalidation report 133
 authentication 396, 412, 617
 technologies 381
 authorization 412
 automatic
 identification and data capture (AIDC) 382
 summarization 250
 vehicle location system 106
 autonomous 8
 autonomy 682
 availability 412, 505
 average revenue per user (ARPU) 19
 AWGN (see additive white Gaussian noise)
 ayurveda 116

B

B2B (see business-to-business)
 B2C (see business-to-consumer)
 B2E (business-to-employee)
 BAA (see bandwidth adaptation algorithm)
 bandwidth 803
 adaptation algorithm (BAA) 357, 359

constraints 620
 cost 615
 units (BUs) 351
 banking industry 765
 barcode 383
 base station (BS) 135, 174, 297
 basic
 complex scrambling 168
 formats of mobile education 497
 batteries 411
 battery power constraints 618
 BBB (see Better Business Bureau)
 behaviourgraphic 648
 benchmarking 421
 benefits 475
 BER (see bit error rate)
 Better Business Bureau (BBB) 458
 billing scheme 701
 bioinformatics 114, 511
 bit error rate (BER) 153, 186
 blood glucose monitor systems/diabetes systems 119
 Bluetooth 98, 152, 184, 323, 445, 497, 556, 585, 805
 technology 3, 21
 branch applications 773
 branding 531
 broadband connectivity 185
 BS (see base station)
 BUs (bandwidth units)
 budget spend 465
 business
 anywhere 464
 goals 592
 intelligence 118
 models 432
 process 829
 reengineering 720
 business-to-business (B2B) 445, 676
 business-to-consumer (B2C) 445
 business-to-employee (B2E) 479

C

C2C (see consumer-to-consumer)
 CA (see certification authority)
 CAC (see call admission control)
 cache
 invalidation strategy 133, 134
 state information (CSI) 134, 136
 caching 133

Index

- CAD (see computer-aided dispatch)
- call
 - admission control (CAC) 335, 352
 - blocking probability (CBP) 334
 - dropping probability (CDP) 334
 - drops 609
- capability 505
- capital expenditure 769
- care provider 84
- CBP (see call blocking probability)
- CDMA (see code division multiple access)
- CDP (see call dropping probability)
- CDPD (see cellular digital packet data)
- cell ID (see cell identification)
- cell
 - identification (cell ID) 40
 - search
 - algorithm 177
 - design 176, 178
 - visiting
 - probability (CVP) 339
- cellular digital packet data (CDPD) 406
- Cerner Pocket Power Chart (CPPC) 99, 102
- certificates 102
- certification authority (CA) 396
- channel
 - coding 154
 - estimation 187
- characteristics 70
- children tracking 36
- chipping rate 146
- chips 146
- Citrix 101
- client 133
 - device flexibility 505
 - pull 554
- clinical
 - alerts 86
 - management 84
 - work practices 69
- clusters integration 605
- code
 - division multiple access (CDMA) 2, 144, 158, 488, 585
 - group identification 177
- collaborative 8
- commission reporting and tracking 774
- common
 - pilot channel (CPICH) 175
 - standards 128
- CMMS (see computerized maintenance management system)
- communication 607, 608
- communicative 9
- commuting habits 699
- compact pattern (CP) 298
- company intranet 774
- competitive and product information delivery 774
- complex scrambling 160
- complexity 115
- compression ratio 254
- computer
 - aided dispatch (CAD) 106
 - assisted passenger profiling system 746
- computerized
 - reservation systems (CRSs) 810
 - maintenance management system (CMMS) 733
- conceptualization 55
- confidentiality 396, 412
- connected 505
 - mobile tourist 814
- connection stability 803
- connectivity 609
- consistency 40
- constraint database model 275
- constructing questionnaires 635
- consulting physician station (CPS) 87
- consumer-to-consumer (C2C) 445
- content 28
 - delivery 695
 - management agent 12
- context 2
- continuous query (CQ) 6, 270
- convergence 116
- COPS-PR (see COPS for provisioning)
- COPS for provisioning (COPS-PR) 618
- cost 609
 - paradox 118
 - price paradox 115
- counterfeiting 380
- coverage 609
- covert technologies 381
- CP (see compact pattern)
- CPICH (see common pilot channel)
- CPPC (see Cerner Pocket Power Chart)
- CQ (continuous query)
- CRC (see cyclic redundancy check)
- CRM (see customer relationship management)
- crossover 519

CRSs (see computerized reservation systems)
 CSD 176
 CSI (see cache state information)
 current 2
 custom declaration service 500
 customer
 differentiation 661
 needs 424
 relationship management (CRM) 585, 605,
 643, 767
 saturation 702
 -centric value 424
 CVP (see cell visiting probability)
 cyclic redundancy check (CRC) 388

D

DAML-OIL 55
 DAML-S 63
 DAP (see directory access protocol)
 data
 collection unit (DCU) 87
 delivery mechanism 554
 driven 116
 integrity 396
 mining 217
 transmission speed 609
 warehouse 831
 database servers 408
 DCU (see data collection unit)
 decision-feedback equalizer (DFE) 187
 dedicated physical data channel (DPDCH) 159
 defuzzification 311
 delayed uplink (DU) 138
 delivering the position 49
 demand-responsive transport 36
 democratisation 794
 demographics 656
 denial-of-service (DoS) 621
 destination management system (DMS) 813
 developing nations 656
 DFE (see decision-feedback equalizer)
 diagnostics 114, 118
 differential GPS 45
 differentiated services (Diffserv) 619
 Diffserv (see differentiated services)
 Diffserv-based wireless network 619
 digital
 divide 656
 purchases 471
 subscriber line (DSL) 487

direct sequence (DS) 158
 spread spectrum (DSSS) 324
 directory access protocol (DAP) 620
 disconnection time of a client 133
 discussion 636
 distance smoothing factor (DSF) 344
 distribution 864
 distributor 389
 DMS (see destination management system)
 doctors 69
 DPDCH (see dedicated physical data channel)
 DS (see direct sequence)
 DSF (see distance smoothing factor)
 DSL (see digital subscriber line)
 DSL and security 98
 DSPs 153
 DSSS (see direct sequence spread spectrum)
 DU (see delayed uplink)
 dynamic 7
 source routing (DSR) 309
 topological changes 620

E

EAF (see exponential averaging function)
 EAP (see extensible authentication protocol)
 earliest deadline first (EDF) 311
 early
 adopters 646
 majority 646
 -stage identification 756
 e-business (see electronic business) 507
 ECC (error control code)
 e-customer (see electronic customer) 656
 EDF (see earliest deadline first)
 EDGE (see enhanced data rates for GSM
 evolution)
 education 607
 efficiency gains 770
 electromagnetic
 (EM) waves 143
 pulses (EMPs) 874
 electronic
 commerce (e-commerce) 435, 463,
 483
 medical record (EMR) 74, 126
 product code (EPC) 382, 861
 e-mail 607, 773
 EMPs (see electromagnetic pulses)
 EMR (see electronic medical record)

Index

- encryption
 - and secure data transfer 771
 - toggling 772
- energy constrained nodes 621
- enhanced
 - cell ID (Cell ID++) 41
 - data rates for GSM Evolution (EDGE) 147
 - observed time difference (E-OTD) 42
 - services 467
- enterprise resource planning (ERP) 605, 697, 840, 870
- entertainment 695
- E-OTD (see enhanced observed time difference)
- EPC (see electronic product code)
- ERP (see enterprise resource planning)
- error
 - control code (ECC) 188
 - resilient coding 154
- ETD (see expected travelling distance)
- e-transformations 563
- European Universal Mobile Telephone System (UMTS) 173
- evaluation
 - of acquired information 634
 - research method 100
- evolution
 - of PDA devices 97
 - process 536
- executive dashboards 774
- expected travelling distance (ETD) 344
- expert system 608
- exploitation of ECC 187
- exponential averaging function (EAF) 344
- extended enterprise 473
- extensibility 571
- extensible
 - authentication protocol (EAP) 102, 397
 - Markup Language (XML) 86, 545
 - style sheet transformation) 545

F

- fair borrowable bandwidth (FBB) 354
- fairness 685
- Fanyu Project 499
- FBB (see fair borrowable bandwidth)
- FEC (see forward error correction)
- feedback 519
- FHs (see fixed hosts)
- field service 477
- FIMP (see first informer mobile phone)

- financial markets 781
- fingerprint 102
- fingerprinting 46
- finite impulse response (FIR) 191
- FIR (see finite impulse response)
- firmographics 661
- first
 - generation (1G) wireless technologies 144
 - informer mobile phone (FIMP) 107
- fitness function 513, 515
- fixed
 - hosts (FHs) 134
 - wireless networks 406
- flexible 8
- forensic technologies 382
- forward error correction (FEC) 144
- fourth generation (4G) 551, 724
 - mobile systems 184
 - wireless technologies 152
- FPGAs 153
- fractal summarization 253
 - model 249, 252
- frame synchronization 177
- frequency
 - division
 - duplex (FDD) 174
 - multiple access (FDMA) 144
 - hopping (FH) 158
 - modulation (FM) 144
- full
 - duplex 144
 - function device (FFD) 325
- fully
 - adaptive 334
 - elastic 334
- function-specific handheld or nano devices 117
- functionalities 6, 48
- functionality description 64
- fuzzification 311, 313

G

- gambling 447
- gateway mobile location centers (GMLCs) 25, 48
- gateway MLC (see gateway mobile location centers)
- gathering the location requests from several GMLCs 48
- Gaussian minimum shift keying (GMSK) 147
- GDSs (see global distribution systems)

general
 agent transport 368
 message format 369
 packet radio service (GPRS) 147, 488, 551, 585, 631, 671, 768
 generations 143
 genetic algorithm 512
 geographic
 information system (GIS) 793, 843
 positioning systems (GPS) 864
 GI monitoring system 120
 GIS (see geographic information system)
 global
 differences 656
 distribution systems (GDSs) 810
 positioning system (GPS) 2, 21, 45, 114, 174, 240, 507, 659, 667, 696, 846
 roaming 149, 154
 system for mobile communication (GSM) 144, 334, 470, 489, 551, 585, 832
 GMLC (see gateway mobile location centers)
 goal-oriented 8
 Golay correlator 176
 government applications 607
 GPRS (see general packet radio service)
 GPS (see global positioning system)
 graph-based ontology 59
 Green Pages 65
 GSM (see global system for mobile communication)

H

handheld
 device 422, 466, 589
 MRI 120
 PDAs 474
 handoff techniques 154
 handset
 module 652
 -based technologies 21
 HDTV 155
 heading feature in fractal summarization 257
 HEAL (see hospital and emergency ambulance link)
 health hazards 609
 healthcare 114
 administration 114, 118
 information management system (HIMS) 118, 126

hierarchical display 248
 high
 network capacity 185
 speed
 circuit-switched data (HSCSD) 147
 downlink packet access (HSDPA) 152
 HIMS (see healthcare information management system)
 HiperLAN 445
 holistic medicine 121
 home-working 478
 homeopathy 116
 hospital 69
 and emergency ambulance link (HEAL) 107
 host computers 407, 415
 hotspots 333, 441
 HotSync 99, 100
 HSCSD (see high speed circuit-switched data)
 HSDPA (see high speed downlink packet access)
 HTML (see HyperText Markup Language)
 HTTP protocol 555
 human resources 606
 hybrid
 techniques 46
 technologies 21
 HyperText Markup Language (HTML) 545
 hypotheses 634

I

ICT (see information and communication technology)
 ICU (intensive care unit)
 Id-Synch and P-Synch 616
 identity management 507
 idle period downlink (IPDL) 43
 improved mobile telephone service (IMTS) 143
 i-mode 405
 IMT-2000 (see International Mobile Telephone 2000)
 IMTS (see improved mobile telephone service)
 increased
 bandwidth 467
 data encryption 396
 personal productivity of employees 587
 incremental redundancy 148
 individual privacy 668
 indoor GPS 45
 industrial automotive sector 475

Index

- inferential capability 9
 - information and communication technology (ICT) 142, 564, 602, 719
 - information
 - gathering 634
 - retrieval 512
 - services 36
 - on the e-tap 471
 - stored in MSC 303
 - system (IS) 83, 676
 - technologies (ITs) 83, 675
 - InfoSpiders 530
 - infrared (IR) 92
 - innovation 686
 - innovators 646
 - input/output devices 411
 - institutional banking 781
 - insurance 476
 - integration of devices, applications, and platform 127
 - integrity 412, 609, 780
 - intelligent
 - advertising 447
 - agents 7
 - install and update 505
 - migration 290
 - intensive care unit (ICU) 83
 - inter-operability between carriers 467
 - interactive selling tools 775
 - interim standard
 - 136 (IS-136) 145
 - 95 Code Division Multiple Access 145
 - intermittent communication links 556
 - International
 - Mobile Telephone 2000 (IMT-2000) 149
 - Telecommunications Union (ITU) 149
 - Internet 491, 709
 - service providers (ISP) 487, 555
 - access-based mobile education 497
 - enabled mobile handheld devices 402, 403, 409, 414, 415
 - interoperability 23, 31, 48, 107, 242, 425, 440, 598
 - invalidation report (IR) 133
 - investments and infrastructure 127
 - IPDL (see idle period downlink)
 - iPod 119
 - IR (see infrared)
 - IS-136 (see interim standard 136)
 - IS (see information system)
 - ISI (inter symbol interference) 153
 - iSilo 99
 - ISP (see Internet service provider)
 - issues and challenges 479
 - ITs (see information technologies)
 - ITU (see International Telecommunications Union)
- ## **J**
- Java
 - frameworks 570
 - management extensions 203
 - banking 425
 - joint source channel coding 154
- ## **K**
- keyboards 411
 - keyword queries 514
 - knowledge
 - management 606
 - repository 831
 - based 656
 - system 830
- ## **L**
- laggards 646
 - LAN (see local area network)
 - landscape 114
 - language 128
 - laptop 70
 - computers 218
 - LAQ (see location-aware query)
 - large-scale distributed parallel mobile (LDPM) 499
 - late majority 646
 - latency 803
 - laws 128
 - LBS (see location-based service)
 - manager 51
 - LDAP access engine and directory structures 616
 - LDPC (see low density parity check)
 - LDPM (see large-scale distributed parallel mobile)
 - LDQ (see location-dependent query)
 - leisure 607
 - LIA (see location-aware intelligent agent)
 - LIF (see location interoperability forum)
 - lifestyle 430

- limited
 - memory 615
 - security 621
- LMU (see location measurement unit)
- local
 - area network (LAN) 406, 432
 - multipoint distribution service (LMDS) 407
 - server-based mobile 497
- localization 697
 - of mobile units 272
- location
 - client (LCS client) 48
 - feature in fractal summarization 256
 - interoperability forum (LIF) 819
 - management agent 11
 - measurement unit (LMU) 43, 49
 - middleware 51
 - models 272
 - ontology 58
 - pattern matching (LPM) 3
 - server provider cluster 25
 - service 273
 - services 35
 - system architectures 47
 - aware
 - computing 2
 - intelligent agent (LIA) 3, 10
 - query (LAQ) 269
 - based service (LBS) 18, 36, 447, 472, 507, 798
 - dependent query (LDQ) 269
 - sensing technologies 6
- logistic company 389
- logistics 475
- lone worker applications 36
- loose coupling 46
- lost work 609
- low
 - bandwidth 618
 - computational complexity 187
 - density parity check (LDPC) 154
 - codes 188
- LPM (see location pattern matching)
- M**
- MAC (see media access control)
- macro
 - economic level 451
 - payment and micro-payment methods 413
 - payments 404, 413
- MAI (see multiple access interference) 153
- management
 - barriers 770
 - layer 11
- managing
 - location
 - requests 48
 - responses 48
 - mobile environment 288
 - technology 609
- manufacturers 863
- market analysis 496
- marketability 659
- marketing 223, 431, 454
 - issues 609
- maximise ROI 599
- maximum-likelihood (ML) 186
- m-banking (see mobile banking)
- mBPR (see m-business process engineering)
- MBPS (see measured based priority-queue scheme)
- m-business (see mobile business)
- MC-CDMA (see multi-carrier CDMA)
- m-commerce (see mobile commerce)
- MCS (see multiple modulation and coding schemes)
- mean squared error (MSE) 190
- means-end chain (MEC) 756
- measured based priority-queue scheme (MBPS) 337
- MEC (see means-end chain)
- media access control (MAC) 731
 - filtering 395
- medical
 - alert 36
 - calculator 99
 - information 126
 - programs on PDA devices 99
 - software programs 99
- m-education (see mobile education)
- memory 411, 608
- message
 - delivery mechanism 558
 - exchange 305
 - integrity check (MIC) 396
- messaging module 652
- meta directories 616
- method outline 100
- methodology perspective 789
- MGIS (see mobile GIS)
- MHs (see mobile hosts)

Index

- MHSs (see mobile healthcare systems)
- MIC (see message integrity check)
- micro
 - browsers 410
 - payment 404, 413, 447
 - surgeries 114
- middleware 286
- MIDP (see mobile information device profile)
- migration of nodes 289
- MIMS (see monthly index of medical specialities)
- ML (see maximum-likelihood)
- m-marketing (see mobile marketing)
- m-newspaper (see mobile newspaper)
- mobile
 - advertising 472
 - assisted techniques 39
 - banking 421, 471
 - applications 424
 - based techniques 39
 - business 393, 719, 721, 724
 - environment 444
 - process 586
 - engineering (mBPR) 720
 - services 632
 - central processing units 410
 - client 268
 - hardware providers 24
 - commerce 26, 55, 233, 366, 435, 436, 445, 463, 465, 694, 510
 - applications 404, 414, 540
 - ecosystem 430
 - payment methods 404, 412
 - revolution 528
 - system 402, 404
 - communications 773
 - computing 475, 613, 832, 841
 - devices 840
 - in healthcare 70
 - connectivity 599
 - consumer behavior 633
 - CRM (see customer relationship management)
 - customer 23
 - relationship management (m-CRM) 644, 712
 - devices 247, 285, 468, 723
 - market 722
 - e-commerce 445
 - mobile education 496
 - enabled business process 586
 - enterprise 587
 - systems 588
 - environment 288
 - equipment 218
 - GIS (MGIS) 794
 - government 499
 - hardware technology 132
 - healthcare systems (MHSs) 84
 - hosts (MHs) 134
 - information
 - and communication technologies 69
 - information device profile 202
 - infrastructure 599
 - Internet 422, 469
 - banking 607
 - module 652
 - shopping 607
 - location protocol (MLP) 48, 804, 819
 - maintenance 733
 - marketing 710
 - middleware 405, 414
 - network operator 24, 697
 - networks 614
 - mobile newspaper 608
 - nodes (MNs) 308
 - originating location request (MO-LR) 49
 - operating systems 409
 - payment methods 402
 - phone 491
 - technologies 632
 - phones 218, 425, 545
 - portals 24
 - queries scheduling 280
 - server 268
 - services 2
 - shopping 472
 - station (MS) 174
 - support stations (MSSs) 134
 - switching centre (MSC) 297, 333
 - technologies 494
 - technologies 563
 - technologies 114
 - unit (MU) 333
 - user 268, 298
 - data mining 217
 - types 472
 - VoIP 436
 - Web Services (MWSs) 545, 549
 - challenges 549
 - technology 107
 - workers 770

mobility 9, 114, 444, 770, 832
 and remote assistance 115
 model based on dynamic attributes 276
 modeling of moving objects 274
 moderate resolution 98
 MIMO (see multiple-input multiple-output)
 MMS (see multimedia message service)
 MO-LR (see mobile -originating location request)
 MODQs (see mobile object database queries)
 monitoring tools 535
 monthly index of medical specialities 99
 mortgage origination 775
 motivation issues 771
 moving
 object 268
 object database queries (MODQs) 270
 MS (see mobile station)
 MSC (see mobile switching centre)
 MSE (see mean squared error)
 MSSs (see mobile support stations)
 m-transformation 564
 m-transition 788
 MU (see mobile unit)
 multi-carrier CDMA (MC-CDMA) 153
 multi-hop communications 621
 multicast group size 319
 multicasting 7
 multimedia 148
 multimedia message service (MMS) 154, 490, 644, 669
 multimodality 506
 multiple
 authentication modes 772
 bearers 556
 -input multiple-output (MIMO) 152
 modulation and coding schemes (MCS) 148
 platforms 557
 multiplicity 115
 mutation 519
 MWSs (see mobile Web services)

N

nanotechnology 116
 natural interfaces 117
 naturopathy 116
 navigation 36
 information 51
 NCL (see Network Command Language)
 neonatal intensive care units (NICUs) 83

network
 -based positioning (or remote positioning) 711
 -based techniques 39
 -based technologies 21
 Command Language (NCL) 286
 drivers 51
 -induced location request (NI-LR) 49
 measurement report (NMR) 41
 security 146, 154
 neural network-based agent 290
 NICUs (see neonatal intensive care units)
 NI-LR (see network-induced location request)
 NLRQ (see non-location-related query)
 NMR (see network measurement report)
 NMT (see Nordic Mobile Telephone)
 node migration 290
 nomad 473
 non-elastic 334
 non-line-of-sight coverage 45
 non-location-related query (NLRQ) 268, 269
 non-medical information 127
 non-repudiation 396, 412
 non-synchronized coupling 47
 Nordic Mobile Telephone (NMT) 144

O

object name server (ONS) 861
 observed time difference of arrival (OTDOA) 43
 OFDM (see orthogonal frequency division multiplexing)
 off-line capable 505
 online journal 668
 ONS (see object name server)
 ontology 55, 531
 operations 769
 opt-in approach 448
 OQPSK (offset quadrature phase shift keying) 162
 organisational knowledge 568
 orthogonal
 complex 162
 quadrature phase shift keying 162
 variable spreading factor (OVSF) 175
 frequency division multiplexing 153
 OTDOA (see observed time difference of arrival)
 overt technologies 381
 OWL (see Web Ontology Language)
 OWL-S 63, 243
 oximeter 119

Index

P

- P/S management agent 11
- Pacific Digital Cellular(PDC) 145
- packet
 - delivery ratio (PDR) 319
 - switched networks 185, 467
- Palm 101
- PAN (see personal area network)
- paraplegia 114
- partner relationship management (PRM) 644
- Passport and Visa Enquiry Service 500
- pay-
 - as-you-go/prepaid mobile phones 454
 - per-visit agreements 235
- payment 607
 - mechanisms 433
- Payroll 606
- PCF (see position calculation function)
- PDA (see personal digital assistant)
- PDC (see Pacific Digital Cellular)
- PDP (see policy decision point)
- PDR (see packet delivery ratio)
- PEOU (see perceived ease of use)
- perceived
 - ease of use (PEOU) 677
 - usefulness (PU) 677
- performance 780
 - evaluation 314
- periodic 554
- personal
 - area network (PAN) 152, 325, 724
 - digital assistant (PDA) 70, 84, 96, 200, 218, 234, 248, 333, 410, 425, 435, 528, 545, 583, 655, 709, 733, 766, 779, 841
 - handphone systems (PHSs) 488
 - identification number (PIN) 425
 - information management (PIM) 584
- personalization 633, 645, 698
- personalized/customized 8
- pervasive information access 464
- PEs (see positioning elements)
- PFL (see predicted future location)
- pharmacogenomics 114
- PHSs (see personal handphone systems)
- Physical Markup Language (PML) 861
- physiological log Web service 88
- PIM (see personal information management)
- PIN (see personal identification number)
- PKI (see public key infrastructure)
- PML (see Physical Markup Language)
- PN (see pseudo-noise)
- pocket PC 101
- POI (see point of interest)
- point of interest (POI) 799
- points of presence (PoPs) 474
- policy
 - based architecture for QoS 617
 - computing 613
 - decision point (PDP) 619
 - warehouse 616
 - based
 - approach 614
 - architecture 615, 620
 - architecture for security 615
 - QoS 618
- PoPs (see points of presence)
- portable patient monitors 120
- portrait and landscape 98
- position calculation function (PCF) 39
- positioning elements (PEs) 44
- post-roaming notification 374
- pragmatics 397
- pre-roaming notification 373
- predictable availability 803
- predicted future location (PFL) 12
- presence awareness 507
- price 531
- pricing 29, 701
- primary synchronization channel (P-SCH) 175
- priority perceptions 465
- privacy 230, 609
 - and security 128
- privacy, spam, and security 645
- process efficiency 587
- processing of location-related operators 274
- procurement 606
- product
 - brokering agent 528, 531
 - matching 647
 - ontology 531
 - recommendation 533, 537
- profile 531
 - attributes 64
 - management agent 12
- profiling tools 775
- project
 - objectives 592
 - plan 592
 - progress 851
- protected extensible authentication protocol (PEAP) 397

- protection of privacy 230
- proteomics 114
- prototype
 - design and implementation 515
 - testing and evaluation 521
- provider information 64
- providing the service 617
- proxy-based mobile Web services 550
- P-SCH (see primary synchronization channel)
- pseudo-noise (PN) 160
- PSTN (see public-switched telephone network)
- PU (see perceived usefulness)
- public Internet connectivity 736
- public key infrastructure (PKI) 387, 396
- public-switched telephone network (PSTN) 143, 333
- publish/subscribe
 - middleware 11
 - model 558
 - paradigm 3
- publishers 10
- pull model 3
 - strategy 14
- pulse meter for Ayurveda 121
- purchasing 634
- push
 - model 3
 - strategy 13
 - technology 555

Q

- QoS (see quality of service)
- QPSK (see quadrature phase shift keying)
- quadrature phase shift keying (QPSK) 175
- quality of service (QoS) 37, 185, 310, 332, 362, 421, 614
- query
 - formation 511
 - restructuring 514
- querying
 - fixed-object databases 272
 - in
 - constraint database model 277
 - MOST model 277
 - moving object databases 276
- quick
 - cure 115
 - response 115
- quoting for insurance agents 774

R

- RA (see registration authority)
- radial span 350
- radio
 - frequency (RF) 589, 873
 - identification (RFID) 381, 589, 744, 859, 871
 - applications 861
 - network 861
 - transmission technology (RTT) 150
- range and average time 103
- RAP (see resource allocation protocol)
- RASs (see remote access servers)
- RDF (see resource description framework)
- reachability 697
- reactive 8
- recognition 685
- reduced function device (RFD) 325
- registration authority (RA) 396
- regulations 609
- relevance feedback 512
- remote
 - access servers (RASs) 474
 - evaluation (REV) 286
 - positioning (see network-based positioning)
 - procedure calls (RPCs) 286
 - supervision 608
- request
 - for
 - entry permit 373
 - roaming permit 371
 - unfreeze key 373
 - and agent activation 372
 - reports (RRs) 133
- requirement confirmation 633
- research
 - design 635
 - methodology 842
 - model 681
- reservation
 - protocol (RSVP) 619
 - time window (RTW) 346
- resource
 - allocation protocol (RAP) 618
 - constraint 115, 556
 - description framework (RDF) 55
 - reservation policies 351
- response time 45
- retailer 389

Index

- return
 - of alternative therapies 116
 - on investment (ROI) 574, 741, 769
 - returning and repurchasing 634
 - REV (see remote evaluation)
 - reverse
 - fundamental channel (R-FCH) 159
 - link (uplink) 160
 - pilot (R-Pilot) 159
 - supplemental channels (RSCHs) 159
 - rewards 449
 - RF (see radio frequency)
 - R-FCH (see reverse fundamental channel)
 - RFD (see reduced function device)
 - RFID (see radio frequency identification)
 - risk management 775
 - roaming user 473
 - ROI (see return on investment)
 - RPCs (see remote procedure calls)
 - R-Pilot (see reverse pilot)
 - RRs (see request reports)
 - RSCHs (see reverse supplemental channels)
 - RSVP (see reservation protocol)
 - RTT (see radio transmission technology)
 - RTW (see reservation time window)
 - rule evaluation 314
- S**
- SACL wireless authentication 731
 - sales
 - analysis and planning 775
 - force automation (SFA) 774
 - opportunity 477
 - SAP mobile
 - asset management 723
 - procurement 723
 - sales 722
 - service 722
 - SCA (see super composition agent)
 - scalability 133
 - requirements 615
 - scheduler performance 318
 - SCM (see supply chain management)
 - scrambling code identification 177
 - SDH (see service description header)
 - second-generation (2G)
 - networks 185
 - wireless technologies 144
 - secondary synchronization channel (S-SCH) 175
 - secure sockets layer (SSL) 772
 - security 394, 432, 609, 834
 - features 387
 - issues 474
 - selection of survival 519
 - self
 - confidence 758
 - starting/proactive 8
 - selling change management 605
 - semantics 397
 - sense of urgency 466
 - SER (see symbol-error-rate)
 - server
 - push 554
 - client architecture 107
 - service 56, 234
 - broker 56
 - composition 243
 - description header (SDH) 289
 - dictionary 56
 - grounding 64
 - personalization 185
 - profile 64
 - provider 599, 616
 - requester 56
 - set identifiers (SSIDs) 732
 - oriented architectures (SOAs) 54
 - SFA (see sales force automation)
 - SGML (see Standard Generalized Markup Language)
 - shadow cluster 335, 349
 - short
 - message service (SMS) 146, 154, 424, 459, 490, 584, 644, 661, 709
 - displays 449
 - banking 424
 - based mobile education 497
 - message system (SMS) 669
 - range technologies 21
 - signal-to-noise ratio (SNR) 42, 186
 - significant development 18
 - SIM (see subscriber identity module)
 - simple object access protocol (SOAP) 548
 - simulation
 - environment and methodology 315
 - results 306
 - single channel 305
 - slot synchronization 178
 - smart
 - cellular phones 70, 410
 - client 505

- cards 102
- SMLC (Serving MLC) 48
- snapshot queries 6
- sniffer solutions 772
- soap-RPC 548
- social
 - integration 759
 - interaction 128
- socio-cultural 694
- sociology perspective 789
- SOE (see standard operating environment)
- soft handoff 146
- software
 - blanking (SWB) 44
 - defined radio 154
 - infrastructure 468
 - maintenance 774
 - market 722
 - power 116
 - tools 831
- solution manager service (SMS) 88
- source coding 154
- spatial and temporal dimensions 70
- spatio-temporal queries 270
- speed sensitivity factor 345
- spread spectrum (SS) 158
- SRWM (see symmetric random walk model)
- S-SCH (see secondary synchronization channel)
- SSIDs (see service set identifiers)
- SSL (see secure sockets layer)
- staff productivity 770
- stakeholders 576
- standard
 - Generalized Markup Language (SGML) 545
 - operating environment (SOE) 568
 - Query Languages 280
- standardization 469, 609
- standards compliance 571
- stateless 7
- statistical analysis 100
- stem cell research 114
- stretch display 98
- structure of wireless networks 406
- subscriber 10
 - identity module (SIM) 111
- super composition agent (SCA) 243
- supervised agent transport 369
- suppliers 862
- supply chain management (SCM) 585, 605, 870

- support
 - services 769
 - software 409
- strengths, weaknesses, opportunities, and threats (SWOT) 451
- SWOT (see strengths, weaknesses, opportunities, and threats)
- symbol-error-rate (SER) 190
- symmetric random walk model (SRWM) 337
- synchronization 411
 - of patient information 100
- synchronized coupling 47
- synchronous 174
- Syntactics 397
- system evaluation 537
- systems security 600

T

- tablet PCs 70
- TACS (see total access communications system)
- TA-IPDL (see time-aligned idle period downlink)
- TAM (see technology acceptance model)
- taxation payment 499
- TCO (see total cost of ownership)
- TCP/IP 550
- TDD (time division duplex)
- TDL (see Template Description Language)
- TDMA (see time division multiple access)
- TDOA (time difference of arrival)
- teamwork 780
- technology 20, 432
 - acceptance model (TAM) 676, 677
 - constraints 755
 - domain 4
 - perspective 788
- telematic unit (TU) 872
- telemedicine 114
- telemetric 607
- Template Description Language (TDL) 615
- temporal key integrity protocol (TKIP) 396, 731
- tethered/remote worker 473
- text database 831
- theory of
 - portable PKI 397
 - reasoned action (TRA) 677
- therapeutic
 - guidelines 99
 - vaccines 114
- third generation 551

Index

- third-generation (3G)
 - networks 709
 - wireless technologies 148
 - partnership project (3GPP) 173, 180
- three-tier architecture 249
- time
 - aligned idle period downlink (TA-IPDL) 44
 - consciousness 661
 - dependent CVP 339
 - estimation policies 339
 - difference of arrival (TDOA) 3
 - division
 - duplex (TDD) 174
 - multiple access (TDMA) 144, 145
 - independent CVP 341
 - estimation policies 341
- TKIP (see temporal key integrity protocol)
- TLS (see transport layer security)
- total
 - access communications system (TACS) 144
 - cost of ownership (TCO) 769
- touch screens 411
- toxicokinetics 114
- TPL (see Trust Policy Language)
- TRA (theory of reasoned action)
- track-and-trace technologies 381, 382
- tracking user's preferences 538
- traditional summarization 250
- traffic information system 608
- training 609
- transactions 695
- transition plan 593
- transport layer security (TLS) 397
- travel recommender systems (TRSs) 812
- travelling 593
- TRSs (see travel recommender systems)
- Trust Policy Language (TPL) 614
- TU (see telematic unit)
- types of LBSs 22

U

- ubiquity 633, 697
- UIR (see updated invalidation report)
- ULDs (see unit load devices)
- ultra wide band 446
- UML (see Unified Modeling Language)
- UMTS (see universal mobile telecommunication system)
- unconnected mobile tourist 814
- unicasting (one-to-one) technology 755

- unification of approaches 280
- Unified Modeling Language (UML) 786
- uniformity 662
- unit load devices (ULDs) 744
- universal description, discovery, and integration
 - 65, 242, 547
- universal mobile telecommunication system (UMTS) 149, 421
- unpredictable object movement modeling 281
- unsupervised agent transport 372
- update reports (URs) 133
- updated invalidation report (UIR) 133
- URs (see update reports)
- usability 645, 659
- user
 - experience 648
 - feedback 535
 - identification issues 230
 - login 616
 - profiles 598
 - profiling 529
 - requirements 600
 - preferences 539
- utilities management systems 794

V

- value
 - creation in Mobile Internet 423
 - propositions 425
 - added mobile services 633
- variations in mobility 319
- VC (see virtual clock)
- vertical market composition agent 243
- VGA high-resolution screen 98
- videoconferencing 149
- viral marketing 647
- virtual
 - clock (VC) 311
 - private networks (VPNs) 421, 474
- visiting 593
- Voiceover
 - IP (VoIP) 149, 436
 - Wi-Fi (VoWiFi) 436
 - Wireless
 - IP (VoWIP) 436
 - LAN (VoWLAN) 436
- voice quality 144
- VoIP (see Voiceover IP)
- VoWiFi (see Voiceover Wi-Fi)
- VoWIP (see Voiceover Wireless IP)

VoWLAN (see Voiceover Wireless LAN)
VPNs (see virtual private networks)

W

W3C (see World Wide Web Consortium)
WAN (see wide area network)
wandering 593
WAP (see wireless application protocol)
 i-mode 405
 Gateway 86
 banking 424
WAPs (see wireless access points)
W-CDMA (see wideband code division multiple access)
Web
 blog 668
 browsing 248
 Ontology Language (OWL) 55
 servers 408
 service (WS) 56, 88, 481, 544, 570
 ontology 63
 Services Description Language (WSDL) 547
 services-based operator 107
 site database 831
WEP (see wired equivalent privacy)
white pages 65
wholesale and retail CRM applications 774
Wi-Fi 99, 436, 445
 wireless fidelity 695
 protected access (WPA) 396, 732
 telephony 436
wide area network (WAN) 406, 696
wideband code division multiple access (W-CDMA) 158
WiMAX 446
wired
 equivalent privacy (WEP) 395
 networks 407
wireless 35
 access
 points (WAPs) 395
 protocol (WAP) 709
 and wired networks 414
 application protocol (WAP) 146, 247, 405, 424, 464, 488, 494, 551, 584, 585
 authentication and privacy infrastructure 488
 carriers 467
 communication 132, 143
 computing 466
 connectivity 735

data privacy enhancements 732
handheld 553
infrastructure 735
local area network (WLAN) 184, 322, 394, 406, 489, 549, 724, 730, 755
 architecture 729
Markup Language (WML) 247, 484
market 722
metropolitan area networks 724
miniature devices for CHF patients 120
network interface card (WNIC) 490
networking evolution 551
networks 184, 406
personal area network (WPAN) 323, 406
policy 771
private area networks 394
technologies 144
Voiceover IP (WVoIP) 436, 735
wide area network (WWAN) 394, 406, 724
USB 446
WLAN (see wireless LAN)
WML (see Wireless Markup Language)
WNIC (see wireless network interface card)
work settings 70
workforce management 36
World Wide Web Consortium (W3C) 55
WPA (see Wi-Fi protected access)
WPAN (see wireless personal area network)
wrist BP monitors 119
WS (Web service)
WSDL (see Web Services Description Language)
WVoIP (see wireless Voiceover IP)
WWAN (see wireless wide area network)

X

XML (see extensible markup language)
XSLT (see extensible style sheet transformation)

Y

Yellow Pages 65
yield 40

Z

ZigBee 445