

Index

A

- absolute category rating (ACR) 282
- access control model (ACM) 28, 56-59, 76, 127-128, 232, 236-238, 250-252, 270, 308-309, 335-336, 357-359, 388-389, 403-520-522, 542-543, 563-564, 585-586, 622-623, 659-660, 710-712, 735-736, 760-762, 779, 803, 844-846, 888-891, 924-928, 981-983, 1011, 1490-1492, 1515-1518, 1533-1534, 1536-1541, 1543-1552, 1604-1605, 1715-1717, 1809, 1863-1867, 1998-1999, 2105, 2107, 2154, 2156-2157, 2184-2186, 2207
- access points (AP) 68-69, 319, 439-440, 525-535, 537, 539, 639, 642, 765, 781, 875, 1276, 1497, 2093
- access time 106, 123, 454-456, 788, 930, 932, 935-936, 938-939
- adaptive mapping to realization methodology (AMR) 310, 1218-1219
- ad-hoc on-demand distance vector (AODV) 392, 396, 460, 547, 552-554, 563, 826, 852, 854-855, 1980, 1999, 2044
- ad-hoc on-demand distance vector hybrid mesh (AODV-HM) 1980, 1999
- ad hoc on-demand multi-path distance vector (AOMDV) 1980, 1999
- ad hoc sensor networks 119
- admission control 1-3, 10, 12, 16, 20, 22-23, 26-32, 67, 281, 327, 333, 335, 441, 462, 638-644, 649, 652-656, 659-660, 940, 1461, 1463-1467, 1470, 1472-1473, 1475, 1477, 1479-1480, 1484-1486, 1488, 1490-1493, 2109, 2111, 2151, 2153
- Adobe Flash 143, 494, 728, 752, 840, 858-859, 1235, 1297, 1396, 1905, 2076, 2170
- advanced encryption algorithm (AES) 209, 224, 244, 525, 714, 866, 870, 891, 977, 1814, 1846, 2006
- advanced encryption standard 251, 722, 1814, 1846, 2006
- advanced mobile phone service (AMPS) 496, 1576, 1698
- advanced telecommunications services 1849
- affordances 1312, 1319, 1324, 1326, 1333, 1403, 1406, 1408, 1441
- agenda 21 1914, 1918, 1925
- agent communications languages (ACL) 255, 705, 1311
- aggregator nodes (AN) 248, 570, 1081, 1088
- air control services 1228
- airplane asset distribution system (AADS) 2192-2198, 2200-2201, 2204-2205
- airplane multi-domain RFID system (AMDS) 2192
- airplane multi-purpose RFID system (AMRS) 2193-2195, 2200-2201, 2204-2205
- ambient assisted living (AAL) 1027, 1058, 1079-1080, 1085, 1087-1090
- ambient intelligence (AmI) 1303
- American universal service regulations 1849
- amplify and forward (AF) protocol 14, 1264
- analog-to-digital converter (ADC) 232, 374, 688, 859-860, 1258, 1282, 1287, 1815
- analytical hierarchy process (AHP) 97, 313, 317, 336
- angles of arrival (AoA) 48-49, 57, 526-528, 542, 1517
- application program interfaces (API) 369-370, 530, 591, 826, 832, 860, 1071
- application specific integrated circuits (ASIC) 722

- arrayed waveguide grating (AWG) 1960-1961, 1964, 1967-1968
- assisted living 78, 425, 982-983, 1013, 1027, 1058, 1078-1079, 1088, 1091-1092, 1254, 1303
- Association of Electronic Technology for Automobile Traffic and Driving of Japan (JSK) 2090, 2092
- asymmetric digital subscriber line (ADSL) 636, 989, 1142, 1147
- asymptotic channel distribution 610-611
- a system for spreading digital advertisements (ad-PASS) 1618-1624, 1626-1628, 1631-1632, 1635
- atomic event 228-230, 238
- attitude 183-187, 189-190, 192, 196-198, 207, 1112, 1120, 1310, 1323, 1327, 1331-1332, 1338, 1557, 1561, 1565, 1568, 1638-1639, 1646, 1695, 1761, 1769, 1774-1775, 1779, 1783, 1787, 1793, 1798, 1879, 2063, 2074
- augmented reality 510, 521, 1520, 1523-1524, 1530
- augmented spaces 1157, 1168
- Australian curriculum 2079
- auto-geotagging 1521
- automatic repeat request (ARQ) 645, 739, 741, 743-744, 755, 760, 766, 781
- autonomous crack monitoring (ACM) system 28, 31, 56-59, 76, 95-97, 116-119, 127-128, 197, 204, 223, 232, 236-238, 250-252, 270, 308-309, 332, 335-336, 357-359, 388-389, 403-405, 426, 464, 520-522, 542-543, 563-564, 585-586, 622-623, 659-660, 675-676, 710-712, 735-736, 760-762, 779, 803, 817-818, 844-846, 924-928, 941-943, 964, 981-983, 1011, 1059, 1076, 1338, 1459-1460, 1490-1492, 1515-1518, 1530, 1533-1534, 1536-1541, 1543-1552, 1598-1602, 1604-1605, 1634-1635, 1646-1647, 1671, 1715-1717, 1795-1796, 1809, 1819, 1841-1845, 1863-1867, 1925, 1998-1999, 2105, 2107, 2154, 2156-2157, 2184-2186, 2207
- autoradiopuhel (ARP) 125, 1184, 1698
- average revenues per user (ARPU) 1727-1729, 2007
- Ayushman WSN 970, 983
- B**
- backup battery 1294, 1296, 1305
- backward error correction (BEC) 106
- band-pass filter (BPF) 1960
- bandwidth 2-3, 8, 10, 12, 35-36, 49, 60, 80, 89-91, 94, 97-99, 101-104, 106-107, 175, 242, 254-256, 276, 280, 310, 326-327, 369, 408-411, 422, 424, 430-431, 443-445, 447-448, 506-507, 611, 614, 618-619, 707, 714, 718, 724-725, 932-936, 945, 973, 985, 988-990, 994-996, 1005, 1139, 1222, 1270, 1291, 1357, 1466, 1472-1473, 1485, 1488-1489, 1514, 1591, 1699, 1752, 1871, 1904, 1929-1930, 1954-1955, 1982-1989, 1997-1998, 2003-2004, 2092-2093, 2109, 2117, 2138-2139
- base of the pyramid (BoP) 1910, 1913, 1915
- base stations (BS) 152, 167-168, 179, 281, 339-341, 343-353, 355, 360, 565-583, 586, 644, 752-753, 755, 1024, 2114, 2117, 2134-2135, 2137, 2139, 2147, 2149-2152
- Bass diffusion model 276, 1719, 1723-1725, 1729-1732, 1735
- batch verification 865, 868, 871, 875, 883-887, 891-892
- behavioural observation 1102
- best beacon match (BBM) 1229
- biomedical applications 1064, 1255-1256, 1258, 1277-1278, 1280, 1292
- biomedical sensor networks (BSN) 969, 1026-1027, 1033, 1061-1064, 1066, 1068-1069, 1075-1076, 1302, 1596
- biomedical wireless sensor networks (BWSN) 968
- biometric security 894, 901
- bio-signals 1062, 1068
- bit error rate (BER) 92, 291-294, 314, 330, 456, 618-621, 645, 670-671, 674, 743-744, 1960, 1967, 1970, 2028, 2030-2031, 2033-2034, 2115, 2118-2120, 2140, 2153
- Blackboard LMS 1340, 1378-1380, 1382, 1385-1386, 1392, 1394, 1396, 1402, 1406, 2057
- blended learning 1325, 1332-1336, 1338, 1359, 1614, 2046, 2048, 2058
- blindness 678, 695, 1081, 1703
- BlueGrid 2044, 2058
- Bluetooth 2, 34-36, 38-42, 45, 68-69, 135, 173, 287, 312, 588-589, 591-593, 598, 600, 603, 632, 665, 680, 682, 709, 762, 848, 857-858, 998-1000, 1002-1003, 1010, 1012, 1018-1019, 1033, 1047, 1061-1066, 1068-1072, 1075-1076, 1079, 1083, 1085, 1088-1091, 1285, 1292, 1294, 1416, 1521, 1523, 1525, 1527, 1530, 1536, 1564-1565, 1576, 1580, 1589, 1591, 1596, 1601, 1618, 1630-1632, 1635, 1737, 1739-1742, 1745-1748, 1752-1753, 1755, 1757-1759, 1761, 1813, 1871, 1879, 1904, 2042-2047, 2049, 2056-2059
- body area networks (BAN) 970, 1003, 1089, 1127, 1278

Index

body sensor networks (BSN) 969, 1026-1027, 1033, 1061-1064, 1066, 1068-1069, 1075-1076, 1302, 1596
body-worn sensors 967-968
bootstrapping 871, 1494-1495, 1499
broadband over power line (BPL) 1930, 1951
broadband wireless access (BWA) 2, 766, 1580, 1931-1933, 2010
broadcasting monopolies 1125
BSN node 969, 1026-1027, 1033, 1061-1064, 1066, 1068-1069, 1075-1076, 1302, 1596
building management system (BMS) 377, 386, 389
bundled mobile plans 1892, 1899
business process 494, 1041, 1535-1536, 1548, 1569, 1572, 1599, 1687, 1865, 1885
business process modeling notation (BPMN) 1535, 1548, 1550
business-to-business (B2B) 715, 1210, 1688, 1696, 1701, 1870, 1883

C

call activity 911, 916-921, 924
call admission and rate control (CARC) 642
call admission control (CAC) 2-4, 16-17, 19-20, 22-23, 1464
call blocking probability (CBP) 16, 18, 21
camera sensor networks 96-97, 677, 679, 689-690, 694, 696
Campus Connect 1374, 1376-1378, 1381-1383, 1386-1388
capacity analysis 607
carbon viewpoint 1892
cardio-respiratory function monitoring 1292
caregiver monitoring 677, 689, 696
care-of address (CoA) 68, 154-157, 159, 162, 164-166, 169-172, 179
carrier-sense multiple access (CSMA) 35, 106, 123, 128, 394, 437-438, 639-640, 659-660, 788, 849-850, 852, 1002, 1576, 1745, 1814, 1846, 2094
carrier sense multiple access with collision avoidance 394, 437, 1002, 1576, 1745, 1814, 1846
CDMA RAKE receiver 2037-2038
cell phone networks 214
cell residence times (CRT) 1649-1650, 1653, 1659, 1661-1671
central server (CS) 45, 223, 271, 356, 846, 930, 1091, 1500-1502, 1600, 1633, 2207
certificate authority 173, 179, 870-871, 881, 890, 892, 2197

certificate revocation list (CRL) 2195, 2197, 2199, 2202
channel quality indicator (CQI) 2110, 2114-2115, 2117, 2127, 2149, 2151-2153
channel state information (CSI) 323, 522, 1490, 1600, 1675, 2146, 2151
checkpointing 806-810, 812-818
checkpointing, synchronous 806-807, 817-818, 984-985, 994-995, 1039, 1043, 1045-1046, 1094, 1324, 1337, 1359, 1536, 1608, 2017, 2021-2024, 2028-2029
checkpoints 806-810, 812-817
ciphered data 342
circadian activity rhythm (CAR) analysis module 969
citizen-centered websites 1170, 1174, 1178
class-based queuing (CBQ) 1985, 1999
client relay 1674-1678, 1681, 1683-1685
client-side relevance feedback (CRF) technique 724, 726, 728-734
clinicians 906, 1016, 1022, 1026, 1100, 1212, 1214, 1219, 1221-1222, 1307, 1309-1310, 1318
clock drift 804
clock offset 783, 786, 804
cloud computing 713, 723, 1302, 1894, 1903
coalition network 1494, 1497
CodeBlue sensor network 969, 976, 1006-1007, 1012, 1294, 1596
code division multiple access (CDMA) 29, 31, 94, 113, 312, 330, 333-334, 495-496, 503, 563, 611, 614, 748, 778, 929, 1462, 1492, 1688-1689, 1693, 1812, 1846, 1858-1861, 1867, 2005, 2014-2019, 2033-2034, 2037-2041, 2093, 2095-2096, 2113, 2130, 2148
code division multiple access (CDMA) schemes 2038
collaborative computing 661-665, 669-670, 675, 2047
collaborative learning 149, 1325, 1335, 1358-1359, 1372-1373, 1382, 1391, 1395, 1400, 1402, 1606-1608, 1610-1616, 2056, 2058
collaborative video surveillance 713-715, 717-719, 721-723
collaborative working environments (CWEs) 256
common vulnerability scoring system (CVSS) 210
communication for development and social change (CDSC) 1117-1118, 1123
communication technology 30-31, 43, 130-131, 151, 179, 184, 603, 636, 677-678, 857, 894, 904, 908, 929, 985, 988, 993, 1003, 1009, 1123, 1131, 1152, 1154, 1156, 1158, 1160, 1162,

- 1171, 1207, 1209, 1307, 1416, 1424, 1434, 1490, 1619, 1638, 1696, 1738, 1867-1868, 1877, 1886, 1932, 1941, 2061-2062, 2092, 2100, 2154
- competitive intensity 1558, 1563
- complementary code keying (CCK) 35, 446
- complementary codes 35, 446, 1083, 2014, 2016-2019, 2021-2023, 2026-2030, 2033-2037, 2039-2041
- complementary metal-oxide semiconductor (CMOS) 77-78, 689, 1018, 1255-1256, 1259-1260, 1264, 1272, 1274-1276, 1278, 1285, 1288-1292, 1589
- complex event 228, 230, 232-235, 238
- composite event 228-232, 235-238
- comprehensive value network model 1855
- computer aided qualitative data analysis software (CAQDAS) 147
- computer mediated communications (CMC) 1608
- computer supported collaborative work (CSCW) 1035-1037, 1039-1040, 1043-1045, 1049, 1060, 1114-1115
- conceptual NFC basics 1870
- connected dominating set (CDS) 147, 392, 2188, 2197
- connectivity 2, 4-5, 8, 50-51, 59, 80, 98, 106, 114, 117, 151, 157, 163, 170, 172, 377, 685, 701, 706, 807, 969, 979, 1011, 1031, 1048, 1064, 1083, 1141, 1173, 1303, 1341, 1353, 1356, 1365, 1391, 1395, 1399, 1402, 1414, 1457, 1536, 1588, 1593, 1609, 1788, 1791, 1799, 1816, 1859, 1862, 1880, 1894, 1904, 1911, 1916, 1922, 1981, 2003, 2046, 2059, 2061, 2072, 2086, 2135, 2194, 2198-2199
- connectivity infrastructure 1894
- connectivity service network (CSN) 808, 810, 813-815
- consumer attitude 186, 192, 197-198, 207
- consumer behavior 186, 188, 190, 1763-1764, 1781, 1795, 1878, 1881
- content-based image retrieval (CBIR) 725, 735
- content-device fit 1788, 1791, 1793, 1797
- content privacy 241, 253
- context-awareness 312, 1008, 1548
- context-based adaptive binary arithmetic coding (CABAC) 432, 437
- context-based adaptive variable length coding (CAVLC) 432
- context privacy 241, 253
- continuing medical education (CME) 1307-1310, 1313-1314, 1318, 1322
- controller area network (CAN) 122-123, 127, 848
- convergence technology of construction, information and communications (C-ICT) 1142
- conversational quality (CQ) 282, 2132
- cooperative communications 332, 623, 966
- coordinated checkpointing 806-808, 816-818
- coordinator node (CN) 8, 154-155, 158-160, 167, 169-171, 173, 179, 249, 652-654, 707, 729, 816, 990-992, 1176, 1925
- corporate social responsibility (CSR) 1910, 1913
- COST231 Munich scenario 466, 483
- cost of ownership 1688, 1861, 1898
- COUGAR project 231, 1600
- coverage analysis 574, 607, 611, 623
- CPU cycles 674, 1498
- CPU frequency 664, 668-671, 674
- Crámer-Rao lower bound (CRLB) 52
- credentialing 1307-1309, 1317-1318, 1322
- critical mass 1316, 1378, 1569, 1593, 1719-1725, 1727-1732, 1734-1735
- critical mass achievement 1722
- critical mass points 1721
- critical success factors 204, 1219, 1409, 1852-1853, 1861-1863, 2001-2003, 2007-2009, 2011
- Cronbach's alpha 1328, 1642
- cryptography, asymmetric 14, 154, 243, 251, 329, 331, 335, 346, 707, 709, 756, 865, 868, 874, 887, 891, 929, 932, 937, 939, 973, 1147, 1825, 1840, 2160, 2178, 2195, 2207
- cryptography, identity-based 252, 864-865, 871, 875-876, 883-885, 888, 890-892, 983, 1504, 1511, 1515, 2170, 2183, 2185
- cryptography, symmetric 224, 329, 331, 335, 342-343, 351, 414, 525, 569, 571, 589, 701, 865-866, 868-874, 887, 891, 973, 978, 1502, 1506, 1511, 1513, 1681, 1822, 1832, 2099, 2158, 2160, 2168-2170, 2178, 2182-2183, 2191
- CWmax 439-440, 640, 646-647, 649, 651, 656
- CWmin 439-440, 640, 644, 647, 649, 651, 656
- cyclic redundancy check (CRC) 59, 359, 441, 606, 889-890, 974-975, 983, 1288, 1599, 1826, 1846, 2105, 2179
- ## D
- data acquisition (DAQ) 421, 423
- data aggregation 82, 86, 114-115, 117, 122, 126, 240, 243, 252, 345, 352-353, 357-358, 379, 405, 507, 568, 575, 580, 586, 819-821, 830, 833, 835, 873, 1507, 1592, 1828, 1831-1832, 2158-2159, 2173, 2176

Index

- data aggregation different privacy-levels protection (DADPP) 243
- data analysis 50, 135, 145, 147-148, 505, 520, 676, 900, 902-904, 924, 1072, 1122, 1302, 1327, 1330, 1335, 1559, 1641-1642, 1644, 1646, 1857, 1929, 1937, 1947, 1949, 1954
- DataArc 1311
- database management system 498, 500-501, 1538, 1586
- data base management system (DBMS) 499, 1049, 1539
- data collection 85, 92, 100, 130, 139, 149, 189, 226, 239, 248, 354, 364, 366, 382, 532, 566, 627, 685, 691, 820, 832, 838, 899, 905, 950, 979, 1056, 1062, 1075, 1083, 1095, 1098, 1160, 1228, 1345, 1419, 1554, 1610, 1639, 1691, 1769, 1800, 1819, 1842, 1941, 2075
- data distribution service (DDS) specification 819-823, 825-826, 828-830, 832-834, 836, 839, 843-845, 915
- data fusion 85-86, 348, 357-358, 1029-1030, 1304, 1582
- data gathering 92, 105, 132, 239-240, 242, 244-245, 247-248, 250, 253, 404, 628, 944, 948-950, 952-954, 956, 961-964, 985, 1061, 1068, 1108-1110, 1391-1393, 1841, 1843, 1857
- data input 1144, 1533, 1548
- data integration 1709, 2169
- data protection directive (DPD) 360
- death frame 1497
- decision support systems (DSS) 34-35, 437, 442-446, 590, 822, 851, 871, 889, 892, 915, 1001, 1437-1438, 1603, 1827, 1846
- decode and forward (DF) protocol 14, 705, 1448
- delay-aware reliable transport (DART) 111, 392
- delay jitter 80, 90, 98, 276, 280, 283, 289, 298, 300-301, 303-305, 430, 556-557, 665, 668
- Delphi method 2001-2002, 2006-2009, 2012-2013
- denial of service (DoS) 70-71, 214, 237, 341, 343-344, 360, 872, 888, 971-972, 1496, 1498, 1507, 1514, 1591, 1821, 1823, 1828, 1830, 1837, 1846
- device optimization 1783, 1786-1787, 1789
- differentiated service (DS) 31, 391-394, 396, 513-514, 1142, 1429-1430, 1432-1433, 1435, 1437-1439, 1441-1442, 1901, 1908, 1985, 1999, 2019, 2038, 2060-2061, 2063, 2081-2084
- diffusion of innovation (DOI) 26, 43, 55, 74, 95, 116, 126, 149, 176, 192, 236, 251, 271, 307, 332, 356, 386, 404, 424, 481, 521, 542, 563, 584, 602, 622, 636, 659, 676, 710, 722, 734, 760, 778, 803, 817, 844, 862, 890, 905, 907, 924, 941, 964, 981, 1031, 1059, 1091, 1101, 1113, 1129, 1147, 1164, 1167, 1183, 1206, 1253, 1288, 1303, 1319, 1333, 1353, 1357, 1372, 1389, 1427, 1442, 1460, 1489, 1516, 1530, 1549, 1569, 1598, 1616, 1639, 1645, 1671, 1685, 1697, 1714, 1732, 1756, 1779, 1809, 1840, 1850, 1863, 1885, 1890, 1924, 1948, 1971, 2011, 2040, 2058, 2087, 2104, 2106, 2154, 2183, 2206
- Digicel 1913, 1919-1920
- digital access 1418
- digital advanced mobile phone system (D-AMPS) 1688-1689, 1692
- digital certificates (DC) 44, 56, 96, 127, 209, 270-271, 308, 403, 442, 521, 523, 586, 722, 818, 844, 890, 983, 1131, 1207-1208, 1210, 1264, 1272, 1280, 1302-1303, 1389, 1550, 1571, 1604, 1635, 1685, 1864-1867, 2128, 2144, 2184-2186, 2206-2208
- digital convergence technologies 1137, 1141
- digital economy 1607, 1716, 1889
- digitalization 1155, 1163
- digital signatures 868, 871-872, 877, 1504, 1628, 1832, 2166, 2194-2196, 2205
- digital subscriber line (DSL) 706, 1174, 1859-1862, 1930, 1932, 1934, 1943-1945, 1950-1951, 1953-1954, 1958, 1982, 2007
- digital video broadcasting-satellite (DVB-S) 989
- Dijkstra's algorithm 88, 397, 399-400
- direct sequence spread spectrum (DSSS) signaling 34-35, 437, 442-446, 590, 851, 1001, 1827, 1846
- disaster management 100, 114, 635, 807, 926, 1191
- disruptive technologies 1392-1393, 1408
- distributed admission control (DAC) 117, 642-643, 688, 1259, 1537-1538, 2040
- distributed computing environment 930
- distributed coordination function (DCF) 104, 394, 400, 438-440, 450, 639-640, 645-646
- distributed source coding (DSC) 944-945, 948
- dominating sets (DS) 31, 391-394, 396, 513-514, 1142, 1429-1430, 1432-1433, 1435, 1437-1439, 1441-1442, 1901, 1908, 1985, 1999, 2019, 2038, 2060-2061, 2063, 2081-2084
- dual-threshold reservation (DTR) 1475, 1493, 1500, 1502
- dynamic address routing (DART) 392
- dynamic data driven application systems (DDDAS) 910-911, 924, 926, 928

dynamic host configuration protocol (DHCP) 156, 179
 dynamic leader set generation (DLSG) 390-392, 396-403
 dynamic source routing multi-path (DSR-MP) 1980, 1999

E

early warning systems 723, 1201
 ease of navigation 1181-1182
 e-enterprise—City Ltd 1520
 e-government 1104-1105, 1113-1114, 1138, 1141, 1153, 1170-1175, 1178, 1182-1188, 1190-1193, 1202-1203, 1206-1210, 1701, 1706, 1709, 1714-1717, 1932, 2011
 e-health 699, 701, 709, 711-712, 905-908, 983, 985, 989, 992-993, 999, 1009-1010, 1013, 1016-1017, 1019, 1033-1034, 1043-1044, 1061, 1077, 1102, 1193-1194, 1216-1217, 1226, 1292, 1303, 1305, 1530, 1648, 1932
 e-health systems 712, 905-908, 1019, 1102, 1226, 1648
 elderly people 33-34, 38-40, 42-44, 1024, 1078-1081, 1084-1090
 e-learning 1138, 1141, 1171, 1319, 1326, 1335, 1362, 1373, 1389, 1422, 1524, 1547, 1606, 1608, 1611-1617, 2059
 e-learning programmes 1611-1612, 1616
 electrocardiograms (ECG) 969, 972, 978, 985, 987, 991, 995-996, 998, 1003-1004, 1008, 1020-1022, 1025-1027, 1063, 1076, 1228, 1233, 1235, 1242, 1245-1246, 1279, 1289, 1296-1297, 1304, 1737, 1739, 1741-1742, 1745, 1750-1751, 1756-1759
 electroculogram (EOG) 1102, 1279
 electroencephalogram (EEG) 985, 998, 1004, 1094, 1102, 1255, 1278-1284, 1289, 1291-1292, 1742, 1750, 1757
 electromyogram (EMG) 987, 998, 1102, 1279
 electronic healthcare records (EHR) 712, 979, 992, 994-996, 1003, 1084-1085
 elliptic curve cryptography (ECC) 256, 258-259, 261, 270, 868, 976, 2160, 2163-2167, 2169-2170, 2182-2183, 2185
 elliptic curve digital signature algorithm (ECDSA) 261-263, 267-268, 270-271, 872, 885, 976, 2166
 elliptic curve discrete logarithm problem (ECDLP) 2164
 elliptic curve integrated encryption scheme (ECIES) 258, 261-262, 267-268, 2166

emergency medical services (EMS) 1311
 encryption algorithms 172, 209, 221, 224, 342, 1066, 1069, 1835, 1846
 encryption keys 243, 342, 348, 869, 891, 977, 1821, 1825, 1836, 2168
 end-to-end delay (EED) 1989-1990, 1995-1997, 1999
 energy efficiency 2, 103, 107-108, 110-111, 114, 260, 312, 318, 382, 391-392, 394, 404, 408, 410, 453, 605, 663, 935, 945-946, 956, 963, 1579, 1581, 1603, 1632, 1674-1676, 1678, 1683-1686, 1696, 1828, 1834-1835, 1897, 2159
 energy harvesting 1605
 energy management 34, 395, 1228, 1236, 1238, 1291, 1871
 energy saving 66, 86, 105, 344, 395, 401, 408, 661-664, 669, 671-673, 675, 1871
 English as a second language (ESL) 2068-2069, 2073-2076, 2085-2086
 enhanced data rates for GSM evolution (EDGE) 16, 47, 50-51, 279-281, 295, 300, 309, 312, 515, 574, 617-618, 622, 753, 762, 796, 914, 919, 1033, 1143, 1146, 1228-1231, 1253-1254, 1301, 1310-1311, 1324, 1365, 1449, 1533, 1589, 1688, 1699, 1827, 1964, 2001, 2003, 2005-2006, 2061, 2064, 2120
 enhanced distributed coordination function (EDCF) 105, 450, 452, 660
 enhanced full rate (EFR) 295
 enterprise resource planning (ERP) 1560-1561, 1586-1587, 1688, 1694
 entertainment 173-174, 180, 185, 187, 194, 203, 543, 857, 1001, 1080, 1174, 1228, 1433, 1524, 1531, 1786, 1869, 2090
 entourage 1378, 1383
 equal access sharing with priority (EASWP) 1467
 equal access sharing with reservation (EASWR) 1473, 1479, 1481, 1484
 equal gain combining (EGC) 324, 2038
 equipment identity register (EIR) 1534
 erbium-doped fiber amplifiers (EDFAs) 1960-1961
 ERBS 1892, 1899
 e-readiness 1170, 1173-1174, 1184
 error propagation 459, 604-605, 607, 617, 619-620, 622
 error propagation analysis 607
 error resilience 430, 745, 757
 ethnography 131, 133-134, 137, 149, 1113-1116, 1122, 1167
 evaluation assurance level (EAL) 2193, 2196

Index

event filtering 819-820, 822

event of interest 784, 804

event to sink reliable transport (ESRT) 110, 586

extensible access control markup language (XAC-ML) 270, 702-704, 707, 709, 711

F

facilitating conditions 896, 1323, 1327, 1331-1332, 1338, 1766, 1768, 1770-1772, 1774, 1776

factor analysis technique 1641

fault tolerance 108, 114-115, 163, 357, 565, 686, 691-692, 806, 938, 940, 1587, 1821, 1979

Federal Communications Commission (FCC) 1848-1851, 1930, 1933, 1943, 1948, 2092

fiber-to-the-curb (FTTC) 1930

fiber-to-the-home (FTTH) 1930, 1958

file transfer protocol (FTP) 13, 15, 274, 382, 592, 598, 603, 753, 2125, 2150

fingerprint 214, 527-528, 530-533, 535-538, 541, 1503, 1541, 2198

finite impulse response (FIR) filter 411

first come first serve (FCFS) 2110, 2115, 2127

first in first out (FIFO) 807, 1486-1487, 2110, 2115, 2126-2128, 2130-2131, 2135, 2142, 2150

fixed-line internet 1852-1854, 1860, 1862-1863

flexibility 12, 14, 34, 61, 65, 78, 91, 98, 100, 114, 136, 255, 257, 274-275, 300, 306, 370, 376-378, 382, 391-393, 396, 431-432, 447, 463, 474, 498, 512, 524, 540, 642-644, 780, 819-821, 873, 897, 1027, 1085, 1095, 1191, 1207, 1256-1257, 1334, 1379, 1587, 1589, 1593, 1598, 1601, 1638, 1690, 1760, 1766, 1893, 1906-1907, 1915, 1932, 1958, 1969, 2003-2004, 2006, 2067, 2110, 2198

FlowMark 1042

FlowMark definition language (FDL) 1042

forward error correction (FEC) 89, 104, 106, 116, 714, 720, 737, 739, 741-742, 744-750, 752, 755, 758-761, 766, 781, 1580, 1969, 1974, 2115

fourth generation (4G) cellular network 625, 628

fourth generation (4G) wireless systems 31, 2125

fourth generation (4G) wireless technology 1, 8, 11, 20, 25, 31, 72, 74, 151, 311, 317, 325, 331, 333, 336, 496, 625, 628, 740, 992, 994, 1030, 1033, 1081, 1083, 1205, 1671, 1688, 1699, 1854, 1863, 1867, 1885, 1931, 2002, 2012, 2040, 2108, 2115, 2124, 2137, 2146, 2151

fractional guard channel (FGC) 1467-1468

framelets 123

free space path loss (FSPL) 526-527, 529, 533

frequency division duplexing (FDD) 1010, 2039

frequency division multiple access (FDMA) systems 94, 123-124, 324-325, 609, 611, 614, 1462, 2015, 2148

frequency division multiplexing (FDM) 2019, 2038-2039

frequency hop spread spectrum (FHSS) 34, 45, 437, 442-443, 590, 603, 1827, 1846

Funambol 1900-1903, 1906-1908

G

General Healthcare Group (GHG) 1892

general packet radio service (GPRS) 9, 40, 42, 312, 588, 603, 633, 699, 985, 1003, 1008, 1047, 1064, 1089, 1091, 1187, 1235, 1296, 1363, 1532, 1560-1566, 1596, 1622, 1688-1689, 1693-1694, 1696, 1699, 1875, 2011

general practitioners (GPs) 47, 85, 135, 513, 546, 624, 626, 629, 632, 634, 636, 678, 684, 784, 804, 911, 987, 1022, 1027, 1033, 1086, 1088, 1138, 1142, 1145, 1213, 1374, 1392, 1396, 1398, 1416, 1432, 1520, 1523, 1530, 1540, 1595, 1710, 1800, 1905, 1998, 2061, 2093, 2129

genetic algorithms (GA) 228, 233, 388, 522, 584, 633, 845, 1141, 1280, 1282, 1320, 1525, 1535, 1892, 1897, 2090, 2093

geocoding systems 1521, 1523

geographic and energy aware routing 1828, 1846

geolocation systems 1521-1522

geotagging features 1521

global area networks (GAN) 5, 10, 13, 26, 30

global information systems (GIS) 510, 624-632, 634-637, 680, 911, 921, 1088, 1564-1565

global navigation satellite system (GNSS) 1091

global packet radio system (GPRS) 9, 40, 42, 312, 588, 603, 633, 699, 985, 988, 1003, 1008-1009, 1047, 1064, 1089, 1091, 1187, 1235, 1296, 1363, 1532, 1560, 1566, 1596, 1622, 1688, 1693, 1696, 1699, 1875, 2011

global positioning systems (GPS) 47, 85, 135, 513, 546, 624, 629, 632, 636, 678, 684, 784, 804, 911, 987, 1022, 1027, 1033, 1086, 1088, 1138, 1142, 1145, 1213, 1374, 1392, 1396, 1398, 1416, 1432, 1520, 1523, 1530, 1540, 1595, 1710, 1800, 1905, 2061, 2086, 2093, 2129

global system for mobile communication (GSM) 72, 223, 287, 290, 294, 303, 307, 309, 312, 495, 588, 603, 699, 706, 1003, 1013, 1017, 1027, 1047, 1088, 1187, 1361, 1364, 1368, 1372, 1532, 1540, 1595, 1621, 1688, 1692, 1699,

1725, 1741, 1812, 1846, 1856, 1866, 1869, 1884, 2005, 2011
 government regulation 1851
 graphical user interface (GUI) 685, 694, 1049, 1067, 1896, 2049, 2051-2052, 2054, 2058
 greedy perimeter stateless routing 96, 1828, 1842, 1846
 grey relational analysis (GRA) 313, 317
 grey relational coefficient (GRC) 317
 ground RFID processing system (GRPS) 1562, 2193

H

half rate (HR) 295, 445, 969, 1016, 1021, 1102, 2005
 handheld technology application (HTA) 1214, 1223-1224
 handover contributors 303
 handover score 303-305
 hash chain 868, 870-874, 892, 2202, 2204
 hash tree 571-573, 577-578, 868, 870-871, 873-874, 892
 health body area network (HBAN) 39
 healthcare and health monitoring applications 1228
 healthcare industry 39, 43, 339, 341, 354, 358, 391, 408, 697, 699, 710, 893, 967, 973, 977, 979, 988, 993, 1002, 1008, 1012, 1018, 1021, 1024, 1026, 1030, 1035, 1043, 1047, 1055, 1057, 1061, 1063, 1076, 1079, 1083, 1087, 1089, 1096, 1101, 1115, 1211, 1221, 1240, 1246, 1254, 1293, 1296, 1307, 1313, 1315, 1318, 1320, 1574, 1593, 1596, 1602, 1637, 1644, 1738, 1742, 1748, 1750, 1754, 1758
 hierarchical token bucket (HTB) 1978-1979, 1985, 1987, 1991-1992, 1997-1999
 high cutoff frequency (fH) 593, 1500
 high performance wireless research and education network (HPWREN) 1339-1342, 1344, 1346-1348, 1350-1353, 1355-1359
 high speed circuit switched data (HSCSD) 1688-1689, 1693
 high-speed downlink packet access (HSDPA) 603, 992-993, 1011, 2015, 2096
 high-speed packet access 1011
 HMAC message authentication code 870, 891
 home agent (HA) 30, 68, 154-162, 164-165, 170-172, 178-179, 756, 761, 1221, 1305
 homecare 354, 984-986, 990, 995-996, 1005, 1009, 1011-1013, 1029, 1043, 1058, 1737, 1739-1745, 1748-1751, 1754-1755, 1759
 home location register (HLR) 214, 1651-1652, 1658-1659, 1663, 1673

horizontal-reflection-diffraction (HRD) 469-472, 474-475, 477
 host computers 485-489, 494, 497, 503
 hybrid fiber copper (HFC) 1930
 hybrid localization algorithm 1298, 1301, 1305
 hypertext transfer protocol (HTTP) 45, 118, 128, 149, 174, 176, 210, 223, 252, 270, 307, 356, 360, 366, 370, 373, 386, 424, 482, 498, 503, 521, 541, 567, 570, 584, 592, 598, 628, 633, 675, 695, 710, 722, 778, 829, 833, 844, 888, 890, 924, 928, 965, 1011, 1013, 1021, 1031, 1059, 1076, 1081, 1089, 1091, 1131, 1149, 1154, 1164, 1183, 1207, 1223, 1253, 1290, 1302, 1315, 1319, 1333, 1357, 1372, 1388, 1393, 1396, 1400, 1402, 1405, 1410, 1442, 1446, 1459, 1515, 1525, 1530, 1576, 1598, 1604, 1685, 1697, 1714, 1717, 1723, 1733, 1755, 1758, 1780, 1810, 1842, 1850, 1864, 1885, 1888, 1898, 1902, 1908, 1948, 1998, 2011, 2040, 2058, 2086, 2104, 2106, 2150, 2206

I

ID-based signatures 891
 identity based encryption (IBE) 2160, 2167-2172, 2182-2183
 IEEE 802.11 standards 2, 25, 28, 35, 45, 68, 76, 103, 119, 312, 390, 400, 404, 429, 431, 437, 444, 456, 463, 465, 524, 527, 542, 593, 638, 644, 646, 652, 654, 659, 706, 722, 765, 778, 899, 906, 998, 1003, 1083, 1229, 1444, 1448, 1459, 1495, 1576, 1580, 1603, 1618, 1781, 1812, 1841, 1846, 1854, 1979, 1981, 2006, 2093, 2189
 IEEE 802.15 standards 34, 38, 43, 68, 75, 123, 128, 208, 215, 220, 312, 420, 425, 429, 826, 847, 850, 857, 859, 862, 873, 977, 983, 1001, 1011, 1019, 1034, 1064, 1227, 1235, 1240, 1250, 1253, 1259, 1289, 1294, 1302, 1580, 1739, 1745, 1747, 1751, 1756, 1812
 IEEE 802.16 standards 2, 30, 281, 308, 310, 312, 429, 496, 766, 1444, 1580-1581, 1812-1813, 1854, 1864, 1931, 2002, 2005, 2012-2013, 2115, 2141, 2144, 2150-2152
 implementation acceptance 1878, 1890
 implicit earliest deadline first (I-EDF) 123-125
 income inequality 1190, 1723
 industrial-scientific-medical 954, 1738
 INET International 1211-1212, 1214-1215, 1217, 1222-1224
 infrastructure-as-a-service (IaaS) 713

Index

infrastructure-to-infrastructure (I2I) 2090, 2096
initialization data 342
innovation adoption theory 184
Integral 134, 167, 405, 414, 428, 612, 930, 1009,
1022, 1137, 1188, 1191, 1204, 1310, 1378-
1379, 1386, 1473, 1477, 1479, 1484, 1568,
1675, 1687-1696, 1704, 1708, 1782, 2042,
2047, 2084, 2111
integrated development environment (IDE) 494, 500,
502, 688, 2054
integrated encryption scheme (IES) 258
intelligence continuum (IC) 217-219, 453, 569,
1001, 1218-1219, 1272, 1290
intelligent navigation 677, 696
intelligent ray launching algorithm (IRLA) 466-472,
474-477, 481
Intelligent Transportation Society of America (ITSA)
2090, 2092
intelligent vehicle highway system (IVHS) 2090
interactional mobility 1916, 1923
inter-domain routing protocol (IDRM) 1495, 1515
International Telecommunications Union (ITU) 208,
210, 219, 224, 275, 279, 307, 589, 603, 675,
712, 757, 1187, 1208, 1783, 1795, 1897, 1930-
1935, 1940-1943, 1949, 1951-1954
Internet control message protocol (ICMP) 156, 176,
179
Internet Engineering Task Force (IETF) 7, 10, 12-14,
16, 26-27, 29-30, 101, 116, 151-152, 154, 157,
164, 167-168, 174, 176-179, 270, 279, 281,
307, 387-388, 405, 703, 778-779, 1508, 1576,
2198, 2206
Internet GIServices 624-626, 629-630, 634-635
Internet Naming Service (iName) 1363-1365, 1370-
1372
Internet protocol (IP) 1, 4, 12, 14, 16, 25, 68, 72, 75,
90, 151, 165, 172, 175, 265, 274, 289, 296,
306, 365, 378, 380, 410, 494, 496, 525, 533,
603, 675, 701, 718, 723, 737, 745, 752, 762,
779, 825, 833, 844, 846, 858, 909, 971, 990,
1017, 1048, 1143, 1173, 1277, 1370, 1498,
1572, 1626, 1629, 1786, 1854, 1864, 1866,
1931, 1934, 1950, 1953, 1982, 1985, 2001,
2003, 2007, 2009, 2045, 2108, 2110, 2113,
2124, 2129, 2152
Internet protocol security (IPSec) 69-70, 161, 172,
222, 701, 1510
Internet root (IROOT) 1983-1984, 1986, 1992-1994,
1999
interoperability 1, 7, 12, 14, 26, 72, 325, 487, 496,
629, 636, 699, 705, 709, 718, 819, 845, 983,

985, 1000, 1008, 1021, 1024, 1059, 1085,
1304, 1357, 1706, 1709, 1737, 1749, 1753,
1757, 1759, 1796, 1846, 1854, 1931, 1979,
2001, 2004, 2009, 2011

intersymbol interference (ISI) 309, 444, 464, 778,
2110

inter symbol interference (ISI) 309, 444, 464, 778,
2110

IP multimedia subsystem (IMS) 72-73, 75, 279, 307
iPods 135, 1316, 1390-1400, 1402-1403, 1405-1409,
1437-1438, 1904, 2060-2081, 2086-2087

Irish National Teachers Organization (INTO) 1424
ISM Bands 45, 589, 592, 601-603, 2095

J

Java 2 Micro Edition (J2ME) 633, 1071, 2044-2045,
2049, 2052, 2054, 2058-2059

joint board on universal service 1849

K

killer application 201, 1874, 2001, 2006, 2010-2011,
2013

kill pill 1534

Kyte 1416, 1418-1420, 1422, 1424

L

lead practitioner researcher (LPR) 610, 1434, 1712
Learning and Skills Council (LSC) 1430

learning management systems (LMS) 1392, 1396-
1397, 1406

level-crossing sample and hold (LCSH) operation
410-413, 418-419

level crossing sampling (LCS) 408-424

limited fractional guard channel scheme (LFG)
1477-1478, 1485

limited range 858, 1213, 1497, 1762

linear parity with noise (LPN) 243

line-of-sight (LOS) 95-97, 116, 118, 127, 197, 388,
469-470, 474-475, 477, 803, 999, 1132-1133,
1256, 1341, 1349, 1442, 1549-1552, 1645,
1686, 1811, 2006, 2092

link state packet (LSP) 26, 1980, 1999

listening quality (LQ) 282, 2125-2126

live interactive virtual explorations (LIVE) 94, 121,
284, 295, 634, 678, 689, 714, 740, 742, 752,
923, 1017, 1058, 1079, 1090, 1151, 1163,
1167, 1175, 1246, 1310, 1327, 1339, 1359,
1364, 1400, 1418, 1497, 1532, 1614, 1626,
1712, 1820, 1848, 1913, 1982, 2057, 2078

local area networks (LAN) 29, 45, 103, 122, 174, 177, 213, 301, 334, 337, 404, 465, 495, 502, 542, 638, 652, 659, 893, 905, 907, 932, 999, 1003, 1017, 1043, 1092, 1363, 1368, 1372, 1552, 1573, 1576, 1580, 1814, 1866, 1934, 1943, 2093, 2095, 2104, 2154

localized encryption authentication protocol (LEAP) 586, 704-705, 868, 870, 873, 891, 1845, 1912, 2160-2162, 2176, 2178-2180, 2183, 2186, 2188

locational mobility 1916, 1920

location area (LA) 58, 117, 386, 466-467, 482-483, 1091, 1304, 1335, 1355, 1526, 1531, 1650-1651, 1657, 1659-1661, 1663, 1665

location area residence time (LART) 1659, 1662-1663, 1668, 1670-1671

location association server (LAS) 69, 404, 521, 844, 1531, 1551, 1650-1651, 1659, 1757, 1841, 2206

location-based advertising (LBA) 188-189

location based services (LBS) 271, 627, 632, 1521-1522, 1528-1529, 1548

location-based social networking (LBSN) 1523

location-dependent queries 930-931

location engine 1294-1298, 1301-1302, 1305

location-independence 1891

long-term evolution (LTE) 72-73, 295, 740, 1488, 1685, 1688-1689, 1931, 2002-2003, 2013, 2015, 2041, 2108-2112, 2115, 2118, 2149-2153

low cutoff frequency (fL) 59, 359, 586, 722, 889-890, 928, 989-990, 1288, 1351, 1570, 1599, 1602, 1648, 1684-1685, 1715, 1809, 2105

low-energy adaptive clustering hierarchy (LEACH) 85, 346, 387, 1827, 1829

low mobility 552, 1997, 2097

low probability of detection 1827, 1833, 1846

low probability of intercept 1827, 1846

Lucent network security framework (LNSF) 210

M

Manhattan grids 1294-1296, 1298-1299, 1301-1302, 1305

man-in-the-middle (MITM) attacks 1496

market information system (MIS) 1187, 1337, 1533-1534, 1545, 1547-1548, 1570-1571, 1598, 1600-1601, 1604, 1715, 1795-1796, 1886, 1889

market oriented policies 1848

market penetration 1699, 1719, 1732, 2043

market segmentation 1848, 1851

master gateway (MGW) 365-366

maximal ratio combining (MRC) 324, 617, 2038

maximum segment size (MSS) 265, 744, 749, 806-807, 809-815

mean opinion score (MOS) 283-285, 294, 297, 299-300, 305-306, 772-774, 781

mean square error (MSE) 283, 412-414, 418-420, 449, 459, 945-946, 963-964

media independent handover (MIH) 7, 28

medical information systems (MIS) 1187, 1337, 1533-1534, 1545, 1547-1548, 1570-1571, 1598, 1600-1601, 1604, 1715, 1795-1796, 1886, 1889

medical sensors 699, 968, 971, 979, 1006, 1016, 1034, 1087, 1227-1228, 1230, 1233, 1235, 1240, 1246, 1250, 1596, 2190

medium access control (MAC) 3, 25, 34, 55, 66, 70, 86, 103, 112, 116, 120, 135, 146, 220, 262, 281, 288, 325, 344, 347, 349, 359, 365, 391, 394, 405, 408, 431, 437, 440, 448, 450, 455, 459, 461, 499, 542, 577, 638, 643, 650, 654, 656, 659, 663, 668, 675, 755, 759, 781, 783, 788, 793, 795, 804, 820, 826, 828, 833, 847, 851, 859, 862, 865, 872, 973, 977, 999, 1288, 1302, 1497, 1501, 1505, 1515, 1537, 1581, 1598, 1600, 1602, 1604, 1675, 1745, 1756, 1814, 1822, 1824, 1829, 1835, 1843, 1983, 1999, 2004, 2109, 2113, 2123, 2127, 2160, 2178, 2184

medium access control (MAC) layer 3, 25, 66, 70, 103, 106, 112, 220, 281, 345, 360, 394, 431, 438, 440, 448, 450, 452, 455, 461, 645, 659, 759, 766, 788, 793, 795, 804, 826, 833, 836, 847, 851, 862, 1497, 1501, 1505, 1515, 1582, 1745, 1752, 1757, 1814, 1835, 2004, 2115, 2150

memetic algorithms (MA) 69, 95-96, 117, 149, 223, 270, 336, 359, 405, 521-522, 636, 718-720, 722, 735, 762, 844-845, 890, 1058-1059, 1064, 1076, 1114, 1129, 1132, 1149, 1165-1167, 1171, 1184, 1264, 1274, 1304, 1334, 1373, 1410, 1412, 1428, 1549, 1551-1552, 1570-1571, 1603, 1617, 1651, 1672, 1686, 1697, 1714, 1716, 1794-1795, 1835, 1841, 1850, 1864, 1925, 1948-1949, 1962, 1969-1970, 1974-1975, 2012, 2205-2206

message handling system (MHS) 165, 168, 806-807, 809, 814, 1040

metropolitan area networks (MAN) 75, 213, 252, 495, 497, 502-503, 714-715, 717, 722, 735,

Index

- 1010, 1120, 1130, 1166-1167, 1305, 1576, 1871, 1881, 2003, 2012
- micro-electro-mechanical systems (MEMS) 226, 1018, 1032, 1286-1287, 1292, 1576-1577
- microSD module 1062-1063
- microsystem 825, 832, 1256-1257, 1259-1261, 1287, 1292
- micro timed efficient stream loss-tolerant authentication (μ TESLA) 569, 2160-2162, 2178-2179, 2183
- middleware 25, 106, 229, 231, 235-238, 362, 364-366, 368-369, 373-374, 379, 382, 386-387, 389, 485-486, 488-489, 495-496, 502-503, 522, 712, 782, 819-822, 830, 832-833, 835, 842-846, 2044
- MI deployment 1853-1863
- MIDlet 2044-2045, 2049, 2051-2052, 2054, 2059
- millennium development goals (MDG) 1127
- MI market 1853, 1858-1859, 1863
- minimum connected dominating sets (MCDS) 391
- minimum-path-energy (MPE) 87 86-87
- MI protocols 1854
- MI services adoption 1854
- MITThril 1228
- mobile ad hoc networks (MANET) 101, 173, 177, 281, 287, 350, 390, 394, 402, 544, 547, 550, 555, 563, 662, 864, 866, 873, 877, 880, 886, 1495, 1501, 1505, 1509, 1512, 1576, 1620, 1812-1813, 1823, 1834, 1846
- mobile advertising 184-185, 187, 189, 192-195, 197-207, 1622, 1624, 1633, 1873, 1885, 1887
- mobile and wireless technologies (MWT) 1187-1188, 1190-1191, 1197, 1199, 1204-1206
- mobile collaborative computing systems 661
- mobile commerce (m-commerce) 182, 189, 192, 194, 199-200, 487, 498, 504, 1189, 1191, 1572, 1714, 1716-1717, 1793-1794, 1797, 1863, 1866, 1886, 1889
- mobile environmental management system (MEMS) 226, 1018, 1032, 1286-1287, 1292, 1576-1577
- mobile GIS 624-625, 627-632, 634-637
- mobile handheld devices 486, 488-489, 493, 495, 502, 1223, 1333, 1338, 2076
- mobile hosts (MH) 158, 164-165, 167, 179, 806-807, 809-810, 813, 815
- mobile information systems (MIS) 1187, 1337, 1533-1534, 1545, 1547-1548, 1570-1571, 1598, 1600-1601, 1604, 1715, 1795-1796, 1886, 1889
- mobile information technology 1104-1105, 1108-1109, 1113, 1115
- mobile Internet 7, 179, 188-189, 194, 198, 203, 485, 495, 907, 1203, 1214, 1223, 1396, 1572, 1689, 1696, 1786, 1852-1856, 1860, 1863-1867, 1869, 1878, 1886, 1892, 2040
- mobile IP (MIP) 68, 153-154, 156, 158-160, 176, 178-179
- mobile learning (m-learning) 188, 194, 205, 587, 591, 594, 598, 601, 1189, 1197, 1207, 1323, 1331, 1358, 1363, 1373, 1390, 1394, 1409, 1415, 1418, 1427, 1435, 1441, 1864, 1900, 2042, 2049, 2057, 2060, 2067, 2069, 2074, 2076, 2078, 2080, 2084
- mobile learning network (MoLeNET) 1429-1431, 1433-1438, 1440-1441
- mobile market 1173, 1853, 1856, 1861, 1879, 1883
- mobile marketing (m-Marketing) 181-183, 185-186, 189-191
- mobile market value chain of service provision 1853
- mobile mesh border discovery protocol (MMBDP) 1980, 1999
- mobile message passing interface library (MMPI) 2043, 2045-2046, 2049, 2055, 2057, 2059
- mobile network operators (MNO) 1882, 2001
- mobile node (MN) 154-156, 159, 175, 179, 246, 328, 475, 610, 707-708, 1166, 1181, 1422, 1442, 1925
- mobile phone recycling 1893, 1898-1899
- mobile portal 1783-1793, 1795-1798
- mobile support station (MSS) 265, 744, 749, 806-807, 809-815
- mobile switching centers (MSC) 778, 1254, 1650
- mobile technology 130, 135, 140, 184, 194, 203, 985, 1104, 1112, 1186, 1194, 1199, 1205, 1212, 1214, 1221, 1332, 1334, 1374, 1376, 1378, 1388, 1390, 1411, 1415, 1418, 1422, 1427, 1440, 1553, 1559, 1561, 1563, 1565, 1568, 1573, 1639, 1688, 1691, 1697, 1701, 1706, 1713, 1720, 1782, 1866, 1917, 1948, 2042, 2056, 2061, 2082, 2085
- mobile virtual network operators (MVNOs) 331, 1853, 1856, 1888
- mobile wireless networks 173, 274, 405, 763, 1484, 1493
- mobile workflow management systems (mWfMS) 1535-1536, 1538, 1540, 1542, 1544-1545, 1547
- mobility anchor point (MAP) 7-8
- mobility management module (MMM) 10, 736
- Mobitex 495, 1688-1689, 1692-1694, 1696
- modernization 1118-1124, 1126

monitoring systems 41, 46, 967, 970, 983, 1019,
 1075, 1229, 1285, 1509, 1577, 1597-1598,
 1743
 monotone comparative statics 946, 956, 963
 Montclair State University (MSU) 1376
 MPEG-4 video 430, 432, 437, 454, 464, 739, 752,
 759, 762, 771, 773, 778, 780, 1005
 MPUS 1784, 1788, 1792-1793
 multi-agent systems (MAS) 719, 722
 multi-attribute decision making (MADM) 315-317,
 333, 337
 multicasting wireless network 738
 multi-chip-module (MCM) 173, 179, 1256, 1287
 multidimensional scaling (MDS) 50-51, 53, 1028,
 2013
 multi-hop collaborative system 663, 666
 multimedia message service (MMS) 186, 1063,
 1197, 1203, 1361, 1363-1365, 1368-1373,
 1536, 1548, 1619, 1622, 1633
 multipath interference (MI) 58, 202, 246, 327, 475,
 530, 615, 862, 944-945, 961-962, 1295, 1299,
 1853-1863, 2022, 2028, 2031, 2033, 2037-
 2038
 multi-path neighbor stability routing (MNSR) 545
 multiple access interference (MAI) 2021, 2028,
 2030, 2033, 2038
 multiple description coding (MDC) 79, 460
 multiple input multiple output (MIMO) technology
 25, 35, 72, 318, 322, 431, 437, 944-947, 949,
 951-952, 954-956, 958-964, 992, 1502, 1685,
 2003, 2108-2109, 2111-2112, 2146-2149,
 2153-2155
 multiple viewpoint (MV) techniques 733, 1264-1265
 mutual information (MI) 58, 202, 246, 327, 475,
 530, 615, 862, 944-945, 961-962, 1295, 1299,
 1853-1863, 2022, 2028, 2031, 2033, 2037-
 2038
 MyC4 1913, 1915, 1920-1922

N

Nanyang Technological University (NTU) 1362-
 1364
 national information center (NIC) 1711, 1713, 1834
 National Telecommunications and Information Ad-
 ministration (NTIA) 1416
 natural disasters 1848, 1979
 near field communication (NFC) technology 665,
 1012, 1868-1886, 1890, 1904
 neighbor stability routing (NSR) algorithm 545, 547,
 549-550, 552-556
 network abstraction layer (NAL) 432-434, 449, 453

network address translation (NAT) 591, 603, 719
 network and technology convergence process 1853
 network effects 1720-1722, 1724, 1732-1734
 network efficiency 1745-1746, 1893, 1895
 network infrastructure 2, 34, 209, 274, 279, 290,
 331, 339, 391, 488, 534, 591, 739, 904, 977,
 994, 1012, 1125, 1229, 1340, 1595, 1881-
 1882, 1891, 1896-1897, 1979
 network interface cards (NIC) 1711, 1713, 1834
 network layers 25, 70, 99, 101, 431, 447, 463, 886-
 887
 network mobility (NEMO) 151-154, 157-178, 180
 network performance 90, 92, 98, 112, 291, 318, 320,
 325, 390, 563, 593, 599-600, 643, 647, 710,
 866, 1444, 1464, 1675, 1745, 1748, 1821,
 1986, 1997-1998, 2137
 new student experience 1382-1383, 1386
 next generation networks (NGN) 2, 13, 16, 20, 277,
 289, 308, 1867
 NFC payment 1876-1877, 1882, 1890
 Nintendo DS 31, 391-394, 396, 513-514, 1142,
 1429-1430, 1432-1433, 1435, 1437-1439,
 1441-1442, 1901, 1908, 1985, 1999, 2019,
 2038, 2060-2061, 2063, 2081-2084
 Nintendo Wii 1142, 1148, 1429-1430, 1432, 1435,
 1437-1440, 2068-2070, 2072, 2074, 2082,
 2085
 Nippon telegraph and telephone public corporation
 (NTTPC) 1699
 node discovery 1621, 1635
 node mobility 153-154, 398, 701, 1621, 1635, 1800
 non-aligned nations 1118
 non-cooperative broadcast 621
 non-governmental organizations (NGO) 1121, 1129,
 1911, 2158
 non-orthogonal channel model 606, 608, 610, 614,
 618-621
 Nordic mobile technology (NMT) 496, 1688-1690,
 1698, 1725
 notification of traffic incidents (NOTICE) 48, 135,
 550, 611, 613, 619, 621, 733, 746, 756, 758,
 1619, 1621, 1663, 1772, 2089, 2091-2093,
 2097-2104, 2106
 NSF propagation 549
 NVivo (software application) 135, 147, 900, 1641-
 1642

O

OLS regression 1731
 onboard RFID processing system (ORPS) 2193
 onboard unit (OBU) 2090

Index

one-hop communication 1618, 1621, 1635
Open Mobile Alliance (OMA) 1901, 1908
open system interconnection (OSI) 61, 113, 121,
211, 213-214, 431, 447, 497, 771, 1294
operational mobility 1554, 1916
OPNET network simulator 1746
opportunistic network (OppNet) 1619-1621, 1624,
1626
optical character recognition (OCR) 137
optical communications 1865
optical line terminal (OLT) 1959, 1973, 1975
optimized link state routing protocol (OLSR) 392,
397, 399-400, 888
organizational implementation 1104-1106, 1108-
1110, 1112-1113, 1115
orphan message 807
orthogonal frequency division multiple access
(OFDMA) 756, 1948, 2014-2015, 2041,
2108, 2110, 2112-2117, 2119-2122, 2139,
2144, 2146, 2150, 2152, 2154-2157
orthogonal frequency division multiplexing (OFDM)
35, 72, 113, 325-326, 335, 442, 444-446, 462,
1949, 1969-1970, 1975, 2002-2003, 2013,
2039, 2093, 2110, 2118, 2144, 2154-2157
over-the-air (OTA) setup 1901-1902, 1906

P

packet delivery fraction 552-553
packet delivery ratio 108, 1497, 1745, 1752, 1826,
1846
packet error rate (PER) 23, 80, 87, 90, 94, 97, 121,
182, 186, 188, 215, 221, 267, 312, 317, 320,
327, 350, 366, 381, 430, 434, 452, 454, 462,
503, 506, 511, 568, 586, 600, 610, 612, 618,
654, 668, 741, 743, 758, 768, 774, 784, 796,
839, 917, 932, 950, 958, 962, 992, 1000, 1020,
1030, 1098, 1107, 1171, 1211, 1230, 1235,
1307, 1310, 1317, 1341, 1347, 1349, 1362,
1446, 1497, 1501, 1506, 1526, 1532, 1594,
1641, 1653, 1689, 1701, 1711, 1727, 1732,
1745, 1752, 1765, 1767, 1795, 1817, 1861,
1883, 1909, 1921, 1937, 1941, 1950, 1953,
2007, 2015, 2066, 2122, 2125, 2129, 2143,
2150, 2179
packet losses 87, 102, 152, 165-167, 275, 277, 286-
287, 289, 297-298, 304, 343-344, 740-742,
746, 753, 755-760, 765, 771-774, 1340, 1501,
1742, 1744-1748, 1754, 2125
packet send ratio (PSR) 456-458, 744, 1497
Pandora routing protocol (PRP) 1983, 1999
Pareto call holding times 1656, 1672

Parks Online Resources for Teachers and Students
(PORTS) 525, 1065, 1270, 1272, 1341, 1350,
1560
participatory development 1121-1122
partner influence 1553, 1558
passive optical network (PON) 1958-1964, 1966,
1968-1971, 1973-1976
path diversity 345, 563
pedagogical efficacy 1385
pedagogies 1376, 1391-1394, 1396, 1408, 1411,
2071, 2080, 2085, 2088
penetration level 1721, 1724-1725, 1729-1730
perceived performance (PP) 23, 26, 43, 74, 95, 116,
127, 149, 176, 205, 207, 223, 270, 307, 332,
337, 356, 386, 406, 425, 465, 503, 520, 541,
543, 564, 584, 603, 636, 659, 695, 710, 722,
734, 760, 778, 802, 805, 817, 862, 887, 909,
925, 941, 1014, 1031, 1058, 1090, 1102, 1114,
1135, 1149, 1156, 1161, 1169, 1185, 1253,
1288, 1291, 1303, 1305, 1327, 1333, 1357,
1360, 1373, 1389, 1414, 1459, 1490-1493,
1515, 1549, 1569, 1599, 1633, 1648, 1684,
1697, 1715, 1734, 1756, 1794, 1809-1810,
1842, 1844, 1850, 1885, 1908, 1926, 1949,
1957, 1998, 2011, 2013, 2057, 2088, 2105,
2205
percentage of sleep 1094, 1102
percentage of wake 1094, 1102
per-hop-behaviour (PHB) 14-15, 27
permission-based marketing 191, 207
personal area networks (PANs) 69, 1081
personal information management (PIM) 1901-1902
personalization 187, 193, 200, 202, 490, 992, 1387,
1391, 1696, 1782-1783, 1785-1786, 1788-
1791, 1793, 1797, 1855, 1863, 1873, 1891
personalized learning environments (PLE) 1392,
1396, 1410
personalized location advisor client (PLAC) 632-633
pervasive mobile services 1891
photonic integrated extended metro and access net-
work (PIEMAN) 1960
Piconet 34, 45, 2046, 2049, 2058
place attachment 1150, 1155, 1157, 1159, 1164,
1166, 1168
platform-as-a-service (PaaS) 713
platform-specific features 1855
point coordination function (PCF) 103-104, 438-441,
450, 639
point-to-multi-point (PMP) 281
policy based management 698, 709, 712
Polycom 1340, 1342, 1359

polysomnography (PSG) 1102
 portal characteristics 1786
 power consumption 8, 36, 42, 71, 158, 229, 256, 312, 318, 325, 371, 380, 392, 394, 447, 605, 615, 672, 686, 693, 725, 731, 764, 772, 774, 777, 819, 838, 841, 846, 849, 930, 934, 937, 940, 949, 951, 960, 999, 1018, 1075, 1229, 1259, 1262, 1268, 1270, 1276, 1294, 1496, 1580, 1587, 1741, 1746, 1830, 1835, 1897, 1969, 2120, 2174
 power drain 258, 1762
 power expenditure analysis 607
 power saving mode (PSM) 391, 394, 397, 400-402, 765-766, 778, 781
 presence 56, 68, 87, 100, 240, 276, 349, 355, 369, 374, 383, 564, 569, 581, 601, 606, 640, 712, 741, 802, 888, 934, 952, 961, 980, 1024, 1039, 1046, 1057, 1156, 1165, 1168, 1172, 1178, 1181, 1261, 1285, 1325, 1335, 1359, 1497, 1501, 1505, 1531, 1553, 1561, 1589, 1706, 1720, 1734, 1746, 1755, 1761, 1779, 1817, 1869, 1918, 1920, 1952, 1973, 2038, 2191
 pretty good privacy (PGP) 69
 price-oriented reliable transport (PORT) 83, 93, 110, 119, 632, 690, 826, 832, 860, 1065-1066, 1069, 1071-1072, 1577, 1741, 1953, 2129
 priority queuing discipline (PRIO) 1978-1979, 1985-1986, 1989-1990, 1997-1999
 privacy preserving data gathering 239, 242, 244-245, 247, 250
 probability density function (pdf) 45, 54, 149, 223, 308, 356, 409, 412, 424, 542, 552, 610, 695, 710, 722, 845, 928, 966, 1076, 1091, 1131, 1164, 1183, 1207, 1253, 1319, 1335, 1389, 1396, 1411, 1427, 1441, 1460, 1599, 1650, 1652, 1654, 1659, 1662, 1664, 1697, 1758, 1794, 1797, 1843, 2011, 2058, 2087, 2206
 processing efficiency 256, 819-820
 propagation modeling 466
 protocol extension protocol (PEP) 703-704, 707, 2087
 public key cryptography (PKC) 976, 1504, 2163, 2167-2168, 2170, 2180
 public key infrastructure (PKI) 209, 864-865, 872, 874-875, 890, 1494, 1502, 1505, 1509-1511, 1513, 1709, 2167, 2195, 2198-2199, 2204-2205, 2207
 public switched telephone network (PSTN) 290, 303, 308, 715, 1229, 1365, 1372, 1461, 1953
 pulse amplitude modulation (PAM) 309, 410
 purchasing decisions 190, 1761, 1763-1764

Q

Q-methodology 1792
 quadrature amplitude modulation (QAM) 456, 756, 952, 1000, 1970
 quality of experience (QoE) 274, 280, 2111
 quality of service (QoS) 1, 10, 12, 25, 60, 74, 79, 81, 88, 92, 99, 105, 109, 127, 152, 167, 274, 280, 286, 288, 291, 300, 306, 316, 318, 328, 331, 333, 404, 429, 437, 440, 446, 450, 456, 461, 545, 555, 558, 563, 591, 638, 649, 659, 713, 739, 743, 766, 778, 835, 972, 989, 1098, 1260, 1462, 1469, 1472, 1474, 1477, 1484, 1488, 1493, 1674, 1685, 1854, 1856, 1978, 1982, 1985, 1997, 1999, 2004, 2007, 2117, 2120, 2131, 2134, 2137, 2146, 2149, 2185
 query decomposition (QD) technique 726, 728-729
 queue load coefficient 1678-1680

R

radio frequency identification device (RFID) 35, 38, 43, 100, 190, 243, 678, 684, 691, 694, 1018, 1028, 1033, 1079, 1083, 1085, 1088, 1141, 1143, 1147, 1530, 1580, 1586, 1593, 1603, 1870, 1875, 1877, 1884, 1886, 1889, 1899, 1904, 2185, 2187, 2200, 2204
 radio frequency (RF) 45, 49, 253, 255, 420, 444, 542, 602, 680, 691, 724, 731, 734, 847, 850, 859, 862, 977, 1002, 1018, 1096, 1255, 1258, 1263, 1272, 1274, 1282, 1284, 1287, 1292, 1503, 1576, 1580, 1598, 1740, 1758, 1813, 1846, 1871, 1890, 1965, 1969, 2039, 2092
 radio link dynamicity (RFD) 847, 849, 852, 860, 862, 1002
 radio link protocol (RLP) 766, 781
 radio resource management (RRM) 3, 7, 21, 26
 random nonce 868, 870-871, 876, 884, 891, 2180
 ray launching 466-469, 481-482
 Rayleigh backscattering (RB) 1958-1959, 1962-1968, 1971
 ray tracing 466-467, 482-483
 real environment adaptation linearization (REAL) 2014, 2016-2017, 2039, 2041
 real-time transport protocol (RTP) 90, 300, 455, 594-598, 601-603, 752, 754, 767, 778
 received signal strength (RSS) 48-50, 54, 58, 542-543, 990-991, 1387, 1392, 1396, 1400, 1521
 received signal strength (RSS) indicator 40, 303, 1452, 1826, 1846
 reflective semiconductor optical amplifiers (RSOA) 1960-1961, 1965

Index

rehabilitation 39-40, 44, 677, 969, 995, 1055, 1254, 1294, 1358, 1738, 1756
relative advantage 1340-1342, 1553, 1555-1556, 1560, 1566, 1568, 1766, 1771-1772, 1774-1775
relevance feedback (RF) 45, 49, 253, 255, 420, 444, 542, 602, 680, 691, 724-729, 731-732, 734, 847, 850, 859-860, 862, 977, 1002, 1018, 1096, 1255-1256, 1258-1261, 1263-1264, 1272, 1274-1279, 1282, 1284-1285, 1287-1290, 1292, 1503, 1576, 1580-1581, 1598, 1740-1743, 1758, 1813, 1846, 1871, 1890, 1965, 1969-1970, 2039, 2092
relevance feedback support (RFS) 726-729, 733-734
reliable data transmission scheme 1295, 1298, 1305
remotely operated vehicle (ROV) 1347-1349, 1352, 1359
report dropping 565-568, 580, 583
residency 1312-1314, 1320, 1322
resistive temperature device (RTD) board 421
return on investment (ROI) 1587, 1702, 1707, 1896
RFID tags 35, 679-682, 684, 686-687, 691, 694, 1028, 1034, 1143, 1581, 1594-1595, 1871-1872, 1877-1878, 1892, 2185, 2188-2191, 2193, 2200-2202, 2204-2206
RF Transceiver 420, 859, 977, 1255-1256, 1258-1261, 1277-1279, 1282, 1284, 1289, 1292
RF wireless transmission 1741
roadside unit (RSU) 885, 2091
role based access control (RBAC) 700-702, 711, 1538-1539, 1543, 1549
round trip time (RTT) 744, 747-748, 752, 767-770, 781, 2041, 2096
route reply packet (RREP) 550-551, 555, 856
routing request (RREQ) packet 549-551, 555, 855-856

S

satellite interactive terminal (SIT) 190, 989-991, 2066
Saudi Telecommunications and Information Technology Commission (STITC) 1699
scalable medical alert and response technology (SMART) 1229-1230, 1240, 1294, 1303, 1596, 1605
scalable video coding (SVC) 429-437, 446-449, 452, 455, 457-460, 462-464, 740-741, 755, 771, 781
Sea to Shining Sea (StSS) 1350-1352, 1360
secondary gateways (SGW) 365

second generation (2G) telecommunications 496, 603, 1081, 1688-1689, 1699, 2015-2016
secure digital (SD) 140, 841, 1066, 1183, 1480, 1532, 2008
secure hash algorithms (SHA) 95-96, 127, 209, 224, 2171
secure implicit sampling (SIS) 570, 1512
secure multiparty computation (SMC) 243, 252, 842-843, 1092
secure network encryption protocol (SNEP) 569, 2160, 2177-2178
secure sockets layer (SSL) 69, 257, 701, 706, 1507, 1628
security and safety 1017, 1228, 1238
security shell (SSH) 69
selective exposure 1764
selective perception 1764
selective retention 1764
semi-definite programming (SDP) 50-51, 54, 73
sensor networks 31, 33, 37, 40, 55, 67, 77, 80, 104, 106, 109, 116, 123, 126, 226, 233, 242, 250, 271, 339, 341, 343, 347, 356, 378, 380, 386, 400, 404, 407, 422, 505, 519, 541, 565, 575, 577, 584, 622, 676, 782, 795, 802, 805, 833, 842, 844, 862, 870, 875, 883, 886, 944, 950, 963, 967, 999, 1010, 1017, 1026, 1032, 1064, 1085, 1253, 1259, 1288, 1292, 1303, 1524, 1575, 1580, 1583, 1587, 1590, 1596, 1685, 1737, 1756, 1811, 1817, 1819, 1834, 1998, 2105, 2109, 2158, 2160, 2167, 2170, 2183, 2206, 2208
sensor nodes 33, 36, 47, 67, 77, 81, 88, 92, 97, 99, 103, 106, 108, 110, 113, 120, 124, 129, 226, 229, 233, 238, 243, 250, 253, 338, 354, 360, 363, 375, 378, 408, 421, 507, 523, 566, 569, 575, 579, 691, 695, 783, 803, 825, 828, 832, 843, 945, 948, 950, 956, 960, 968, 973, 975, 983, 999, 1063, 1507, 1578, 1582, 1588, 1591, 1594, 1814, 1816, 1820, 1825, 1827, 1830, 1834, 2158, 2166, 2173, 2176, 2185
sensor web enablement (SWE) 363
service access point 1814, 1846
service class (SC) 3, 13-15, 19, 23, 26, 323-324, 464, 676, 1530, 1961, 2189-2190, 2206
service level agreement (SLA) 4, 281, 650, 652, 655, 660, 1688
service level specifications (SLS) 4, 1263
service oriented architectures (SOA) 362-364, 366, 368, 375-376, 386-387, 389, 1047, 1049, 1536, 1962, 1965, 1972-1976
SERVQUAL instrument 1783

- session initiation protocol (SIP) 68, 73, 75, 1865
- shared key 525, 577, 701, 707, 709, 870-871, 873, 891, 975, 2159, 2161-2162, 2172
- short message service (SMS) 185-187, 190, 192-193, 196-197, 201-202, 204, 207, 914, 1036, 1044, 1063, 1138, 1197, 1203, 1221, 1337, 1410, 1536, 1548, 1619, 1622, 1706, 1711, 1713, 1727, 1786, 1863, 1869, 1874-1875, 1879, 1881, 1885, 2043
- short-time Fourier transform (STFT) 411
- sigmoid aggregate diffusion curve 1722
- signaling system 7 (SS7) 1688-1689, 1691-1692
- signaling transfer points (STP) 1651-1652
- signal to noise ratio (SNR) 83, 92, 314, 323-324, 455-457, 462-463, 606-607, 609-612, 616, 618, 739, 743-744, 747-748, 765-766, 781, 949, 953, 955-956, 959-962, 1260-1261, 1263, 1748, 2115, 2149
- single board computer (SBC) 2044
- single input single output (SISO) 944-946, 949-950, 952, 954-956, 958-959, 961-964, 2146-2148
- single mode fiber (SMF) 1960
- Sink 68, 80, 82-87, 89, 98, 100-102, 105-111, 114-115, 120-126, 129, 227, 230-232, 234, 238, 243, 339-340, 346-347, 409, 569, 586, 752, 795, 801, 821, 833, 847, 949, 952, 954, 961-963, 970, 1062-1063, 1066, 1068-1072, 1074-1075, 1236-1237, 1242, 1250, 1578, 1582, 1624, 1676, 1815-1817, 1819, 1821, 1823, 1841, 1844, 2159
- Skype 278, 309, 1150, 1197, 1342-1343, 1347-1352, 1355-1357, 1360
- sleep bouts 1094, 1102
- sleep efficiency 1094, 1097, 1100, 1102
- small and medium sized enterprises (SME) 490, 905, 1572, 1606-1608, 1611-1612, 1614-1617, 1910
- SmartGuide 677, 681-686, 688-690, 693, 695
- smart home 1005, 1228-1229, 1253-1254, 1293
- smart personal technologies (SPOT) 135, 174, 188, 547, 719, 845, 929, 1491, 1532, 1690
- smartphones 174, 188, 485-486, 1055, 1393, 1409, 1416, 1430, 1533, 1689, 1869, 1891, 1896-1897, 1903-1905
- smart poster 1875, 1877, 1881, 1890
- SMMART 1622-1623
- SNAP architecture 970
- social constructivism 1391, 1394
- social networks 1357, 1522-1523, 1531, 1800, 1870, 1902, 1980, 1982-1983
- socio-economic status (SES) 1417-1418, 1422, 1424, 1427
- software-as-a-service (SaaS) 713, 1902
- Sony PSP 1429-1430, 1435
- South Africa, government of (GSA) 1187-1188, 1190, 1192-1193, 1195, 1197, 1203-1204, 1206
- South African Futures Exchange (SAFEX) 1187
- space-binding media 1161, 1168
- space-time block codes (STBC) 945, 952, 955-956, 2149
- spatial decision support system (SDSS) 624, 629-630, 632
- spatial distribution 911, 915-916, 920, 1805
- spatial division multiplexing (SDM) 35
- spectral efficiency 318, 324-325, 327, 431, 1674, 2004, 2040, 2109-2112, 2118, 2122-2123, 2147-2149, 2152-2153
- standardized testing and reporting (STAR) 123, 463, 490, 687, 847-848, 852, 862, 989, 1002, 1418, 1427, 1439, 1745, 1757, 2044-2045
- stateless wireless ad hoc networks (SWAN) 101, 116, 1325, 1333-1335
- static nodes 807
- stream control transmission protocol (SCTP) 301, 767
- Studywiz learning environment 2060, 2063-2065, 2076-2081, 2084, 2086
- subjective assessment tools 1102
- Sub-Saharan Africa (SSA) 1187-1188
- subscriber stations (SS) 281, 741, 752, 754, 1688-1689, 1691-1692, 1966, 2005, 2150-2151
- supplemental enhancement information (SEI) 433, 435
- supply chain management (SCM) 1553-1554, 1574-1575, 1583-1586, 1588, 1590, 1598
- supply chains 190, 1188, 1197, 1202, 1204, 1207, 1209, 1536, 1553, 1558, 1562, 1566, 1568, 1571, 1577, 1583, 1593, 1598, 1602, 1876, 1882, 1892, 1898, 1911
- surveillance 78, 100, 102, 104, 114, 121, 128, 227, 341, 354, 437, 713, 752, 782, 820, 847, 991, 1088, 1104, 1108, 1113, 1115, 1151, 1156, 1159, 1166, 1169, 1201, 1214, 1224, 1522, 1529, 1575, 1577, 1712, 2159, 2189
- switched combining 323
- symbolic aggregate approximation (SAX) algorithm 235
- Sync4J 1901
- synchronization primitives 782, 789, 793, 802, 804
- SyncML 1901-1902, 1907

system adaptability 1788-1789, 1791, 1793, 1798
 system development kits (SDK) 628, 1067, 1902
 system development lifecycle (SDLC) 1214, 1217
 system level evaluations 386, 389

T

TCP-friendly rate control (TFRC) 738, 740-743,
 753-754, 756-761, 764-773, 776-781
 teaching assistants (TA) 296, 363, 388, 784, 884-
 886, 1369
 technological innovation adoption 1553, 1569
 technology acceptance model (TAM) 1555-1558,
 1570, 1638, 1646, 1764, 1879
 technology management 1688, 1851
 telecommunications convergence 7, 1143
 telecommunication sector 201, 1855, 1859, 1862
 telecommunications infrastructure 1136-1144, 1146-
 1149, 1161, 1736, 1949
 teleconferencing 391, 997, 1003, 1039, 1143, 1310,
 1320, 1322
 telemedicine 896, 907, 985, 988, 993, 996, 1009,
 1021, 1030, 1060, 1063, 1076, 1214, 1224,
 1292, 1303, 1314, 1322, 1524, 1531, 1600,
 1646, 1738, 1741, 1749, 1754, 1758, 2006
 telemonitoring 995, 1004, 1013, 1015-1016, 1018,
 1020-1021, 1027, 1029-1030, 1032-1034
 telephone penetration 1849
 temporal key integrity protocol (TKIP) 525
 TFRC 738, 740-743, 753-754, 756-761, 764-773,
 776-781
 theory of planned behaviour (TPB) 1638
 theory of reasoned action (TRA) 1638, 1765
 third generation (3G) mobile communications 30-31,
 2040
 third generation (3G) universal mobile telecommuni-
 cations systems (3G UMTS) 985, 988, 1009
 third generation (3G) wireless technology 2, 6, 14,
 23, 26, 30, 40, 42, 72, 135, 151, 203, 301, 495,
 503, 544, 603, 709, 741, 761, 929, 992, 996,
 1003, 1009, 1018, 1025, 1030, 1064, 1083,
 1089, 1205, 1229, 1302, 1363, 1365, 1396,
 1398, 1402, 1406, 1416, 1486, 1488, 1521,
 1580, 1596, 1688, 1693, 1699, 1780, 1863,
 1867, 1895, 1931, 1949, 1953, 2002, 2015,
 2061, 2093, 2096
 time-binding media 1161, 1168
 time-critical applications 506, 714
 time division duplexing (TDD) 593, 756, 2003,
 2039, 2092

time division multiple access (TDMA) schemes 78,
 123-124, 324-325, 495-496, 609, 1462, 1603,
 1959, 2003-2005, 2015, 2113, 2148, 2155
 time division multiplex (TDM) 1959, 1962, 1971,
 2005, 2019, 2038-2039
 time of arrival (ToA) 48-49, 57, 527-528, 1085
 time reference 796, 804
 time stamping 795, 801, 804
 time synchronization 124, 128, 348-349, 575, 782-
 785, 790-792, 795, 797-799, 802-805, 978,
 982, 1002, 1592, 1601, 1842, 2095, 2097,
 2180, 2202-2203
 TinyDDS middleware 830, 832, 835
 tiny encryption algorithm 1846
 tiny Internet interface (TINI) 2044
 TinyOS 37, 340, 360, 420-421, 425, 510-511, 522,
 799, 819-822, 825-826, 830-833, 835-836,
 838-842, 845, 970, 973-975, 978, 982, 1064,
 1580, 1830, 1835, 1844, 2163, 2165, 2170,
 2177, 2179, 2184-2185
 TinySec (link layer security protocol) 973-977, 981,
 1600, 1830, 1842, 2160, 2162-2163, 2176-
 2177, 2179-2180, 2183-2184
 topologies, mesh 10, 30, 56, 90, 96, 127, 281, 356,
 358, 378, 390, 410, 455, 460, 686, 692, 694,
 847, 852, 862, 968, 1002, 1077, 1089, 1294,
 1305, 1443, 1450, 1456, 1745, 1812, 1858,
 1978, 1997, 2045
 topologies, star 123, 463, 490, 687, 847, 852, 862,
 989, 1002, 1418, 1427, 1439, 1745, 1757,
 2044
 topologies, tree 70, 80, 82, 86, 98, 100, 109, 111,
 162, 231, 257, 539, 568, 570, 599, 687, 726,
 796, 802, 815, 826, 847, 852, 862, 868, 870,
 892, 922, 926, 936, 948, 1002, 1054, 1063,
 1351, 1498, 1506, 1589, 1745, 1980, 2162
 topology dissemination based on reverse-path for-
 warding (TBRPF) 1980, 1999
 total sleep time 1094, 1097, 1100-1102
 total wake time 1094, 1100, 1102
 Touchpoint 1874, 1876, 1879, 1881, 1890
 traditional assessments 1379
 transect 1155, 1168
 transmission control protocol (TCP) 13, 25, 28, 68,
 90, 95, 101, 166, 177, 265, 301, 462, 494, 567,
 584, 591, 595, 600, 675, 738, 744, 747, 751,
 758, 765, 778, 825, 829, 833, 843, 846, 1048,
 1516, 1854, 1867, 1934, 1950, 1953, 1978,
 1985, 1997, 1999, 2045, 2131
 transmission power modes 663
 transnationals 1124, 1126

transport layer security (TLS) 257, 1628
 tree APs 539
 tuning time 930, 937-939
 two-device collaborative system 666, 671

U

ubiquitous computing 2, 26, 56, 129, 151, 153, 173-176, 240, 735, 802, 846, 980, 982, 1013, 1032, 1076, 1115, 1138, 1147, 1334, 1428, 1530, 1549-1551, 1603, 1633-1635, 1810, 1843, 1877, 1888, 1890, 2105
 ubiquitous marketing 181-182, 190-191, 207
 ubiquitous urban infrastructure 1141, 1148
 ubiquity 25, 152, 279, 303, 306, 592, 719, 722, 1060, 1417-1418, 1696, 1715, 1783, 1786, 1798
 ultra mobile personal computers (UMPC) 1430
 ultra wide band (UWB) standard 848, 857-858, 1083, 1085, 1092, 1580, 1825, 1827, 1833, 1839-1840, 1846
 UNESCO 358, 1123, 1126, 1130-1132, 1914
 unicast video streaming 737-738
 unified index hub (UIH) 930, 937, 939-943
 unified modelling language (UML) class diagram 502, 1037, 1543, 1548, 1550
 unified theory of acceptance and use of technology (UTAUT) 895-896, 898, 902-905, 982, 1639, 1646-1647, 1879
 uniform fractional guard channel scheme (UFC) 1468-1469, 1471
 unit disk graph (UDG) 47, 53
 universal mobile telecommunications service (UMTS) 2, 9, 29, 68, 72, 287, 295, 312, 588, 591, 595, 598, 601, 699, 751, 762, 985, 998, 1003, 1009, 1011, 1047, 1063, 1089, 1229, 1488, 1533, 1540, 1596, 1622, 1688, 1859, 1875, 1882, 2016, 2041, 2093, 2095, 2106
 universal service 1847-1851, 1867
 urban communication 1150-1153, 1164-1165, 1167-1168
 use case 364, 699, 703, 706, 1113, 1742
 user appeal 1181-1182
 user datagram protocol (UDP) 159, 166, 275, 452, 455, 591-593, 596, 601, 603, 723, 740, 752, 754, 756-758, 1448, 1451-1452, 1456, 1978-1979, 1985-1986, 1997-1998, 2000

V

value-added services (VAS) 1187, 1193, 1197-1199, 1203, 1205-1206

vehicle-to-infrastructure (V2I) 2090-2092, 2094-2096
 vehicle-to-vehicle (V2V) 2036, 2090-2091, 2093-2095, 2101
 vehicular ad hoc networks (VANET) 2091, 2094-2097, 2104-2107
 vertical Bell Laboratories layered space-time (V-BLAST) architecture 946, 1685
 vertical-diffraction (VD) 469-472, 474-475, 477, 1043, 1272-1273
 Victorian essential learning standards (VELS) 2063, 2068, 2073
 video-based surveillance systems 713
 video coding layer (VCL) 432-433
 videoconferencing 437, 1039, 1341, 1357
 video delivery 77, 79-81, 90, 92-93, 95, 429-430, 602, 715, 721
 video multicast 453-455, 458, 737-739, 742, 760, 762
 video streaming 71, 75, 78-81, 83-84, 89-90, 94-95, 97, 165, 431, 438, 448, 450, 453-454, 457, 460, 464-465, 545, 553, 558, 561, 639, 675, 715, 720, 737-740, 742-743, 752-756, 759-763, 773, 778-779, 1408, 1986, 2112, 2140, 2150
 video surveillance systems 713-714, 718
 viral marketing 182, 1619, 1633-1635, 1875, 1887
 virtual instrumentation (VI) program 248, 256-257, 259, 262, 485-486, 488, 574, 577, 1060, 1153, 1189, 1496, 1929, 1959, 2016
 virtualization 309, 1894, 1899
 virtual learning environment (VLE) 1435
 virtual machines 499, 1047
 virtual MAC (VMAC) algorithm 643-644
 virtual private networks (VPN) 136, 215, 1688-1689, 1692, 1860, 1976
 virtual teams 1035, 1037-1039, 1042-1054, 1056-1059
 virtual technology 1894
 virtual worlds 1982
 visitor location register (VLR) 1651-1652, 1658-1660, 1662-1663, 1673
 visual acuity 678
 visual data mining 713-715, 717, 722-723
 visual field 678, 695
 visualizations 505-507, 509-521, 523
 visual methods 132-133, 149
 vital signs 968, 986-987, 998, 1003-1004, 1006, 1021-1022, 1034, 1063, 1069, 1076, 1079, 1088, 1090, 1240
 VODcasts 1393-1394, 1400, 1402, 1406

Index

voice over Internet protocol (VoIP) 68, 152, 165,
174, 276-277, 285, 289, 295, 298-301, 305,
307-310, 410, 638, 715, 723, 858, 990, 1143,
1187, 1358, 1581, 1930, 1979, 1982, 2000-
2001, 2005, 2007, 2125, 2150
voice quality monitoring (VQmon) 297-298, 300
Voronoi lattice 911

W

wake bouts 1094, 1102
wavelength division multiplexing (WDM) 1958-
1962, 1964, 1969, 1971-1977
WBAN group 970, 977
wearable systems 681, 988, 1015-1019, 1021-1024,
1029-1031, 1033-1034
Web 2.0 135, 1035, 1037, 1053, 1058, 1312, 1320,
1390-1394, 1396-1403, 1405-1406, 1408-
1411, 1416, 1426-1427, 1531, 1875, 1889,
1901, 2064
WebKit 1900, 1908
WEBQUAL 1783, 1793
well formed form (WFF) 264, 266
white Gaussian noise 330, 608
wide area network (WAN) 150, 213, 243, 253, 495,
497, 502-503, 569, 584, 1017, 1043, 1363-
1364, 1509-1510, 1518, 1817, 1819, 1844,
1983, 2088
wideband code division multiple access (WCDMA)
31, 290, 312, 329, 331, 503, 1486, 1490, 1867
Wi-Fi (wireless fidelity) 23-24, 72, 302-303, 495,
502, 542, 588-589, 591-593, 601-603, 625,
630, 632, 636, 700, 706, 709, 777-778, 970,
989-990, 1079, 1150, 1152, 1155-1156, 1160,
1187, 1437, 1521, 1523, 1581, 1589, 1596,
1603, 1762, 1780-1781, 1834, 1844, 1846,
1931, 1982, 2002-2006, 2010-2012
wired equivalent privacy (WEP) 69, 525, 2006
wired networks 14, 25, 73, 81, 122, 160, 214, 244,
255, 338, 341, 369, 485, 497, 503, 521, 525,
639, 659, 739, 746, 765, 865, 930, 1147, 1229,
2006, 2115
wired-to-wireless networks 737-738
wireless application protocol (WAP) 257, 271, 495,
502, 504, 699, 1003, 1083, 1365, 1622, 1699,
1854, 1865, 1869, 1878, 2043
wireless communication networks 482, 629, 779,
932, 1576, 1674, 1865
wireless communications systems 214
wireless communication technology (WCT) 929
wireless EEG 1255, 1278-1279, 1282-1284, 1292
wireless handheld devices 1306, 1323-1327, 1331-
1335, 1338, 1373
wireless hotspots 1780-1781
wireless integrated network sensors 736, 1576, 1811,
1843, 1846
wireless local area networks (WLAN) 2, 6, 9, 29, 36,
40, 69, 103, 118, 136, 281, 290, 303, 312, 314,
429, 437, 446, 454, 495, 502, 525, 542, 639,
641, 643, 646, 654, 665, 778, 893, 985, 998,
1017, 1047, 1064, 1085, 1089, 1091, 1229,
1363, 1372, 1576, 1597, 1747, 1811, 1823,
1846, 1864, 1867, 1931, 1981, 2000, 2002,
2006, 2012, 2089, 2096, 2100, 2103
wireless mesh networks (WMN) 1443, 1445, 1450-
1451, 1979, 1981, 1983
wireless metropolitan area networks (WMAN) 312,
429, 998, 2002, 2013
wireless mobile devices (WMD) 1391, 1393, 1395,
1402-1403, 1405-1406, 1408, 1414
wireless monitoring system 1302, 1305
wireless network 16, 22, 26, 28, 32, 61, 66, 68, 167,
173, 238, 274, 314, 322, 325, 329, 332, 336,
391, 395, 438, 458, 466, 482, 524, 533, 564,
598, 623, 628, 630, 638, 664, 666, 668, 680,
737, 740, 748, 757, 773, 779, 807, 815, 896,
930, 942, 945, 969, 973, 983, 998, 1036, 1047,
1084, 1141, 1296, 1302, 1347, 1359, 1447,
1460, 1484, 1492, 1560, 1566, 1568, 1597,
1658, 1755, 1783, 1799, 1807, 1812, 1904,
1930, 1997, 2013, 2112, 2117, 2144, 2207
wireless network planning 466
wireless personal area networks (WPAN) 34, 312,
429, 848, 851, 862, 999, 1011, 1019, 1032,
1034, 1229, 1289, 1739-1740, 1743, 1745-
1749, 1751-1752, 1755, 1759, 1811, 1813,
1846
wireless phone based emergency response (WIPER)
system 910, 914, 919-921, 923, 926-928
Wireless Protected Access (WPA) 525, 542
wireless security 66, 803, 865, 889, 904, 907, 981,
1517, 1552, 1716, 1780, 2206
wireless sensor networks (WSN) 46, 53, 79, 86, 89,
94, 98, 103, 106, 109, 120, 126, 129, 238, 240,
253, 338, 354, 360, 372, 377, 386, 408, 565,
572, 583, 681, 685, 819, 826, 829, 839, 842,
846, 850, 864, 876, 880, 886, 892, 948, 952,
956, 961, 969, 981, 1064, 1228, 1293, 1296,
1302, 1305, 1445, 1574, 1578, 1596, 1811,
1819, 1822, 1825, 1828, 1833, 1846, 2158,
2171, 2174, 2182

- wireless sensor network (WSN) communication 239, 2161
 - wireless sensor nodes 253, 364, 421, 968, 976-977, 1594-1597, 2170
 - wireless sensors 38, 40, 43-44, 371, 377, 407-410, 412, 423, 970, 981, 998, 1015, 1018, 1034, 1087, 1228, 1250, 1256, 1259, 1289, 1305, 1593-1595, 1605, 1697, 1742, 2191
 - wireless technologies 33, 41, 66, 72, 390, 589, 592, 598, 601, 627, 697, 857, 894, 898, 988, 993, 996, 1009, 1030, 1035, 1078, 1081, 1092, 1143, 1186, 1211, 1254, 1305, 1326, 1363, 1372, 1554, 1581, 1638, 1647, 1689, 1715, 1723, 1737, 1744, 1755, 1759, 1811, 1859, 1910, 1912, 1916, 1923, 1930, 1954, 2001, 2046, 2089, 2108, 2187, 2191
 - wireless video sensor networking (WVSN) 78-81, 88, 91-93
 - wireless video streaming 71, 78, 95
 - wireless wide-area networks (WWANs) 30, 563, 1081, 2002
 - wireline network 1141
 - WIZZIT 1201, 1913, 1921-1922, 1925-1926
 - word-of-mouth (WOM) 1619
 - workflow management systems (WFMS) 1041-1042, 1533, 1535, 1539-1540
 - workflow management (WFM) 1041-1042
 - Work Practice 901, 903, 1115
 - worldwide interoperability for microwave access (WiMAX) 2, 23, 72, 281, 287, 302, 496, 625, 627, 630, 632, 636, 737, 752, 755, 760, 762, 766, 858, 989, 1018, 1083, 1141, 1143, 1187, 1444, 1488, 1576, 1580, 1589, 1648, 1812, 1854, 1858, 1861, 1864, 1931, 1948, 1983, 2001, 2015, 2041, 2108, 2118, 2122, 2127, 2149, 2156
 - wrist actigraphy 1093-1094, 1096-1097, 1100-1102
 - WSN Health Monitor 367, 389
- X**
- XMesh 374, 378-381, 389, 421, 423, 686, 695
- Y**
- YAML 254, 257-261, 263-266, 269-271
- Z**
- ZigBee 34, 38, 589, 681, 690, 826, 847, 854, 862, 970, 977, 1001, 1013, 1018, 1034, 1083, 1229, 1233, 1239, 1250, 1253, 1285, 1293, 1305, 1576, 1580, 1589, 1592, 1739, 1742, 1745, 1755, 1757, 1814, 1845, 2092, 2100, 2102
 - zones of proximal development (ZPDs) 1426