

Index

Symbols

ϵ -leakage 529

A

access method 268
 access paths 176, 177, 178, 179, 180
 accuracy 389, 391, 394
 active replication 763
 analysis coherence 132
 answer set programming (ASP) 799, 804
 APEX 675
 application server layer 866
 approximate similarity queries 293, 296
 archical clustering algorithms 618
 archiveSIC 637
 arrays 15
 artificial intelligence 233, 235, 236
 aspect-oriented database engineering 87
 atomic commit protocols 742
 automatic memory management 757
 autonomic computing 754
 AXL files 304

B

balanced signature tree 650
 Berners-Lee, Tim 419
 bi-clustering 566
 bianchi reengineering 37, 39, 40, 42, 901
 bind-variable SQL 884, 890
 bind but dynamic (BBD) technique
 886, 887, 888, 889

bioinformatics text mining (BTM) 619
 bit-slice file 646
 bit-slice signature file 654
 Boolean satisfiability problem (SAT) 799, 804
 Boolean SOs 77
 bottom concept 180
 bounded cardinality 12, 16, 12
 brute force checking 336, 366
 business intelligence (BI) 861
 business process 224, 238, 959
 butterfly approach 38, 43, 972

C

cache hit ratio 760
 cache miss ratio 760
 caching 253
 cardinality 12, 13, 15, 16, 17, 957
 cardinality, bounded 12, 13, 15, 17
 case 352, 356
 CASE tool 181, 186, 187
 certification-based replication 764
 change sets 96
 Chicken Little approach 38, 43
 Chinese philosophy to knowledge discovery in
 databases 632–643
 class diagrams 12
 classification task 595
 client/server information systems 252–259
 closed world assumption (CWA) 18
 cluster analysis 550, 552, 553, 573, 574
 clustering 616, 618, 665, 666, 667, 668,
 669, 670, 671, 672, 912, 913, 916,
 940, 941, 964

- clustering algorithms 296
 - Coalescing 34, 35, 902
 - CODASYL 186
 - code injection 882, 890
 - collection type 169
 - commonsense reasoning, interactive model 606
 - commonsense reasoning process, machine learning 605–611
 - commonsense reasoning rules (CRRs) 607
 - completeness 388, 389, 391, 394
 - complex systems 797
 - composite data quality assessment 381
 - compressed bit-slice file 646
 - computer-aided design (CAD) 269, 307
 - concept, primitive dimensionality 175
 - concept, rank of 175
 - concept-oriented models 171
 - concept-oriented models, two-level 174
 - concept graphs 175
 - concepts, bottom 175, 176
 - concepts, primitive 171, 174, 175, 176
 - concepts, top 175, 180
 - conceptual conversion strategy 43
 - conceptual model design 231
 - conceptual multidimensional model 55
 - conceptual normalization 187
 - concurrency control 365
 - concurrent engineering 85
 - configuration, index and materialized view 693, 694, 695, 696, 697
 - consistent answer 363
 - consistent database 346, 364, 416
 - constraint 164
 - constraint checking 346, 347
 - constraint logic programming (CLP) 804
 - Constraint Programming (CP) 799, 801, 803, 804, 920
 - constraint propagation 178
 - constraints, declarative 13, 15
 - constraints, procedural 13
 - constraints, semantic 14
 - constraints checking 335–347
 - constraint simplification 348, 349, 351, 352, 353, 355, 356, 357, 910, 954
 - content-based data quality assessment 394
 - content-centric networks 797
 - context-independent 388, 390, 393
 - contextual data quality assessment 394
 - continuous queries 296, 297, 922
 - control protocols 762, 763
 - corporate politics 216
 - cryptography 527, 533, 534, 924
 - currency 389, 391, 394
- ## D
- data-intensive mobile applications 863
 - Database Administration Policy 87
 - database administrators (DBAs) 693, 753, 694
 - database consistency 365, 375
 - database enrichment 280
 - database evolution 98
 - database issues 217
 - Database Maintenance Policy 87, 89
 - database maintenance supervised by administration (DBA) 85
 - database management systems (DBMSs) 260, 694, 696, 697
 - database models 83, 85, 86
 - database physical conversion 38, 41
 - database queries 217
 - database reengineering 37, 38, 42, 934
 - database refactoring 105, 108
 - database repair 364
 - database reverse engineering 181, 182, 185, 187, 188, 189, 928, 929, 953
 - databases 734, 735, 736
 - databases, consistent 416
 - databases, inconsistent 416
 - database schema 91, 92, 93, 94, 97, 98, 100, 101, 964
 - database state 335
 - database systems (DBS) 860
 - data clustering 562–572, 581–588
 - data clustering techniques 563
 - data coherency 255
 - data cubes 694, 699, 962
 - data integration 364, 460, 465, 469, 471, 480
 - data integration 461–470, 471, 482
 - data integration, ontology-based 473
 - data items 174

Index

- datalog with unstratified negation (DATA-LOG \rightarrow) 798, 799, 801, 803
 - data migration: 442
 - data mining 296, 298, 547, 548, 555, 560, 574, 578, 579, 696, 697, 892, 953
 - data mining to ontologies 509
 - data model 28, 29, 32, 34, 35, 913, 964
 - data modeling 171
 - data perturbation 529
 - data processing 601
 - data quality 385
 - data quality assessment 378–384
 - data quality assessment, problems 379
 - data sources layer 866
 - data stream clustering 567
 - data stream query processing 702
 - data streams 701, 702, 704, 705, 709, 710, 712, 714, 715, 897
 - data streams, mining of 702, 711, 713, 922
 - data streams, synopsis techniques for 704, 710
 - data suppression 528, 531, 533, 535, 958
 - data suppression, partial 528
 - data suppression techniques, generalization 528, 535, 958
 - data task 591
 - data utility 394
 - data warehouse (DW) 45, 56, 87, 89, 716, 717, 721, 724, 725, 726, 727, 933
 - data warehouses, and business-driven approach 66
 - data warehouses, and combined approach 66
 - data warehouses, and source-driven approach 66
 - data warehouses, and user-driven approach 66
 - data warehouses, requirements specifications 65–73
 - data warehouse systems (DWS) 860
 - DB built-in functions 890
 - DBTime 755
 - de-optimization 187
 - de-projection 176
 - decision making 716, 718, 726
 - decision support 716, 726
 - decision support system 727
 - declarative constraint support 16
 - deduction 553, 921
 - Degrib 305
 - delegate 763, 764, 765, 768
 - delegate replica 763, 764, 765, 768
 - density-based clustering 564
 - deprojection 176, 180
 - description logics (DLs) 435
 - differential feedback, need of 599
 - differential learning expert system 597–604
 - differentially fed neural networks 598
 - digital elevation models (DEM) 403
 - dimension 46, 55, 180
 - dimensionality reduction 298
 - dimension historization 132
 - dimensions, inverse 175
 - dimensions, primitive 175
 - dimensions, rank of 175
 - direct acyclic graph (DAG) 101
 - direction 160
 - disjoint/overlap relationship constraints 2
 - disjunctive datalog program 804
 - disk access 735, 736
 - disk page 736
 - distance function 298, 736
 - distributed data sources 589, 595
 - distributed DBMS 347
 - distributed hash tables (DHTs) 797
 - distributed information system 480
 - distributed real-time database system (DRT-DBS) 737, 742, 769
 - document schema 665, 673
 - document summarization 666, 667, 668, 670
 - document versioning 137–144
 - domain ontologies 511, 512
 - domains 175
 - dualities 172
- ## E
- electoral databases 216
 - electoral systems, confidentiality 218
 - electrocardiography 191
 - emptiness, in Chinese 634
 - encoding injected statements 885, 890
 - enterprise resource planning system 238
 - entity modelling 173
 - entity relationship (ER) model 1

entity relationship diagram (ERD) 12, 13, 14
 ERP systems 221, 222, 225, 231, 234, 235, 236, 238, 970
 evolutionary data modeling 108
 example-based outlier mining 561
 exclusion protocol 583
 expert systems 597
 extended ER (EER) model 1
 extensible markup language (XML) 667, 668, 669, 670, 671, 672, 673, 891, 899, 908, 912, 913, 916, 920, 926, 940, 941, 949, 953, 964, 971, 973

F

falso quodlibet 355
 feature-based spatial queries (FBSQ) 271
 feature extraction 666
 feature service 305
 federated database 219, 471, 480
 federated information system (FIS) 480
 federation processes 160
 file transfer protocol (FTP) 301, 304, 305
 filter-refinement processing 293, 298
 financial data analysis 295
 firm real time transaction 742
 force and energy, in Chinese 635
 foreign key constraint 361, 364
 formal concept analysis 184
 four-way tree 262
 functional dependency 190, 360, 361, 364
 function call injection 882, 890
 fuzzy clustering 566
 fuzzy functional dependence 190

G

gene chip 617
 gene expression 617, 618, 619, 620
 gene mapping 621
 generalization / specialization relationships 2
 gene regulation 621
 generic and progressive algorithms for continuous mobile queries (GPAC) 864
 genes 573, 574, 575, 576, 578, 579, 580, 896, 921, 924, 934, 966, 972, 973
 genetic algorithms (GAs) 558, 559, 561
 genomes 573, 578, 917

genotype 621
 geographic information community (GIC) 497
 geographical information systems (GIS) 269, 279, 307, 481, 489, 951
 geography markup language (GML) 327
 geometric quality in geographic information 396–402
 GeoNode 280
 geospatial information system (GIS) 300, 301, 302, 303, 305, 306, 891, 908, 924, 938, 961, 968
 geospatial service interfaces 327
 good diagnostic test concept 607
 good diagnostic tests, inductive inference 607
 granularity 700
 grid-based clustering 565
 grid computing 720, 721, 726, 727, 897, 912, 921, 942, 966
 grid metrics 717, 718, 719, 720, 722, 727
 grid monitoring 721, 726, 897, 912
 Guanxi 635

H

hackers 881
 hand-OLAP system 865
 heterogeneity 472, 481, 482, 488, 489, 490, 928, 969
 heterogeneous data integration 461
 heterogeneous information system 480, 490
 hierarchical clustering 564
 hierarchies 47
 hierarchies, simple 47
 hierarchy 49, 51, 55
 Hierarchy-R 552
 high availability 762
 high throughput data acquisition technologies 589
 hoarding 254
 homogenous temporal relation 35
 horizontal data partitioning 199–207
 horizontal partitioning in data warehouses 202
 horizontal partitioning methodology 204

I

I/O cost 736
 iceberg distance join 277

Index

- identity modelling 173
 - IFSAR correlation problem 404
 - IFSAR DEM control 403–409
 - Image Service 306
 - impartial data quality assessment 394
 - imprecise functional dependencies 191
 - inconsistency 351, 352, 356, 348
 - inconsistency tolerance 350, 351, 352, 353, 354, 355, 356
 - inconsistent database 358, 362, 363, 364, 415, 925
 - indexable Web 582, 583, 585, 587, 588
 - indexing algorithm 736
 - indexing schemes 288
 - indexing tuning 756
 - index maintenance 754
 - index selection, problems with 694, 699, 938
 - indices 693, 694, 695, 696, 697, 698, 699, 734, 735, 736, 893, 908, 919, 921, 926, 938
 - inductive queries 521, 522
 - inference 553
 - information retrieval (IR) techniques 805, 806, 807, 808, 809, 807, 809, 810, 811, 812, 813, 814, 912
 - information retrieval (IR) techniques, peer-to-peer (P2P) 806, 807, 811, 813
 - information systems, biological 575, 576
 - integration operator 360, 364
 - integration process 482, 483, 484, 485, 486, 487, 488, 489, 963
 - integrity 348, 351, 354, 355, 356, 348, 914, 942, 945
 - integrity constraint 153, 356, 345, 346, 347, 411, 413, 416, 932
 - integrity control 347
 - integrity satisfaction 349, 356
 - integrity tests 339, 347, 366, 367, 368, 369, 370, 371, 372, 373
 - integrity violation 348, 356
 - interactive model of commonsense reasoning 606
 - interferometry SAR (IFSAR) 403
 - Internet map services (IMS) 300, 301, 302, 303, 304, 305, 306
 - interoperability 491, 492, 493, 494, 495, 496, 497, 498, 502, 503, 504, 505, 506, 896, 901, 903, 907, 939, 940, 951, 962, 963, 964
 - Inverse Dimension 180
- ## **K**
- k-anonymity 528, 535, 943, 958
 - k-n-match query 296
 - KDD using ontologies cycle 510
 - KMeans-R 551
 - k nearest neighbor (kNN) query 318, 319, 320, 321, 322
 - knowledge discovery 518, 519, 524, 525, 903, 904, 928, 949
 - knowledge discovery process in databases (KDD) 508, 518
 - knowledge extraction 598
- ## **L**
- LCS distance 736
 - learning from data 591
 - learning task decomposition 595
 - legacy data 37, 38, 39, 40, 41, 43, 44
 - legacy information system 181
 - level 51, 55
 - linear vector space, multi-aspect data qualities 380
 - linkcell-based data management 245
 - linkcell construct 240–251
 - linkcell size selection 247
 - local constraint checking 347
 - location-aware linkcell (LAL) 242
 - location-aware query processing 240–251
 - location-based services 324
 - location repository management problem 241
 - logical navigation 176
 - Logical representation 52, 55
- ## **M**
- Machine learning (ML) 589, 594, 595, 916, 947
 - mapping categories 8
 - mapping discovery 482, 484, 487
 - map service 306

- materialized views 693, 694, 696, 698, 700, 895, 968
 - mechanisms, search 808, 809, 815, 817, 935
 - mediator 461, 465, 469, 492, 493, 494, 497, 498, 499, 500, 501, 503, 506, 963
 - memory buffer 754, 761
 - memory management 757
 - memory optimization 757
 - merging 96
 - metadata ontologies 511, 512
 - metasearch engines 809, 815, 946
 - metric 727
 - metric database 736
 - metric space 735, 736
 - microarray 573, 574, 575, 576, 577, 578, 579, 580, 617, 618, 621, 902, 929, 930, 957, 967, 972
 - minimal orthogonal bounding rectangle (MBR) 271
 - mobile clients 252–259
 - mobile process component 160
 - modal SOs 77
 - model-based clustering 565
 - model-driven development 145–153
 - model updating 131, 133
 - MoGATU 863
 - monitoring 716, 717, 718, 720, 727
 - moving object tracking 295
 - MRtree 263
 - multi-aspect data qualities in a linear vector space 380
 - multi-document summarization 279
 - multi-representation 97, 99, 101, 904
 - multidimensional model 64
 - MultiDim model 46, 58
 - multilevel signature file 647, 654
 - multimedia information systems (MIS) 269, 307
 - multiple inheritance 9
 - multiplicity constraints 145, 147, 148, 153
 - Multiset 16
 - multisets 13, 14
- N**
- National Digital Forecast Database (NDFD) 300, 303, 305, 306
 - national spatial data infrastructure (NSDI) 301
 - National Weather Service (NWS) 301, 303, 304, 306
 - nearest neighbor queries (NNQ) 272
 - nested table 169
 - network edge 317, 318, 320, 321, 322, 324
 - network vertex 320, 321
 - node subsumption 663
 - notation, formal 40, 41, 42
 - NP datalog logic language 798, 799, 800, 801, 802, 803
 - NP optimization problem 799
 - NP search problem 804
 - numbering scheme 676
 - numbering scheme-based indices 676
- O**
- object-relational data model 163, 169
 - object-relational impedance mismatch 162
 - object-relational modeling 169, 974
 - object identifier 163
 - observer system 475
 - online analytical processing (OLAP) 56, 87, 119, 700, 716, 717, 716, 717, 721, 722, 724, 725, 726, 727, 861, 901
 - online stock trading 769
 - ontological changeability 480
 - ontological commitments 507
 - ontologically-based information system 239
 - ontological reusability 480
 - ontological scalability 480
 - ontologies 434, 435, 436, 437, 439, 440, 441, 442, 494, 495, 496, 499, 500, 501, 502, 503, 504, 505, 507, 670, 671, 895, 896, 910, 912, 920, 926, 930, 935, 937
 - ontologies, hybrid approach 500
 - ontologies to data mining 508
 - ontology 434, 442, 469, 473, 475, 479, 478, 471, 480, 475, 479, 480, 491, 494, 497, 500, 504, 505, 506, 507, 907, 918, 920, 926, 969
 - ontology mapping 469, 489, 490, 935
 - ontology matching 480
 - ontology merging 450, 483, 490
 - ontology population 442

Index

open geospatial consortium (OGC) 326
OpenGIS consortium 493, 497, 498, 503
OpenJUMP 284
open world assumption (OWA) 18
optimization programming language (OPL)
 799, 801, 802, 803, 804, 968
optimization schema construct 189
Oracle8 165
ORION model 104
ORM (object-role modeling) 1
outlier mining 556, 561
outlier mining, example-based 556, 561
outlying subspace 561, 555
OWL lite 424
OWL ontology 425

P

pagination method 736, 728
paraconsistent realtions, algebraic operators 20
paraconsistent relational data model 18–27
paraconsistent relational data model, constraints
 and storage 25
paraconsistent relations 19
partitioned logging 787
partitioning clustering 563
party databases 216
pattern matching 666
PDEM, description 398
PDEM, how to employ 399
peer-to-peer (P2P) networks 805, 806, 807,
 808, 809, 810, 806, 810, 805, 806,
 805, 810, 806, 807, 808, 810, 811,
 812, 813, 814, 815, 816, 817,
 891, 902, 903, 912, 937, 940, 942,
 949, 958, 975
peer-to-peer (P2P) systems
 410, 411, 413, 414, 415
Peer-to-peer network 816
Peer-to-peer protocol 817
percolation theory 797
perpendicular distance estimation method
 (PDEM) 404
phenotype 621
PHP/MySQL development tool 576, 577
platform specific model 153
PMRquadtree 262

points, query 319, 320, 321, 324
points of interest 324
political databases 215
politically oriented database applications
 214–220
politics, role 214
Posttest 350, 357
Pretest 351, 357
primary copy replication 764, 765
primitive concept 180
principal component analysis (PCA) 549, 553
privacy preserving data mining (PPDM)
 527, 528, 530, 531, 532, 533
process-sensitive software engineering environ-
 ment (PSEE) 154
process component 155
process component delegation 160
process level model 239
process modeling 155
product 160
profile models 85, 86, 87
projection 176, 180
PSEE, ability 157
PSEE, background 157
PSEE, capability 157
PSEE, ModelType 157
PSEE, participant 156
PSEE artifacts 155
pseudorandom generator 531, 536

Q

quasi-identifier 528
query engines 812, 813
query engines, peer-to-peer (P2P) 813
query languages 520
query optimizers 812, 816, 975
query reformulation 108
query schemes for mobile databases 860–871
query strategies 806
quorum 763

R

R* tree 263, 548, 549, 550, 551, 552, 553
random sampling 561
random variables 530
range, specified 12

- range query 734
 - REA ontology 222, 227, 229, 230, 231, 232, 233, 235, 236, 239
 - redundant data, managing 253
 - referenceable table 169
 - reference DEM (R-DEM) 396
 - reflexive relation 16
 - relation 16, 17
 - relation-theoretic operators 21
 - relational database (RDB) schema 435, 436, 437, 441
 - relational database management system (RD-BMS) 880, 890
 - relational to ontology (RONTO) 435, 436, 437, 439, 440, 441, 442
 - relations, reflexive 16
 - relationship 16, 970
 - relationships, symmetric 13, 14
 - replication 254
 - resource 817
 - resource description framework (RDF) 420
 - resources-events-agents (REA) 222, 239
 - reverse engineering 85
 - robots 583
 - role 160
 - rollback operation 35
 - RTDCRS 772
 - rule extraction 601
- S**
- S-tree 647, 654
 - sampling 530
 - sampling, random 558
 - schema 113, 114, 115, 117, 118, 935, 940, 956
 - schema, conceptual 181, 182, 184, 185, 187, 188, 189, 907
 - schema changes 104, 108, 117, 118, 935
 - schema evolution 93, 98, 99, 100, 101, 103, 108, 119, 120, 121, 130, 132, 136, 897, 904, 909, 920, 921, 934, 942, 946, 953, 970, 971
 - schema evolution management 120
 - schema evolvability 104
 - schema level consistency 118
 - schema matching 442
 - schema matching 435, 436, 437, 440, 441, 442, 915
 - schema modification 103, 109, 120
 - schema property 118
 - schemas, logical 181, 184, 185, 186, 187, 189
 - schema versioning 103, 109
 - Scientific databases 296
 - SDA, defined 77
 - SDA, principles 79
 - secondary storage 736
 - secure coprocessor 534, 917
 - secure multiparty computation 527, 530, 536
 - segmentation 281
 - self-manageable database 761
 - self-tuning database 761
 - self-tuning database management systems 753–761
 - semantically modeled database 239
 - semantic conflict 498, 500, 501
 - semantic constraint 16
 - semantic heterogeneity 480, 491, 494, 502, 503, 505, 507, 928
 - semantic integration 469
 - semantic integrity constraints 365, 367
 - semantic integrity subsystem 366, 375, 376, 932
 - semantic interoperability 494, 495, 503, 504, 506, 507, 901, 963
 - semantic metadata 499
 - semantic network 450
 - semantic operators 451
 - semantics, canonical 171, 176
 - semantics, primitive 176
 - semantics-based search techniques (SemSTs) 811
 - semantic similarity 496, 502, 505, 934, 956, 959
 - semantic Web tools, for ontologies construction 418–433
 - semi-supervised clustering 567
 - sensor network monitoring 295
 - sensor networks 796, 797, 893
 - sequence alignment 621
 - sequential engineering 85
 - sequential logging 787

Index

- sequential pattern discovery methods 626
 - sequential pattern mining 622–631
 - sequential patterns, discovery 624
 - sequential patterns, restriction 625
 - sequential signature file 654
 - service 327, 328, 329, 330, 333
 - set-theoretic operators 20
 - Shamir's secret sharing scheme 528
 - Shapley value 533
 - shared GIS server 497
 - shi (energy) for scientific enterprise 636
 - signature file 645
 - signature file techniques 644–654
 - signature identifier 654
 - signatures 654, 973
 - signature tree 649, 654
 - similarity, degree of 436, 437, 440, 441, 442, 949, 952
 - similarity detection 667
 - similarity measure 442
 - similarity query 298, 736
 - similarity retrieval 552, 554
 - similarity search 735
 - simple hierarchies 47
 - simplification method 357
 - small world models 797
 - snapshot isolation 764, 765
 - snowflake schema 55
 - SO concept, semantics 78
 - SO defined 77
 - software projects 155
 - software requirements 471
 - space lattices 557, 558, 559, 561
 - spatial access method 293
 - spatial aggregate queries (SAQ) 271
 - spatial data 261, 325–334, 490
 - spatial database 307, 309
 - spatial database engine (SDE) 302, 306
 - spatial database system (SDBS) 269
 - spatial data clearinghouses 301, 302
 - spatial data infrastructure 327
 - spatial data integration 327
 - spatial data types 278
 - spatial data warehouse 57, 64
 - spatial dimension 64
 - spatial fact relationship 64
 - spatial hierarchy 64
 - spatial index 554
 - spatial level 64
 - spatial measure 64
 - spatial network databases 324
 - spatial networks 316, 318, 319, 322, 323, 324, 937, 951
 - spatial relationship 283
 - spatio-temporal query 268
 - specified range 17
 - SQL-92 12, 14
 - SQL:1999 163
 - SQL:2003 standard 146
 - stable-model semantics 804
 - star and snowflake schema 46
 - star schema 55
 - statistical database 536
 - stereotype 164
 - stored data 92, 101
 - streaming time series 288, 299
 - structural summary-based indices 675
 - structured P2P network 817
 - structured query language (SQL) injection
 - attacks 880, 881, 883, 884, 885, 886, 889, 890, 895, 907, 920, 934, 936, 937, 941, 951
 - subspace 556, 557, 558, 559, 560, 561, 892
 - subspace, outlying 556, 557, 558, 559, 561
 - subspace clustering 566
 - sufficient statistics 591
 - summarization 530, 536
 - summarization 530, 531, 533
 - super-peer 817
 - suppression 528, 536
 - SWIFT 737–743
 - symbolic data analysis (SDA), principles 74–81
 - symbolic data tables 75
 - symbolic object (SO) 74
 - symmetric relation 17
 - system empirical design 189
 - system failure 787
- ## T
- tabular data representation 530
 - task level model 239

- temporal atom 29
 - temporal data, representing 29
 - temporal database 35
 - temporal database management 28–36
 - temporal data model 35
 - temporal data object 787
 - temporal element 35
 - temporal relations 30
 - temporal relations, designing of 32
 - termination 146, 153
 - text clustering 567
 - text filtering 282
 - text indexing methodology 644
 - the coherence problem 129
 - threshold query 296
 - time granularity 35
 - time interval 35
 - time series 288–299
 - time series, similarity search in 290
 - time series, streamining 288
 - tool 160
 - top concept 180
 - trajectory 266, 268, 941
 - transactional data 670
 - transaction time 36
 - transcript 621
 - transformation rules 149
 - tree embedding 656, 663
 - tree encoding 657, 664
 - tree pattern query 664
 - tree tuples 670
 - triangular inequality 291
 - triggering graph 147
 - two-phase-locking (2PL) 762
 - two phase commit (2PC) 738
- U**
- U.S. National Oceanic and Atmospheric Administration (NOAA) 301, 303, 304
 - unstructured P2P network 817
 - untranslation 187
 - update 357
 - user's layer 866
 - user-defined types (UDTs) 163, 169
 - user-driven approach 132
- V**
- valid time 29, 36
 - Value chain 239
 - varray 15, 166
 - vector-space models 669
 - version derivation 101
 - versioning-view 101
 - version management, approaches 139
 - very large scale integration design (VLSI) 269, 307
 - virtual organization 727
 - visualizations, interactive 575
 - voting technique 763
- W**
- weak-voting replication 764
 - Web ontology language (OWL) 423
 - wide spectrum language (WSL) 37, 40, 41
 - workloads 693, 694, 695, 696, 697, 700
 - Wrapper 333, 462, 470
- X**
- XBR tree 263
 - XML (eXtensible Markup Language) 419, 674
 - XML databases, and query evaluation 655–664
 - XML databases, indices in 674–681
 - XML document 664
 - XML document versioning 140
 - XML in digital libraries 137–144
 - XML schema 664
 - XPath expression 664