

Index

A

access latency 238, 239, 244, 247, 252, 255, 256
active list 113
active mode 28, 30
adaptive replacement algorithm 263, 265, 266, 267, 292
adaptive replacement template (ART) 263, 264, 265, 266, 267, 270, 274
address resolution protocol (ARP) 148
address space 1, 2, 3, 5, 7, 8, 9, 16, 18, 19, 20, 22, 23, 24, 51, 55
ad hoc networks 260
AIDE 47
Amdahl's Law 140
AMSQM 276, 281, 282, 301, 283, 284, 285, 288, 289, 290, 291
announcement-based cooperative prefetching (ACP) 238, 240
API 6, 19, 41
architecture patterns 198
argument list 23, 31
artificial memory pressure 50, 52
aspect-oriented programming (AOP) 186, 187, 188, 194, 198, 199
AspectWerkz 187, 194
automated invariant inference 56

B

backward compatibility 26, 44
behavioral analysis 156, 158, 159, 160, 191
benchmarks 114, 119, 126, 128
best-fit approximation 130
binary format 55, 65

bin packing 118, 119, 121, 122, 130, 134, 135, 136, 297, 298, 299, 304
bit-r 90, 91, 93, 94, 95, 97, 102, 103
BLAST 114, 115
block table 110, 111, 206, 207, 208, 209, 210, 214
block table entry (BTE) 206, 207, 208, 209, 210
Bluetooth 238, 239
bootstrapping 144, 145
bottleneck 101, 107, 108, 109, 117
broadcast index 241, 244, 245, 248, 250
buddy allocator 51
buffer cache 205, 207, 209, 211, 214
bytecode counting 181

C

C++ 7, 40
cache memory 3, 4
caching 238, 239, 243, 244, 245, 247, 253
checksum 47, 48
CLOCK algorithm 4, 13, 112, 117, 278, 279, 280, 284, 291
clock cycle 7
code obfuscation 48
commoditization 15
commodity kernels 16
common object request broker architecture (CORBA) 174, 177, 179, 195, 299
complete fairness queuing (CFQ) 221
control flow 19, 21, 64
cooperative caching 238, 240, 244, 245, 246, 247, 249, 253, 255, 258, 259, 260, 308

cooperative prefetching 240, 244, 245, 246, 247, 249, 253, 255, 258

correlation buffer 110, 113

CPIX (Cooperative PIX) 238, 240, 247

C-SCAN 108

D

data blocks 201, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 218, 222

deadlock 159, 161, 190, 191

deep call chain 5

default recovery manager 25, 43

deferred calls 24

device driver 15, 16, 18, 27, 28, 30, 31, 36, 37, 40, 41, 42, 44

device drivers, connection-oriented 17, 18, 29

device drivers, request-oriented 17

Direct Memory Access (DMA)

18, 23, 41, 43, 51, 57, 66, 67

disk arm 108

disk platter 108

DiskSeen 201–217

double fault 9, 10

DUal LOcality (DULO) 107–117

dynamic analysis 156, 159, 191, 193, 194, 198, 199

dynamic size allocations 7

Dyninst 170

Dyninst API 170

E

editing executable library (EEL) 168, 196

EELRU 263–275

entropy pool 52, 53, 54

executing drivers 15, 41

exokernel 138–155

Exokernel Operating System 138–155

extensibility 138, 140, 150, 151, 152, 153, 154, 177

extension procedure call (XPC)

20, 22, 23, 24, 25, 39

F

fast file system (FFS) 116

fast Fourier transform (FFT) 90

fault tolerance 1, 15, 18, 26, 33, 40, 42, 44

FIFO 147, 210, 212, 229

firmware 57, 58, 204, 205

first-fit approximation 130

first-in-first-out (FIFO) 89, 119, 125, 129

fixed size allocations 5

fragmentation 3

free pool 51, 52

fully associative cache 4

function pointer 23, 48, 63, 64

G

gcc 90, 93, 94, 95, 96, 97, 102, 103, 104

GCC profiling 167, 168

Gibraltar 49–70

GNU gprof 167

gprof 167

group time slices 125

gzip 90, 91, 93, 94, 95, 97, 101, 102, 104

H

hardware fault 20

hypervisor 41, 42

I

IA-32 1, 2, 5, 9, 10, 13, 301

IDE disk 29, 34, 37

inactive list 113

in-circuit emulators (ICE) 189, 190

instrumentation, compiler-based 156, 168, 189, 193

instrumentation, source code 199

intellectual property (IP) 172

interposition 19

interprocess communication (IPC) 145

interrupt handler 5, 18, 41

interrupt oriented 35

interrupts 5, 16, 18, 35, 41, 43

interrupt task 10

invisible revocation 143

I/O bandwidth 101, 105

I/O blocks 23

ioctl commands 32

I/O memory management unit (IOMMU) 23

I/O optimization 219, 220, 221
 I/O performance 107, 116, 117, 218, 219,
 222, 223, 232, 234, 235
 I/O ports 18
 I/O prefetching 218, 219, 220
 I/O regions 23, 30
 I/O requests 17, 29, 40, 42

J

Java virtual machine tracing interface (JVMTI)
 183, 184, 185, 186, 188, 199

K

kernel bug 8
 kernel code 6, 7, 8, 16, 48, 49, 68
 kernel data structure 21, 46, 57, 66, 67
 kernel-driver interface 17, 24, 32
 kernel memory 1, 2, 8, 16, 23, 30, 41, 51,
 53, 56, 61
 kernel mode 1, 2, 5, 6, 8, 9, 10, 14, 16,
 25, 35, 40
 Kernel Mode Linux (KML) 8
 kernel security 46
 kernel stack 1, 5, 6, 7, 8, 9, 11, 12, 24
 kernel threads 2, 8, 24
 Komorium 181, 182, 185

L

latency 11, 63, 161, 177, 178, 179, 182,
 193, 202, 203, 300, 214, 216, 219,
 222, 234, 235
 latency, rotational 202
 latency, seek 202
 latency, transfer 202
 least recently used (LRU) 3, 4, 86, 87, 88,
 89, 90, 93, 94, 95, 96, 97, 98, 99,
 100, 101, 102, 103, 104, 105, 106,
 109, 110, 112, 113, 119, 120, 123,
 135, 263, 264, 265, 270, 271, 272,
 273, 274, 275, 278, 279, 280, 281,
 282, 283, 292
 Linux 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12,
 13, 14, 15, 16, 17, 299, 21, 23, 26,
 27, 29, 310, 32, 33, 34, 35, 36, 37,
 38, 39, 40, 41, 42, 43, 44, 49, 50,
 52, 53, 54, 55, 58, 59, 62, 63, 66

Linux authentication 76
 Linux authorization 78
 Linux, comparison to Windows 71
 Linux kernel 1, 5, 6, 8, 10, 12, 14, 16,
 21, 23, 26, 34, 44, 49, 50, 52, 53,
 59, 62, 66, 204, 212, 213, 214, 215,
 216, 218
 Linux, security modules and mandatory access
 controls 78
 livelock 159, 161, 191, 193
 load controls 88, 99
 locality principle 3, 4
 local page replacements 88
 logical block number (LBN) 111, 114, 205,
 206, 209, 210, 213
 LXR 114

M

malware 46, 47
 Massachusetts Institute of Technology (MIT)
 139, 150, 195, 297
 Matlab 126, 127, 128, 134
 medium-term scheduler 118, 121, 122, 123,
 124, 125, 126, 127, 128, 129, 131,
 132, 134
 memory allocation demand (MAD) 91, 93,
 95, 96, 101, 102, 103, 104
 memory management unit (MMU) 4, 12
 memory usage curves 91
 metadata 116
 metaprogramming frameworks 164
 microkernel 7, 8, 42, 43
 Microsoft Windows Performance Counters 176
 mobile broadcast 238, 239
 mobile peer-to-peer networks 243, 260
 model checking 156, 159, 192, 194
 modules 1, 2, 16, 50
 monitoring of component-based systems
 (MCBS) 177, 178, 179
 multiple page size support (MPSS) 277, 278
 multi-processor, symmetric (SMP)
 157, 158, 188, 190, 193
 multiprogramming 86, 87, 88, 89, 105, 106
 multiprogramming level (MPL) 89
 multitasking environment 1

N

native command queuing (NCQ) 221
netfilter 49, 50, 64
network driver interface specification (NDIS) 6
Nexus debugging interface (Nexus 5001) 196
Nooks 15–45
Nooks isolation manager (NIM) 19
number of accessed pages (NAP) 91, 102
number of page faults (NPF) 91, 98

O

object tracking 19, 20, 24, 25, 29
on-chip performance counters 188, 189
operating system, as last line of defense 71
OS kernel 107, 110, 116
OVATION 179, 180, 195, 197, 299
overflow 1, 5, 6, 7, 8, 11
overlays technique 2

P

packet buffering 147
packet demultiplexing 147
page fault 3, 9, 10, 11
page tracker 23
paging mechanism 1, 2, 8
Pardyn 169, 170, 197
parallelism, effective 161, 191
passive mode 28, 29
performance application programming interface (PAPI) 189, 197
performance degradation 10, 50, 52
Peripheral Component Interconnect (PCI) 18, 24, 30, 56, 57, 67
persistent invariants 61, 62
Pin API 171, 186
Pin program analysis system 170, 171, 172, 173, 174, 186, 197
PIX (P Inverse X) 244
PostMark 114, 115
prefetching 201, 203, 204, 205, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 218, 219, 296, 220, 221, 222, 223, 224, 301, 303, 308, 234, 235, 236, 237, 238, 239, 240, 243, 244, 245, 246, 247, 249, 250, 251, 252, 253, 255, 256, 236, 258, 259

prefetching, history-aware

210, 211, 212, 213, 214, 215
prefetching, sequence-based 210, 211, 212, 213, 214, 215, 216

priority inversion 161

procedure calls 16, 20, 27

process oriented 35

profiling, active 159, 173

profiling, common language runtime (CLR) 180, 183, 184, 185, 188

profiling, passive 159

profiling, virtual machine (VM) 180, 188

protection domain 15, 16, 20, 21, 22, 23, 24, 25, 42

protection mode 1

protocol hooks 50

pseudo-random number generator (PRNG) 52, 53, 54, 55, 64, 65

R

readahead 204, 218–237

readahead algorithm 218, 219, 224, 225, 226, 227, 229, 230, 232, 235

recovery manager 20, 25, 26, 28, 30, 31, 34, 36, 37, 43

Redhat Linux 90

reliability layer 18, 25, 33

replacement algorithms

86, 93, 105, 108, 109

resource wastage 50, 52, 64

restart recovery manager

25, 26, 30, 34, 36, 37

reverse engineering 159

rootkit 46, 47, 48, 49, 56, 63, 66, 67, 68, 69

root symbols 56, 58, 60

S

safety-critical systems 161

secure binding 143, 144

security and operating system security architecture 72

segmentation 1

sequencing bank 110, 112

sequential prefetching

203, 218, 221, 235, 236

sequential reads 218, 222, 225, 226, 228, 230, 231, 232
 set associative cache 4
 shadow drivers 15, 18, 19, 20, 26, 27, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 43
 shadow recovery manager 20, 25, 28, 30, 31
 sharing model 148
 shortest-seek-time-first (SSTF) 108
 simulation experiments 253
 simulation model 253
 software architecture 171, 198
 software fault 20
 software lifecycle 160
 sparse matrix multiplication (SMM) 115, 116
 spatial localities 107, 109
 SPEC 2000 90
 stack overflow 1, 6, 7
 stack starvation 9, 10
 stack variables 5, 6
 standard test accesses port and boundary-scan architecture (JTAG) 189, 190
 static analysis 156, 158, 159, 161, 191, 194
 strided 213, 214, 215
 super-paging 276, 277, 278, 279, 280, 281, 290
 swapping management 123
 swap token 86–106
 system calls 2, 20, 48, 54, 67
 system execution modeling (SEM) tool 192

T

tagged command queuing (TCQ) 221
 tap 22, 27, 28, 30
 thrashing 86, 87, 88, 297, 89, 90, 93, 95, 96, 97, 98, 99, 307, 100, 102, 106, 118, 119, 120, 121, 122, 123, 125, 126, 127, 128, 129, 132, 134, 135, 136
 threadmon 175
 threads (lightweight processes) 157, 158, 161, 162, 164, 303, 170, 174, 175, 176, 178, 179, 181, 184, 186, 187, 188, 189, 190, 192, 194, 196

TLB 276, 277, 278, 284, 285, 286, 287, 288, 289, 307, 290, 309, 292
 trace normal form (TNF) 175, 176, 197, 305
 trampoline functions 168, 170, 171, 199
 transient invariant 61, 62
 translation table 148
 transparent control 19
 Tripwire 47
 Typed Assembly Language (TAL) 8

U

Universal Serial Bus (USB) 18, 40, 41
 UNIX 4, 10, 13, 69
 user mode 2, 8, 25, 39, 40, 41, 42, 43, 44
 user mode driver framework (UMDF) 40, 41, 43
 userspace I/O (UIO) 40, 41

V

virtual file system (VFS) 54, 218, 221, 230
 virtual machine 3, 40, 41, 42, 44, 48, 49, 56, 69, 299
 virtual memory 1, 2, 3, 4, 5, 23, 43, 60
 visible revocation 143
 VMS 88, 106, 119
 vortex 90, 93, 94, 95, 96, 97, 101, 102, 103, 104

W

Windows and Linux, comparison 73
 Windows authentication 74
 Windows authorization 77
 Windows, comparison to Linux 71
 Windows XP 15, 16, 36, 40
 working set models 88
 wrappers 19, 21, 22, 25

X

x86 1, 21, 23, 39
 XPC. *See* extension procedure call