

Index

Symbols

3-D physical spaces 854
 3-D spaces 859
 .net compact framework 1171, 1181
 ηk-Nearest Neighbour (ηk-NN) 543, 545, 547, 549

A

Abilene Christian University (ACU) 1214, 1216, 1220
 absorptive capacity 65, 66, 68, 69, 70, 77, 78, 79, 80, 81
 accesibility 1169
 Access Control (AC) 912, 913, 916, 917, 928
 Access Control List (ACL) 346, 355, 913, 916
 Access Control Model (ACM) 913, 914, 916, 917, 921, 923, 925, 927, 928
 Access Points (AP) 362, 428, 439, 441
 acknowledgment (ACK) 168, 169
 ACL Entries (ACLE) 916
 actant 396
 action research 774, 777, 779, 782, 786, 787, 789
 active remote positioning system 116
 activity awareness 560
 Activity-Oriented Interaction Design (AOD) 693, 695
 Activity Theory (AT) 694
 adaptable environment 1169, 1170
 adaptive modulation (AM) 101, 113
 Adaptive Multi-Agent System (AMAS) 1062, 1074
 adaptive production systems 822
 Ad-hoc environment 896
 ad-hoc networks 31, 33, 34, 35, 36, 37, 38, 39, 44, 45, 46, 115, 116, 117, 118, 119, 120, 121, 125, 131, 995, 997
 ad hoc on-demand distance vector (AODV) 597, 616
 ad hoc on-demand multi-path distance vector (AOMDV) 597, 616
 adoption of mobile technology 1091, 1092
 advanced encryption standard (AES) 319, 935, 937, 938, 940, 941, 944, 945, 949
 Advanced On-demand Distance Vector (AODV) 20, 29
 Agência Nacional de Energia Elétrica (ANEEL) 1093, 1097, 1102
 Agent-Oriented Software Engineering (AOSE) 1062, 1073
 Agents 649, 655, 656, 658, 663, 665, 682, 684, 685
 Agent Tcl 349, 353
 aggregation 415
 Agile manufacturing 650, 666
 Aglets 349, 350, 352, 354
 Ajanta 351, 354
 alerts 368, 371, 372, 373, 374, 375, 376, 377, 378, 379
 Amazon 838, 841, 844, 845, 848, 849, 850, 851
 ambient intelligence (AmI) technologies 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81
 ambient technology 559
 AmphibiousRobot 1066
 analog-to-digital converter (ADC) 1025, 1034
 Android platform 206, 207
 Angle of Arrival (AOA) 221

Volume I pp. 1-648; Volume II pp. 649-1284

- an-hoc on-demand distance vector hybrid mesh
 (AODV-HM) 597, 616
 anti-jamming (AJ) systems 158
 Any Source Multicast (ASM) 490
 Apple 839
 Application Configuration Management Sub-
 module 371
 application interface (API) 1137
 application programming interfaces (API) 490,
 492, 501, 502, 503, 504, 509, 510, 512,
 513, 514, 515, 516
 Ara 349, 350, 354
 arbitrary waveform (ARB) 171
 ARTEMIS 705
 articulation work 1284
 artifacts 459, 460, 462, 464, 465, 468
 ASSIST programming model 627, 628, 631
 ASSIST with Adaptivity and Context Aware-
 ness (ASSISTANT) 617, 620, 627, 628,
 629, 630, 631
 Asynchronous System 1054
 Atomic Event 249
 Atomic Force Microscope (AFM) 939
 attribute authentication 899
 Attribute-Based Encryption (ABE) 906, 911
 Audacity 254, 256, 266
 Augmented Reality (AR) 692
 Aura 621, 622, 624, 625, 626, 632
 Australia 65, 66, 67, 68, 69, 70, 72, 74, 75, 78,
 79, 80
 Australian Bureau of Statistics (ABS) 69
 authentication 954, 957, 958, 961, 969, 971,
 972, 1249, 1259, 1260
 Authentication Centre (AuC) 935
 Authors 465, 471
 Automatic Level Control (ALC) 171
 Automobile Terminal 738, 746, 758
 Autonomous Aerial Vehicle (AAV) 1062,
 1064
 Autonomous Control 738, 743, 758
 autonomous crack monitoring (ACM) 243,
 247, 248
 Autonomous Ground Vehicle (AGV) 1062,
 1064
 Autoridade de Segurança Alimentar e Económi-
 ca (ASAE) 1022
 AutoSpeakerID 464
 avatar 404, 405, 407, 410
 Avatar Description Retrieval sub-module 87
- ## B
- beamforming 114
 Belgian Electronic identity card (BeID) 1246,
 1247, 1248, 1249, 1250, 1251, 1252,
 1253, 1254, 1255, 1256, 1257, 1258,
 1259, 1260
 bell laboratories layered space-time (BLAST)
 102, 114
 Binary Runtime for Wireless (BREW) 800
 Biofuels 707, 717, 718
 BioShirt 447, 452
 bit-error rate (BER) 100, 101, 102, 103, 105,
 106, 107, 108, 109, 111, 113
 Bit-Filling (BF) 160, 161
 BlackBerry 872, 878
 Blended Learning (BL) 294
 blood glucose 137, 138, 140, 141, 142, 144,
 145, 146, 151, 153, 155
 blood glucose monitor (BGM) 141, 145, 146,
 156
 BluePages 872, 873, 874, 880
 Bluetooth 204, 206, 207, 221, 261, 303, 307,
 460, 461, 1020, 1064, 1071
 Bluetooth2 dumb devices (BDD) 419
 Bluetooth Device Address (BDA) 934
 Bone Animation Tracks (BATs) 88, 89, 90, 92,
 94, 95
 Botswana Telecommunication Authority (BTA)
 57, 59
 Botswana Telecommunications Corporation
 (BTC) 56
 Broadband Global Area Network (BGAN)
 275, 282
 Broadcast Quality 1199, 1211, 1212
 browsing 217, 219, 220, 226, 228, 229
 buffering 206, 207
 buffer space 360
 business models 837, 838, 841, 848, 849, 850,
 851, 852
 business to consumer (B2C) 55
 Business Understanding 584
 Byte Code Executor (BCE) 640, 641

Index

C

- CAB Retrieval Evaluation Collection (CREC) 7, 8, 9, 12
- CampusLocator 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311
- CARE Emulator 1112
- cell phones 853, 855, 861
- cellular networks 206, 315, 319
- Central Reconfiguration Unit (CRU) 943, 944
- Central System 479, 480, 481, 482, 483
- Certificate 1258, 1260
- Certificate Revocation Lists (CRLs) 904, 905
- certification authorities (CA) 36, 902, 903, 904, 910, 936
- CHORIST project 278
- Ciborra 1091, 1092, 1095, 1101, 1102, 1103
- C Language Integrated Production System (CLISP) 622
- class-based queuing (CBQ) 602, 616
- Classifier Constructions (CCs) 86, 87, 88, 89, 91, 92
- Classroom 368, 370, 379, 380
- classroom control 368
- clear-to-send (CTS) mechanism 24, 26, 35
- Cluster Heads (CHs) 278
- Code Division Multiple Access (CDMA) 221, 493
- coding 102, 108, 110
- Cognitive Behavioral Treatments (CBT) 290
- collaboration 459, 460, 461, 462, 463, 464, 465, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 773
- Collaborative Interaction 413
- Columbia University 871, 872, 873, 876, 878, 879
- Comma Separated Values (CSV) 712
- commercial expectations 837
- commercial sensitivity 837, 850
- Commitment 1138, 1141, 1143, 1154
- commitment protocols 1132, 1134, 1143, 1146, 1147
- Common Information Model (CIM) 1059, 1060, 1074
- Common Object Request Broker Architecture (CORBA) 449, 457
- communication 459, 460, 463, 464, 466, 467
- communication components (CC) 1064, 1068, 1069, 1071, 1073
- communication graphs 34, 35
- Communication Infrastructures 477
- Communications On The Move (COTM) 275, 276
- Communications technologies 1182
- Communication Systems 478
- community 415, 421, 424, 471
- complex event 238, 239, 240, 241, 243, 244, 245, 246, 247
- composite event 239, 240, 241, 242, 243, 246, 247, 248, 249
- Computational context 1106
- Computer-Aid Design (CAD) 303, 307, 311, 312
- Computer Assisted Language Learning (CALL) 251, 252, 266
- computer mediated communication (CMC) 286, 289, 415
- Computer Support Cooperative Work (CSCW) 1264, 1283, 1284
- Concordia 351, 354
- confidentiality 956, 969, 972
- Confirmatory Factor Analysis (CFA) 333
- conflict 1138, 1141, 1154
- Connected Communities 1198
- Connectedness 1262, 1283, 1284
- CONNECTOR 414, 417, 418, 419, 420, 421, 422, 423, 424
- Consensus 1039, 1042, 1055
- construct 773
- Consumer Health Informatics 447
- consumer premise equipment (CPE) 314, 316, 321, 322, 323
- consumers 471
- contact capacity 360
- contact scheduling 360
- context 414, 419, 423, 424, 558, 559, 560, 561, 565, 571, 572, 573, 574, 1227, 1228, 1230, 1231, 1234, 1235, 1243, 1244
- Context Aware Browser (CAB) 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14
- context-aware computing 526, 540, 542, 559, 560, 561, 572, 574, 1244

- context-aware mobile computing 1226, 1227, 1229, 1230, 1243
- Context-Awareness 472, 473, 483
- Context-Aware Retrieval (CAR) 2, 3, 5, 6, 13
- Context-Aware Services 472, 473, 477, 478, 482
- context aware systems 537
- Context-based Adaptive Binary Arithmetic Coding (CABAC) 1203
- Context-based Adaptive Variable Length Coding (CALVC) 1203
- Context manager 3, 4
- Context Modeling Language (CML) 645
- context prediction 558, 565, 573, 574
- context reference model 1226, 1227, 1235, 1238, 1239, 1241, 1242, 1244
- Context server 3
- Contextual Mobility 396
- continuous interaction 693, 694
- Control Theory 630, 632
- Correspondent Nodes (CN) 490
- Cortex 622
- COUGAR project 242
- coverage 805, 806, 810, 811, 815, 816
- crisis 267, 270, 271, 272, 273, 276, 281, 282, 284
- CRISP-DM methodology 584, 586, 587
- criterion 773
- critical factors 774, 778, 785, 786, 787
- critical success factors 314, 315, 316, 320, 321, 322
- cryptographic keys 32, 36, 40
- cryptography 36
- customer loyalty 327, 328, 329, 330, 332, 334, 335, 338, 340, 341
- CyberDesk 474
- Cyclic Redundancy Check (CRC) 168, 934, 949
- D**
- data- and compute-intensive processing 619
- database management systems (DBMS) 914, 917, 918, 923
- data communications 853
- data deduplication 1132, 1146, 1147, 1154
- data dissemination 359, 362, 365
- data encryption standard (DES) 319
- datagram congestion control protocol (DCCP) 952, 960, 967, 972
- data mining 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593
- Data Mule project 362
- Data Preparation 584
- data service 217
- Data Understanding 584
- Death of Distance 1197, 1198
- Dedicated Manufacturing Systems (DMS) 824
- degrees of freedom (DOF) 696
- delay-and-sum (DAS) 120, 121, 129
- Delay-Tolerant Networking Research Group (DTNRG) 358, 365
- Delphi Method 314, 320, 321, 325, 326
- Denial of service (DoS) 937, 947
- design methods 1226, 1227, 1236
- Design Principles 793, 804
- desktop computers 874, 877, 878
- destination node 16, 18, 20, 21, 30
- Development Process 738, 739, 748, 754, 757, 758
- device selection 1213, 1215, 1216, 1217, 1218, 1222
- diabetes 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156
- diabetes, Type 1 136, 139, 140, 141
- diabetes, Type 2 136, 138, 139, 140, 146
- Diagnostic Module Preliminary (MDP) 456
- diagonal BLAST (D-BLAST) 114
- differentiated services (DS) 602, 616
- Diffusion of Innovation (DOI) 48, 54
- digital calendars 388
- Digital Divide 1182, 1183, 1185, 1198
- digital media storage devices 388
- Digital Rights Management (DRM) 915
- digital signature 1260
- digital subscriber line (DSL) 320
- Digital Versatile Discs (DVD) 915
- Digital Video Broadcasting (DVB) 896, 1206, 1211
- Direct Contact 367

Index

- direction-of-arrival (DOA) 115, 116, 117, 120, 121, 125, 126, 127, 129, 130, 131, 134, 135
- direct mode (DMO) 273
- direct-sequence spread spectrum (DSSS) 119, 120, 157, 159, 160
- Discretionary Access Control (DAC) 913, 914, 916, 917, 918, 923, 928
- Disruption Tolerant (DTN) 356, 357, 358, 359, 360, 361, 362, 363, 365, 366, 367
- disruptive innovation 774, 777, 779, 788, 789
- distributed computing environments 32
- Distributed Control Module 370, 371, 372, 374, 377
- Distributed Control System (DCS) 379
- distributed file systems 1141, 1142, 1151
- Distributed HoloTree (DHoloTree) 640, 641, 642, 643, 644, 648
- Distributed System 397
- diversity 101, 102, 112, 113
- Domain Name System (DNS) 641
- Domain-oriented ontologies 1080
- Driving Assistance Systems (DAS) 680
- Duplicate Address Detection (DAD) 281
- Dynamic Bayesian Networks (DBNs) 542
- dynamic environments 822
- dynamic source routing multi-path (DSR-MP) 597, 616
- dynamic systems 822
- E**
- easily Deployable Emergency Communications Cell (EDECC) 270
- e-commerce 175, 180, 182, 184, 186, 881, 882, 883, 884
- e-commerce, B2B 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 186
- economical issues 821, 831
- Economic Value 342
- educational architectures 368
- educational resources 774, 776, 777, 779, 780, 781, 782, 783, 785, 786, 787, 792
- educational technology 774, 775, 776, 779, 780, 781, 782, 792,
- e-Government 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64
- e-health 137, 155, 156, 285, 287, 445, 446, 447, 449, 451, 457, 458
- e-health central monitoring room (ECMR) 452
- e-learning 300, 312, 313, 872, 880, 1213, 1214, 1215, 1216, 1224
- e-learning 2.0 775
- e-learning environments 872
- electrocardiograms (ECG) 143, 149
- electromedical devices 445
- electronically steerable passive array radiator (ESPAR) 120, 121, 129
- Electronic Control Unit (ECU) 710, 712
- electronic data interchange (EDI) 175, 177, 183
- Electronic Field Production (EFP) 1200
- Electronic Health Record (EHR) 1079, 1083, 1084, 1085, 1086, 1087
- Electronic Health Records (EHR) 446, 457, 458
- Electronic License Plate (ELP) 902, 903, 911
- Electronic Medical Records (EMR) 446
- Electronic News Gathering (ENG) 1199, 1200, 1207, 1211
- Electronic Product Code (EPC) 652
- Electronic Signature 1260
- elliptic curve cryptography (ECC) 905, 937
- Elliptic Curve (EC) 945
- e-mail 855, 860
- Embedded PC (EPC) 946
- embedded system (ES) 943, 944
- emergency 267, 268, 269, 271, 272, 273, 274, 275, 277, 281, 282, 283
- Emergency Response and Crisis Management Systems (ERCMS) 1057, 1063
- Emergesat 276, 282
- emerging market mobility 878
- Emotional Value 327, 328, 330, 331, 332, 334, 336, 342
- end-to-end delay (EED) 606, 607, 612, 613, 614, 616
- end-user mobile experiences 878
- Energy 706, 716, 717, 718
- energy efficiency 35
- Engineer-To-Order (ETO) 665
- English 250, 251, 252, 255, 256, 257, 258, 259, 260, 262, 263, 264, 266

- Enhanced Data Rates for GSM Evolution (EDGE) 931, 932, 935, 947
- Enhanced Messaging Service (EMS) 492
- Enhanced Observed Time Difference (E-OTD) 221
- enterprise architectures (EA) 853, 854, 855, 863, 864, 865, 866, 868, 869, 870
- entity authentication 898
- entity identification 898
- environmental complexity 822
- environmental consciousness 823
- environmental context 1234, 1244
- Environment Physical Model 128
- EPC Information Service (EPCIS) 652
- epidemic algorithms 1132
- Epidemic Routing 367,
- Episode 266
- esp@cenet database 141, 142, 148, 150, 154
- E-therapy 285, 287, 288, 289, 296
- Ethnography 1128, 1129, 1130, 1131
- ETSI 102 638 357
- European Standardization Committee (CEN) 449, 457
- European Telecommunications Standards Institute (ETSI) 273, 278, 728, 729
- Evaluation Apprehension 797
- Event Detection 237, 239, 240, 243, 244, 245, 246, 248, 249
- Event Pattern 237, 244
- eventual consistency (EC) 1136, 1137, 1138, 1147, 1154
- Evidence-based medicine (EBM) 446
- Evolvable Production Systems (EPS) 821, 825, 827, 829, 830, 831, 832, 833
- expected hop count (EHC) 27
- explicit eventual consistency (EEC) 1136, 1138, 1144
- extended Kalman filter (EKF) 126, 127
- Extensible Authentication Protocol (EAP) 319
- extensible markup language (XML) 175, 1107, 1109, 1110, 1174, 1176, 1180, 1181
- extensible ontology-based context model 1104, 1105
- F**
- Facebook 761, 763, 767
- face-to-face 250, 256, 414, 415, 417, 424, 462, 463, 464, 1264, 1268, 1281
- fading 101, 102, 112, 113, 114
- failure detector (FD) 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055
- Family Agricultural Products 1198
- fast frequency hopping (FFH) 160
- Fast Handover for Mobile IPv6 (FMIPv6) 280, 489
- Federal Test Procedure (FTP) 705
- FeliCa 726, 727, 730, 737
- Field Programmable Gate Array (FPGA) 932, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951
- FileID 194, 195
- Fischer, Lynch and Paterson (FLP) 1043, 1055
- Fixed Satellite Service (FSS) 274, 275, 276
- FLAME2008 1109, 1112
- Flexible Manufacturing Systems (FMS) 824
- Flooding 361, 367,
- FLP, Impossibility of 1055
- focusing ion beam (FIB) 938, 939, 948
- Formal Concept Analysis (FCA) 676
- forwarding 356, 357, 358, 359, 360, 361
- Free Riding 797
- frequency hopping (FH) communication systems 158
- frequency hopping spread spectrum (FHSS) 157, 158, 159, 160, 171, 172
- Fusion sensor protocol for context aware location (FSPCAL) 542
- future industrial environments 1226, 1227, 1238, 1244
- G**
- general packet radio service (GPRS) 983
- General Packet Radio Services (GPRS) 743, 750, 751, 882, 883, 931, 932, 935, 946, 947
- General Purpose Input/Output (GPIO) 933
- general purpose interface bus (GPIB) 170, 171
- Generic ontologies 1080
- geocoding 206, 207

Index

Geographic information system (GIS) 303, 304, 307, 311, 312
geolocation 414, 415, 416, 417, 419, 424, 688
geometric dilution of precision (GDOP) 128, 129
Gesture Synthesis module 85, 86, 88, 89, 90, 92, 94, 95, 99
Global Communications Model 477, 478
globalization 823
global positioning systems (GPS) 116, 120, 122, 124, 129, 132, 133, 204, 205, 206, 207, 208, 209, 211, 214, 217, 219, 221, 232, 300, 303, 306, 307, 308, 309, 361, 460, 461, 469, 470, 504, 514, 515, 516, 517, 539, 540, 541, 544, 549, 551, 552, 554, 555, 557, 703, 704, 705, 710, 711, 718, 743, 747, 748, 750, 751, 753, 758, 853, 882, 884, 885, 889, 912, 913, 914, 924, 925, 927, 1065
Global Stabilization Time (GST) 1045
Global System for Mobile Communications (GSM) 48, 219, 221, 743, 747, 748, 750, 1200
global technology companies 871
Global Warming 704
GnuPG 189, 190, 201, 202
Goals, Operators, Methods, and Selection rules (GOMS) 694
Google 838, 843
Google Earth 704, 712, 714
government to government (G2G) 54, 62
granxafamiliar 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1192, 1193, 1194, 1196, 1198
graphical user interface (GUI) 463, 691, 692, 695, 696, 699
Graphical User Interface (GUI) 1082
Grasshopper 350, 352
greedy-face-greedy (GFG) 24, 25, 26, 27
green-house-effect gases (GHG) 704, 706, 707, 708, 713, 718
Green Mobility 718
Grid Computing 617, 618, 623
Grid Computing, High-performance 617
Gross Domestic Production (GDP) 708

H

H.264 1199, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1211, 1212
handover 522, 530, 532, 533, 536, 537
handover, local service 525
handover, network incentives 525
handover, opportunistic 525
handover, proactive 523, 525, 529, 530
handover, proactive knowledge-based 523, 525
handover, proactive mathematical model-based 523
handover process 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537
handover, reactive 523, 529
handover, user preference 525
Head-Mounted-Displays (HMD) 758
healthcare industry 176, 177, 178, 179, 180, 181, 182, 183, 184, 186
health emergency 445, 450
Health knowledge management 447
Health Level Seven (HL7) 448, 449, 458
Heartbeat Failure Detector 1055
Hierarchical Mobile IPv6 (HMIPv6) 280
hierarchical token bucket (HTB) 595, 596, 602, 604, 608, 609, 614, 615
High-definition television (HDTV) 431, 432, 433, 434, 439, 440, 441, 444
High Frequency (HF) 273, 723, 724, 726
high-level programming APIs 502, 509
high mobility environments 31
High-Speed Downlink Packet Access (HSDPA) 219
High Speed Uplink Packet Access (HSUPA) 1199, 1200, 1201, 1202, 1207, 1208, 1211
History Server (HS) 643, 644
HLSML Parser module 85, 86
Holo Naming System (HNS) 640, 641, 642, 643, 644, 648
Holonc Manufacturing Systems (HMS) 824, 825
Holoparadigm (Holo) 634, 635, 636, 640, 641, 642, 643, 645, 646, 647, 648
Holo Virtual Machine (HoloVM) 640, 641, 642, 643, 644, 646, 648

- home agents (HA) 490, 538
 - home care 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128
 - home-delivery pizza companies 854
 - Home Location Register (HLR) 935
 - home networks (HN) 532, 533, 538
 - Home Radio Frequency (HomeRF) 491
 - Hospitality Metaphor 1091, 1092, 1095, 1100, 1101, 1102, 1103
 - host identity protocol (HIP) 281, 282, 952, 960, 963, 964, 965, 966, 970, 972
 - Host Identity Tag (HIT) 281
 - hot spot 1224
 - hotspots 1064
 - HouseMobile 217, 232
 - Human Computer Interaction (HCI) 689, 692, 694, 793, 804
 - human context 1234, 1244
 - hybrid learning 774, 775, 776, 777, 781, 788, 792
- I**
- IBM 838, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880
 - IBMs 872, 874, 875, 876, 877, 878, 879
 - ICT platforms 618
 - Identify friend or foe (IFF) 652
 - identity awareness 560
 - identity-based cryptography 902
 - Identity revealing 900
 - IEEE 802.11 wireless protocol 32, 428, 429, 434, 439, 444, 997, 1133, 1150
 - IEEE 802.15.4 wireless protocol 1004, 1005, 1020,
 - IEEE 802.16 wireless protocol 315, 318, 325, 326
 - IEEE 802.21 wireless protocol 522, 528, 530, 533, 534, 535, 536, 537
 - IKEA 854
 - Incumbent Local Exchange Carrier (ILEC) 320
 - indicator 773
 - industrial sustainability 821
 - information and communication technologies (ICT) 48, 49, 50, 51, 53, 54, 56, 57, 61, 62, 64, 250, 251, 252, 255, 256, 257, 260, 261, 262, 263, 264, 265, 266, 286, 287, 292, 293, 294, 295, 297, 381, 384, 385, 386, 387, 391, 392, 393, 396, 649, 651, 659, 660, 663, 744, 745, 1091, 1170, 1172, 1179, 1182, 1183, 1184, 1185, 1193, 1194, 1195, 1198
 - Information Retrieval (IR) 2, 6, 8, 9, 13, 15
 - Information Sharing 471
 - Information Space 1284
 - information system security 912
 - information technology (IT) 449, 782, 785, 1262, 1263, 1268, 1271
 - Infrastructure-to-Vehicle (I2V) 362
 - initial costs 822, 824
 - instant messaging (IM) 288
 - Instruments Model 128
 - Integrated Circuit (IC) 719, 721, 724, 725, 726
 - Integrated Public Alert and Warning System (IPAWS) 277, 282
 - integrity 972
 - intelligent environments 559, 563, 573
 - Intelligent Vehicular Ad-hoc Networks (In-VANETS) 519
 - Interaction Constraints Evaluation Tool (ICE-Tool) 1236
 - interaction device 1244
 - interactive digital television (IDTV) 398, 407, 408
 - Interface 793, 804
 - Interface Design 793, 804
 - intermediary organisations 65, 66, 69, 77
 - intermediate frequency (IF) 119
 - internal capabilities 821
 - internal complexity 822
 - International Centre of Advanced Technologies for the rural environment (CITA) 1186
 - International Mobile Subscriber Identity (IMSI) 935
 - Internet Engineering Task Force (IETF) 476
 - Internet Group Management Protocol (IGMP) 430, 444, 490

Index

Internet protocol (IP) 386, 389, 390, 426, 427, 428, 429, 430, 431, 432, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 599, 600, 602, 612, 616
Internet Protocol Television (IPTV) 426, 427, 429, 430, 431, 432, 433, 439, 440, 441, 442, 443, 444, 487
Internet Research Task Force (IRTF) 358, 366
Internet root (IROOT) 600, 601, 603, 609, 612, 616
Interperception 397, 398, 399, 401, 411, 413
Interperception - Get All The Environments (I-GATE) 397, 399, 401, 402, 403, 405, 406, 410, 411
Interplanetary Internet Research Group (IPNRG) 358
Intervention Teams (ITs) 270
inverse discrete Fourier transform (IDFT) 166
inverse fast Fourier transform (IFFT) 163, 166
iPhone 793, 794, 799, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1224
iPhone platform 206, 207, 214
IP Multimedia Subsystem (IMS) 476, 478, 482, 484, 485
IP networks 859
iPod 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1224

J

JADE 350, 352
Java 2 micro edition (J2ME) 974, 983, 984, 985
Java 2 Micro Edition (J2ME) 420, 794, 795, 800, 804
Java 2 standard edition (J2SE) 985
Java Card 727, 730, 737
Java Database Connectivity (JDBC) 228, 232
Java Multimedia Framework (JMF) 449
Java Server Pages (JSP) 229, 232, 233
Java Virtual Machine 377, 379
job performance 871, 872, 873, 874, 876
JOIN project 369
Just-In-Location Learning (JILL) 300, 312

K

KeyWord Protocol (KWP) 710
killer application 314, 319, 323, 324, 352, 355
Kinetic Interaction 689, 691
Kinetic User Interfaces (KUIs) 690, 691, 692, 693, 695, 696, 697, 698, 699, 700
k-Nearest Neighbour (k-NN) 545, 546, 547, 549
Knowledge Asset Management (KAM) 668, 669
knowledge economy 381, 382, 383, 384, 385, 386, 389, 391, 392, 393, 396
Knowledge Economy Workers 396
Knowledge Management System (SICAM) 777, 782, 783, 786, 787
Knowledge Organization and Representation (KOR) 668, 681, 682
knowledge production 381, 389, 396
Knowledge Sharing 1080

L

laptops 368, 369, 371, 373, 374, 375, 376, 377, 378, 379, 380, 381, 386, 387, 392, 395, 396
Learning 250, 251, 252, 253, 256, 264, 265, 266, 368, 369, 371, 377
Learning Content Management Systems (LCMS) 369
Learning Management System (LMS) 974, 984, 990, 992, 993
Learning Management Systems (LMS) 369, 779, 780, 788
learning resources 298, 299, 300, 301, 302, 303, 304, 305, 306, 309, 310, 311, 313
Lease Failure Detector 1055
Least Common Ancestors (LCAs) 1145
Light Weight IP (LWIP) 947
line of sight (LOS) 115, 117, 118, 122, 124, 125, 127, 129, 130, 134, 135, 319
link stability 31, 39, 40, 41
link state packet (LSP) 597, 616
local area network (LAN) 345
Local Authority (LA) 270
Local Infrastructure 472, 475, 477, 479, 480, 482

- Local positioning 221
 - Location-Aware Access Control (LAAC) 913, 914, 915, 919, 920, 922, 923, 924, 925, 928
 - Location-Aware Computing 539, 540, 542
 - location awareness 560
 - Location Awareness Systems 459, 460, 461, 464, 466, 468, 471
 - location-aware personal computing 539, 540, 555
 - Location-based mobile services (LBMS) 881, 882, 885, 886, 887, 890, 892
 - Location Based Search Engine (LBSE) 887, 888
 - location-based services (LBS) 214, 217, 219, 220, 232, 233, 234, 298, 299, 307, 308, 313, 913
 - location-based social networking (LBSN) 215
 - location constraints (LC) 919, 920, 921, 922
 - location estimation 574
 - location prediction 574
 - location services 217, 219
 - Location tracking 900
 - logical mobility 636, 642, 646
 - logical reasoning 1080
 - Long Term Evolution (LTE) 315, 316, 326, 721, 1199, 1201, 1202, 1210
 - low-density parity check (LDPC) 157, 159, 160, 161, 162, 163, 166, 167, 171, 172, 173, 174
 - Low Frequency (LF) 723
 - LRBAC model 919, 920
- M**
- Machine to Machine (M2M) 932, 933, 934, 946, 947, 950
 - MAESTRO 375
 - Mandatory Access Control (MAC) 913, 914, 917, 918, 923, 929
 - man-in-the-middle (MITM) attacks 931, 947, 951
 - manufacturing systems 822, 823, 824, 825, 826, 827, 828, 832, 833, 834
 - map matching 206, 207
 - market segments 837, 842, 843, 847, 848, 849, 850
 - mass customization 823
 - master control station (MCS) 120
 - MB++ 622, 623
 - m-commerce 208, 214, 215, 837, 838, 839, 841, 850, 881, 883, 884, 890, 891, 892
 - Mediascape 1110, 1111
 - medical sensor systems 156
 - Medicare Australia 179, 181, 185
 - Medium Access Control and Physical (MAC/PHY) 279
 - medium access control (MAC) 35, 45, 600, 616
 - medium access control (MAC) sub-layer 994, 996, 997, 998, 1000, 1001, 1003, 1004, 1005, 1006, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019
 - Member Enterprises (ME) 651
 - Memory Management Unit (MMU) 933
 - Mesh Routers (MRs) 278
 - Message Linkable Group Signatures (MLGS) 908
 - Message Oriented Middleware (MOM) 399, 410
 - Metadata 379
 - MetaWeb 688
 - Metawork 1262, 1265, 1284
 - m-Government 50, 51, 52, 53, 54, 55, 57, 58, 59, 60, 61, 62, 64
 - m-Health 447
 - micro-electromechanical systems (MEMS) 1009, 1010, 1011, 1012, 1013, 1015, 1020
 - Micro-Electro-Mechanical Systems (MEMS) 237
 - middleware 248, 249, 397, 398, 399, 400, 402, 405, 409, 410, 411, 412, 413, 620, 621, 623, 625, 626, 630, 631, 1259, 1260
 - MiFare 725, 726, 727, 730, 737
 - MLBR-Coupon 203, 204, 208, 209, 210, 211, 213
 - m-learning 250, 251, 263, 264, 871, 872, 873, 875, 879
 - MoBe retrieval evaluation collection (MREC) 6, 7
 - MoBiblio 217, 225

Index

- mobile ad-hoc networks (MANET) 31, 38, 41, 44, 45, 46, 519, 525, 895, 952, 953, 954, 956, 957, 958, 959, 970, 971, 972, 994, 995, 996, 1013, 1014, 1039, 1040, 1041, 1046, 1049, 1050, 1052
- mobile agents 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355,
- Mobile and Kinetic User Interfaces (Mobi-KUI'08) 693
- mobile and wireless information technologies (MIT) 1091, 1092, 1095, 1097, 1100, 1101, 1130
- mobile applications 285, 286, 837, 843
- Mobile BluePages 872, 873, 874, 880
- mobile broadband services 837
- Mobile computer-supported collaborative learning (MCSCCL) 291, 294
- mobile computing 215, 459, 460, 469, 558, 559, 560, 561, 565, 566, 574, 667, 684, 685
- mobile data entry (MDE) 747, 748
- Mobile Device (MD) 368, 369, 371, 372, 375, 376, 377, 379, 380, 794, 800, 853, 854, 887, 888, 1169, 1170, 1171, 1172, 1173, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1224
- mobile devices 974, 975, 977, 978, 979, 980, 981, 982, 983, 988, 989, 990, 991
- mobile equipment (ME) 953, 954
- Mobile Grids 451, 457
- Mobile Information Device Profile (MIDP) 990
- mobile information work 1262, 1284
- mobile Internet key exchange (MOBIKE) 952, 960, 962, 963
- mobile internet protocol (MIP) 952, 960, 961, 963, 966, 970, 971, 972
- mobile IP 526, 532, 533, 538
- Mobile IPv4 (MIPv4) 280
- Mobile IPv6 (MIPv6) 280, 489, 490
- mobile learning 285, 290, 296, 774, 775, 776, 777, 778, 779, 780, 781, 782, 784, 785, 786, 787, 788, 789, 790, 791, 792, 1213, 1214, 1215, 1216, 1220, 1221, 1222, 1224
- Mobile Learning Engine (MLE) 974, 975, 976, 980, 981, 983, 984, 985, 986, 987, 988, 990, 991, 993
- mobile Learning Management System (MLMS) 990, 993
- mobile learning model (MLM) 777, 778, 779, 781, 782, 783, 785, 786, 787, 788
- mobile location-based recommender (MLBR) 203, 204, 205, 206, 207, 208, 209, 210, 211, 213, 215
- mobile market 327, 328, 330, 332, 333, 337, 341
- mobile mesh border discovery Protocol (MMB-DP) 597, 616
- Mobile Network Nodes (MNN) 490
- mobile network operators (MNO) 314, 729, 737
- mobile networks 1132, 1133, 1134, 1145, 1146
- mobile nodes (MN) 280, 281, 429, 490
- mobile phones 327, 339, 340, 342, 381, 385, 387, 388, 390, 793, 838, 839, 840, 841, 842, 845, 846, 871, 872, 873, 874, 875, 876, 877, 878, 879
- mobile platform 445
- mobile portal 1225
- Mobile Router (MR) 490
- Mobile Satellite Service (MSS) 275
- mobile services 837, 843
- mobile stream control transmission protocol (mSCTP) 952, 960, 966, 967, 971, 972
- mobile technologies 1073
- Mobile Technologies 738, 758
- Mobile therapy 285
- Mobile Ubiquitous LAN Extensions (MULEs) 362
- Mobile Unit 1199, 1200, 1203, 1204, 1205, 1207, 1208, 1211
- mobile usability 871, 873
- Mobile User Interfaces 793, 804
- Mobile Web 2.0 667, 668, 669, 670, 671, 672, 673, 676, 681, 683, 684, 685, 686, 688
- Mobile work 1262, 1284
- Mobilisation work 1262
- mobility 381, 382, 383, 385, 386, 388, 389, 390, 392, 393, 396, 426, 718, 719, 721, 736, 737, 793, 804, 1103

- mobility, application-level 538
 - mobility awareness 560
 - mobility management 267, 280, 281, 522, 532, 538
 - mobility, network-level 537, 538
 - Model-Based Approach 1245
 - Model-Driven Architecture (MDA) 1237, 1238, 1239, 1244, 1245
 - Modelling 584, 593
 - Model, View and Controller (MVC) 223, 228, 233
 - Module 370, 371, 373, 374, 380
 - Monitor-Analyze-Plane-Execute (MAPE) 1059, 1061
 - monthly broadband internet access services 876
 - Most Forward within Radius (MFR) 22, 23
 - MOVII 300
 - MovilPIU 217, 222, 223, 225
 - Moving Picture Experts Group (MPEG) 431, 432, 433, 434, 440, 442, 443, 444
 - mp3 players 250, 257, 261
 - m-payment 837, 838
 - MScape 1110, 1111
 - M-services 1225
 - multi-agent systems (MAS) 343, 344, 355, 649, 655, 662, 665, 675, 676, 746, 827, 828, 829, 832, 1058, 1062, 1069, 1073, 1074, 1075
 - Multicarrier Frequency Hopping Spread Spectrum (MCFH-SS) 157, 160, 163, 164, 165, 166, 168, 169, 171
 - Multicast Listener Discovery Protocol (MLD) 490
 - multidimensional scaling (MDS) 117, 127, 128, 129, 134
 - multihop ad hoc network 17
 - multi-hop cellular networks (MCN) 998
 - Multimedia Broadcast/ Multicast Service (MBMS) 1206
 - Multimedia Messaging Service (MMS) 219, 220, 492
 - multimedia messaging system (MMS) 982, 983, 986
 - Multimodal Interaction 413
 - multiple descriptions coding (MDC) 429
 - multiple-input and multiple-output, (MIMO) 998, 1020
 - multiple-input multiple-output (MIMO) 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 316
 - multiple-input single-output (MISO) 102, 103
 - multiple observers 539, 541, 544, 555, 557
 - Multi-User Dungeon (MUD) 398, 399, 411
 - MySpace 761, 763
- ## N
- Naïve Context Spaces (NCS) 588, 589
 - Nasa TLX Method 1245
 - National Institute of Standards and Technology (NIST) 937, 938, 944, 950
 - National Library of Medicine (NLM) 1087
 - National Registration Number (NRN) 1248, 1250, 1251, 1252, 1256, 1257
 - navigation 205, 215
 - near field communication (NFC) 719, 720, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 853, 882
 - NetSupport School (NETS) 370
 - network backbone (NBB) 600, 601, 602, 603, 609, 612, 616
 - Network-based positioning 220
 - Network Capabilities 478
 - Network Denial of Service (DoS) 901, 907
 - network infrastructures 343, 344
 - networking 463
 - network mobility (NEMO) 489, 490, 499, 952, 960, 961, 962
 - Network on new Approaches to Lifelong Learning (NALL) 291
 - network roots (NROOTs) 600, 616
 - network security 35, 36, 45
 - New European Drive Cycle (NEDC) 705
 - Next Generation Network (NGN) 476, 484, 485
 - Next Generation Services (NGS) 476, 478
 - Nielsen 873, 880
 - Nokia 839, 843, 844, 845, 846, 851
 - nomadic work 381, 382, 383, 384, 385, 386, 389, 390, 391, 392, 393, 1264, 1284

Index

non-line-of-sight (NLOS) 115, 117, 118, 122, 124, 127, 129, 130, 131, 132, 133, 134, 135

Non-probabilistic sampling 819

Non-repudiation of Origin (NRO) 905

Non-repudiation of Receipt (NRR) 905, 906

Non-Response Rate 805, 806, 807, 810, 812, 813, 814, 816, 819

O

Object Management Group (OMG) 1237, 1244

object Name Service (ONS) 652

Observe-Orient-Decide-Act loop 822

On-Board Diagnosis II (OBDII) 704, 711

On Board Diagnosis (OBD) 703, 710, 711, 718

On-Board Unit (OBU) 896, 911

Online Certificate Status Protocol (OCSP) 904

online social networks 616

online storage area 391

on-time 343, 344

OntoHealth 1077, 1078, 1083, 1085, 1086, 1087, 1088

Ontological Engineering 667, 668, 670, 677, 682

ontologies 474, 484, 523, 536, 537, 668, 672, 673, 674, 676, 684, 686, 688

Ontology 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1088, 1089, 1090

Ontology-based context model 1111

open geospatial consortium (OGC) 208

open innovation 78, 79, 82

open location-based services (OpenLS) 208

OpenPGP Message Format 188, 189, 190, 193, 200, 201, 202

OpenSSH 189, 201

Operating System (OS) 490, 491, 492, 493, 494

operations management 855

opportunistic communication 356

Opportunistic Localisation 540, 549, 551, 557

optimistic replication (OR) 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1140, 1142, 1143, 1144, 1145, 1146, 1147, 1154

optimized link state routing (OLSR) protocol 19

organizational implementation 1119, 1120, 1121, 1123, 1124, 1125, 1127, 1128, 1130

orthogonal frequency division multiplexing (OFDM) 315, 316, 326

orthogonal frequency-division multiplexing (OFDM) 998, 1020

orthogonal polyhedra (OP) 244

OSMOSIS 719, 720, 733, 734, 735, 737

out-of-band signaling (DTMF) 431

Over-the-Air (OTA) 728

OWL language (Ontology Web Language) 1113

P

Pandora 595, 596, 598, 599, 600, 601, 602, 603, 606, 608, 610, 613, 614, 615, 616

Pandora routing protocol (PRP) 616

PARCTAB 542, 557

Parmod 627, 628, 629

Partial Replication 1144, 1154

Partial Synchronous System 1055

Particle filtering 543

Patentstorm database 141, 142, 153

pattern accuracy 574

pay-per-view (PPV) 427

peak expiratory meter (PEF) 143

Peak Signal to Noise Ratio (PSNR) 1203, 1208, 1209

perceived ease-of-use (PEOU) 55

perceived usefulness (PU) 55

Perception 413

performance support 285

Personal Area Networks (PAN) 489, 492

personal computer (PC) 303, 304, 398, 401, 406, 408

personal digital assistants (PDA) 49, 52, 290, 300, 303, 307, 368, 369, 371, 374, 375, 377, 379, 380, 381, 387, 388, 452, 558, 838, 839, 853, 855, 859, 860, 862, 863, 864, 867, 974, 978, 979, 980, 981, 1062, 1069, 1105

Personal Health Records (PHR) 446, 457

Personal Identification Number (PIN) 935

personal monitoring system (PBM) 452

pervasive and ubiquitous computing 81

- pervasive computing 65, 67, 68, 397, 400, 411, 412, 558, 559, 617, 618, 623, 630, 632, 1077, 1078, 1079, 1082, 1083, 1084, 1087, 1088, 1089, 1090
 - pervasive environment 1077, 1078, 1080, 1086, 1089
 - Pervasive Grid 618, 619, 620, 621, 622, 623, 624, 625, 630
 - Pervasive Mobile Computing 617, 619
 - Pervasive Mobile Grids 617, 618, 631
 - Pessimistic Replication 1154
 - PGP 189, 190, 200, 201, 202
 - Phonologic Parameters (PPs) 88, 89
 - physical browsing 3
 - Physical context 1106
 - physical unclonable function (PUF) 932, 937, 942, 947
 - Pick&Drop 692
 - Pinging Failure Detector 1055
 - Place Marketing 1198
 - Planning Agent (PA) 675, 676, 685, 688
 - platform context 1245
 - Platform-Independent-Model (PIM) 1237, 1238, 1245
 - Platform-Specific-Model (PSM) 1237, 1245
 - Pocket PC 1181
 - podcast 250, 251, 254, 255, 256, 257, 258, 259, 260, 262, 263, 264, 266
 - points of interest (POI) 204, 205, 206, 207, 298, 302, 309, 310, 311
 - Population 819
 - Portuguese's small-and-medium industries (PMEs) 1022
 - Positioning component 220
 - positioning technology 206
 - power allocation (PA) 107, 108, 109, 113
 - Power LAN Communications (PLC) 427
 - PRACTI 1144, 1148
 - Precision Code (P-code) 710
 - predicate relation 560
 - preparedness 267, 269
 - presence 425
 - primary context 1230, 1245
 - primary task 1245
 - priority queuing discipline (PRIO) 595, 596, 602, 603, 606, 607, 614, 615
 - privacy preservation 899, 902
 - Probabilistic Sampling 820
 - process migration 353, 355,
 - production systems 821, 822, 831
 - product life-cycles 822
 - product-specific manufacturing systems 824
 - Professional Mobile Radio (PMR) 273
 - profit potential 837, 841, 842, 843, 847, 848, 849, 850
 - Progressive Edge-Growth (PEG) 160
 - Protocol Independent Multicast (PIM) 490
 - Proximity Coupling Device (PCD) 725
 - Proximity Integrated Circuit Cards (PICC) 725
 - Proxy Mobile IPv6 (PMIPv6) 281, 282
 - Pseudonoise (PN) 157, 158, 159, 160, 165, 166, 168, 171, 172
 - pseudonym change 904
 - pseudonymous short-lived public key certificates 902
 - Public Key Infrastructure (PKI) 1251, 1260
 - public key infrastructure (PKI) system 36
 - Public safety networks (PSNs) 267, 268, 278, 279, 280, 281, 282
 - pull location-based 232
 - pull-push services 229
 - pull-services 220
 - pupils attention 368
 - push-services 220
- ## Q
- QR code 464, 885
 - quadrature amplitude modulation (QAM) 100, 104, 105, 106, 107, 108, 109, 112
 - quality 805, 806, 809, 810, 814, 815, 816, 817, 818
 - quality of service (QoS) 279, 305, 308, 317, 318, 320, 488, 489, 498, 523, 526, 527, 535, 595, 596, 599, 600, 602, 603, 604, 614, 616, 618, 624, 631, 633, 996, 998, 999, 1000, 1001, 1013, 1045, 1048, 1057, 1058, 1061, 1066, 1067, 1068, 1070, 1071
 - Quasi Cyclic Low Density Parity Check (QC-LDPC) 157, 160, 161, 162, 171, 172
 - Query-Response Communication 1055
 - QWERTY keyboards 875

R

Radio Data Systems (RDS) 904
radio frequency identification device (RFID)
67, 68, 78, 79, 82, 181, 185, 221, 303,
307, 459, 460, 461, 462, 463, 464, 465,
468, 469, 470, 649, 652, 653, 654, 658,
659, 661, 662, 663, 665, 719, 720, 721,
722, 723, 724, 726, 733, 734, 735, 736,
737, 743, 745, 747, 748, 750, 751, 752,
753, 754, 756, 758, 855, 870, 889, 891
radio-frequency identification (RFID) tagging
855
radio frequency (RF) 120, 121, 125, 132, 133,
541, 542, 543, 551, 555, 557
radio-frequency (RF) 1022, 1025, 1035, 1037
Random Digit Dialing (RDD) 816
RDF (Resource Definition Framework) 1106,
1116
RDFS (RDF Schema) 1106
ready to send (RTS) 24, 26
Real-time Control Protocol (RTCP) 488
real-time information 445, 448
Real Time Protocol (RTP) 488, 489, 499, 500,
1207, 1208
Real Time Streaming Protocol (RTSP) 488,
500
Real-time Transport Protocol (RTP) 430, 431,
432, 434, 440, 443, 444
received signal strength indicator (RSSI) 115,
116, 123, 127, 128, 130, 133, 134, 135,
541, 543
received signal strength (RSS) 115, 118, 119,
122, 123, 127, 128, 129, 130, 135, 543
receiver strength indicator (RSSI) 1023, 1024,
1025
recommender services 203, 205, 214, 215
Reconfigurable Manufacturing System (RMS)
824
regularity 570, 574
Relay Nodes (RNs) 278
reliability 359, 362, 363, 367,
Remote Method Invocation Java (RMI) 449
Remote Procedure Call (RPC) 399, 409, 410,
413
Rendering module 85, 89, 90, 91, 92, 94, 95
request-to-send (RTS) mechanism 35

Research Group on Society, Technology and
Territory (GIS-T IDEGA) 1186, 1188
resource-aware framework 579
Retrieval module 85, 86, 87, 88
Return on Investments (ROI) 55, 60
Revocation using Compressed CRLs (RC2RL)
904
Risk Management Centre (RMC) 270
Road-Side Units (RSU) 897, 901, 904, 906,
911
Robots and Embedded Self-adaptive communi-
cating Systems (ROSACE) 1056, 1057,
1058, 1060, 1061, 1062, 1063, 1064,
1065, 1066, 1068, 1069, 1071, 1073,
1074
Role-based Access Control (RBAC) 913, 914,
918, 919, 920, 923, 925, 926, 928, 929
root-mean-squared delay spread (RDS) 129
route discovery mechanisms 31
routing 16, 18, 19, 20, 21, 22, 23, 24, 25, 26,
27, 28, 29, 30, 206, 207, 358, 359, 360,
361, 362, 363, 365, 366, 367, , 952, 956,
957, 958, 970, 971, 972
Routing anomalies 901
routing, Localized 18, 29
routing objective 359
Routing, Proactive 19, 30
Routing, Reactive 19, 30
routing, Topological 16, 17, 19
RTP Control Protocol (RTCP) 430, 431, 442,
443
Rural Development 1182

S

salesperson travels 861, 862
Sample 820
sample selection 805, 806, 808, 811, 812, 816
Sampling Frame 820
Sarbanes-Oxley Act 180
satellite transmission 48
Satisfaction 327, 328, 329, 330, 332, 333, 334,
335, 337, 338, 340, 341, 342
scalability 996
scanning electron microscope (SEM) 939, 948
Scanning Probe Microscope (SPM) 939
School 2.0 377

- search engine 3, 4, 8, 9
- secondary context 1230, 1245
- Second Life 859, 869
- Secret Sharing 191, 200, 201, 202
- Secure Element (SE) 728
- Secure Real-time Transport Protocol (SRTP) 488, 499
- security 359, 365
- Self-help therapy 285, 288, 289
- self-management 136, 138, 143, 147, 151, 155, 156
- self-management systems 136, 137, 138, 142, 143, 145, 146
- self-mobility 861, 862, 866
- Self-Organizing Map - Artificial Neural Network (SOM-ANN) 542
- Semantic Mobile Web 2.0 667, 668, 669, 670, 671, 673, 674, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686
- Semantic Web 667, 670, 676, 677, 678, 679, 680, 682, 684, 685, 686, 687
- Sensor Node 237
- Sentient Objects 622
- Sequential Numbering (SEQN) 934
- Serial Protocol Interface (SPI) 933
- Service-Oriented Architectures (SOA) 827, 828, 829, 832
- Service-Oriented Context-Aware Middleware (SOCAM) 1108, 1112
- Service Providers (SP) 729, 730, 731, 737
- session initiation protocol (SIP) 431, 434, 444, 952, 960, 966, 967, 968, 969, 970, 972
- Shared Signature 192, 194, 200, 202
- Shared Virtual Environment 413
- Shared Wireless Infostation Model (SWIM) 364
- sharing 414, 415, 418, 419, 420
- short message services (SMS) 137, 139, 140, 141, 143, 144, 146, 150, 218, 219, 220, 226, 229, 230, 231, 492, 504, 974, 976, 980, 981, 982, 983, 986, 989, 990, 993
- SIe-Health 445, 448, 450, 453, 454, 455, 456
- Signal Propagation Model 128
- signal-to-noise ratio (SNR) 120, 121, 128
- Sign Description Retrieval sub-module 87, 88
- Sign language (SL) 83, 84, 85, 86, 88, 89, 93, 98, 99
- Simple Object Access Protocol (SOAP) 889
- simple text messages (SMS) 840, 841, 842, 844, 877, 878, 879, 880
- SINDUR project 1183
- single-input multiple-output (SIMO) 102, 103
- single-input single-output (SISO) channels 100, 102, 104, 110, 111
- single sign-on (SSO) 1248, 1249, 1251
- Single Source Multicast (SSM) 490
- singular value decomposition (SVD) 100, 104, 105, 110, 111, 112
- Sink 249
- Situation manager 588
- small to medium enterprises (SME) 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 649, 650, 651, 663
- Smart Cards 719, 723, 724, 725, 727, 736, 737
- SmartNet 504, 505, 506, 507, 508, 509, 510, 511, 516
- smartphones 387, 388, 855, 872, 875, 876, 878, 1092, 1095, 1101, 1103, 1181, 1213, 1224, 1225
- SMART (SMAR) 370
- Social Blocking 797
- Social Dimension of Computing 760, 762
- socialization 762, 763, 773
- social network 414, 415, 416, 423, 424
- social networking (SN) 215, 298, 299, 300, 303, 304, 308, 309
- soft input panels (SIP) 1171, 1177, 1178, 1179, 1181
- software security 343
- source node 16, 19, 20, 21, 30
- space division multiplexing (SDM) 103, 104, 105, 106, 108, 109, 113, 114
- Spatial Mobility 396
- spatial RBAC (SRBAC) model 919
- SPAWN 362, 365
- SPRINGS 351, 353
- Spyware 1260
- Standard-definition television (SDTV) 432, 433, 434, 444
- standard mode (TMO) 273, 274

Index

- Standard Operation Configurations (SOCs) 1265
- Standard Operation Procedures (SOPs) 1265
- Stream Mining 582, 591, 593
- StremSpin 1110
- Strengths-Weakness-Opportunities-Threats (SWOT) 778
- STRES system 930, 932, 943, 947
- Structural Similarity Index Metric (SSIM) 1208
- Structured Parallel Programming 625, 626, 627
- Structured Query Language (SQL) 917, 927
- Sub-Saharan-Africa (SSA) 48, 49, 50, 51, 53, 56, 61, 64
- Subscriber Identification Module (SIM) 933, 935
- subscriber identity module (SIM) 275
- SUPERWABA 1097, 1103
- supply chain management (SCM) 177, 181, 182, 186
- supply chains 177, 179, 181, 184, 186, 651, 653, 654, 659, 664, 665
- surveillance 1119, 1123, 1128
- surveys 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820
- sustainability 821, 823, 834
- sustainable systems 823
- Switching Costs 327, 329, 333, 337, 341, 342
- Symbolic Aggregate Approximation (SAX) 245, 246
- Symmetric Key 1260
- Synchronous System 1054, 1055
- synthesis process 83, 89, 94, 96
- System Information Management Submodule 372
- system management 1059
- T**
- TACOMA 350, 354
- tagging 459, 460, 461, 463, 464, 468, 469
- TagIt 459, 460, 461, 463, 464, 465, 466, 467, 468, 469
- tangible user interface (TUI) 692, 1235
- teaching 250, 251, 252, 253, 254, 255, 257
- Teaching process 368
- technical aids 1169, 1171, 1172, 1179
- Technical Informatics and Information Technology 760, 766, 767, 770, 771
- Technological Content Pedagogical Knowledge (TCPK) 785, 787, 789, 792,
- technology 381, 383, 385, 386, 388, 390, 391, 392, 393
- technology acceptance model (TAM) 54, 1091, 1094, 1214
- technology adoption 82
- Tecnologico de Monterrey 774, 778, 779, 780, 782, 786, 787, 788
- Teleassistance 445
- Telecommunications Industry Association (TIA) 278
- Telehealth 286, 296, 297
- Telemedicine 445, 446
- telephone networks 859
- Telescript 349, 353
- Temporal Mobility 396
- Temporary Mobile Subscriber Identity (TMSI) 935
- Terminal-based positioning 221
- text-messaging 877, 878
- Theory of Acceptance and Use of Technology (UTAUT) 1091, 1094
- Third Generation Partnership Project (3GPP) 1200, 1202, 1206
- Threshold-based trust 907
- Ticket2Talk (T2T) 464
- time difference-of-arrival (TDOA) 116, 124, 125
- time division duplex (TDD) 316, 318
- Time Division Multiple Access (TDMA) 316, 317, 318, 1200
- time division multiplexing (TDM) 318
- time-of-arrival (TOA) 115, 116, 117, 119, 120, 124, 127, 129, 130, 131, 134, 135, 221
- Time-To-First-Fix (TTFF) 551
- topology control 267, 279, 280
- topology dissemination based on reverse-path forwarding (TBRPF) 597, 615, 616
- tourism 793, 794, 795, 798, 803
- tracking 459, 460, 461, 464, 465, 466, 471
- TRACKS 276, 283
- Tracy 351, 352

- Trans European Trunked Radio (TETRA) 273, 274, 283
- TransID 194, 195, 196
- transistor transistor logic (TTL) 21
- transmission intervals (TTI) 1202
- transport control protocol (TCP) 596, 602, 603, 614, 615, 616
- TREC 1, 2, 6, 7, 14
- TREC-like benchmark 1, 2, 7, 14
- trip information provider (TIP) 204
- Trusted Platform Module (TPM) 896, 904, 908, 911
- Trusted Service Manager (TSM) 729, 730, 737
- trusted third party (TTP) 896, 902, 903, 904, 905, 906, 936, 937, 944
- trust of government (TOG) 55
- trust of the internet (TOI) 55
- Tryllian 350, 351, 354
- TSAE algorithm 1143
- U**
- ubiquitous commerce (U-commerce) 583, 584
- ubiquitous computing 65, 67, 472, 473, 483, 485, 486, 558, 559, 561, 566, 577, 578, 580, 582, 589, 593, 689, 701, 702, 1132, 1147
- Ubiquitous devices 577, 579
- Ubiquity 426, 434, 439, 719, 721, 736, 737
- Ultra High Frequency (UHF) 273, 723
- Ultra-Mobile PCs (UMPC) 758
- Ultra Small Aperture Terminals (USATs) 274
- Unconnected Communities 1198
- undecimated wavelet packet transform (UWPT) 158
- Unified Activity Management (UAM) 1088
- Unified Medical Language System (UMLS) 1087, 1088
- Unified Modeling Language (UML) 856, 921, 922, 926, 1060
- unified theory of acceptance and use of technology (UTAUT) 54
- Universal Asynchronous Receiver Transmitter (UART) 933
- Universal Mobile Telecommunications System (UMTS) 217, 221, 235, 882, 931, 932, 1200, 1202, 1204, 1205, 1210, 1211
- Universal Serial Bus (USB) 933, 946
- universal subscriber identity module (USIM) 728, 729, 953
- University Information Points (UIP) 217, 222
- unlinkability 899, 904
- Unobtrusiveness 689, 695, 696, 697, 699, 700
- unshielded twisted pair (UTP) 427
- untraceability 899, 904
- Urban Informatics 668, 677, 678, 681, 682, 684, 685, 688,
- Usability 799, 804
- user activity 559, 561, 562, 563, 564, 565, 567, 570, 571
- User context 1106
- user datagram protocol (UDP) 430, 431, 432, 434, 440, 444, 595, 596, 602, 603, 614, 615, 616, 1207
- User Generated Content (UGC) 672, 680
- user intentions 618, 621, 633
- User Interfaces 689, 690, 691, 692, 693, 699, 700, 701, 702
- user involvement 180, 187
- Users 1130
- V**
- value chains 837, 839, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851
- value networks 837, 841, 842, 843, 847, 848, 849, 850
- value proposition 837, 841, 842, 843, 844, 846, 847, 848, 849, 850
- variable-length codes (VLC) 1203
- variable pulse with modulation (VPW) 710
- Vector Signal Analyzer (VSA) 169, 170, 171
- Vehicle Communication 718
- vehicle data stream mining system (VEDAS) 584, 591
- Vehicle Identification Number (VIN) 747, 902, 911
- Vehicle Tests 718
- Vehicle-to-Infrastructure (V2I) 895, 896, 898, 899
- vehicle-to-vehicle (V2V) 357, 365, 895, 896, 897, 898, 899, 906

Index

vehicular ad-hoc networks (VANET) 489, 519, 894, 895, 896, 897, 898, 899, 900, 901, 902, 904, 905, 906, 907, 908, 909, 910, 911

Vehicular Delay Tolerant Networks (VDTNs) 356, 357, 359, 360, 362, 363, 364, 365

Vehicular Public Key Infrastructure (VPKI) 902, 903

Version Vector Weighted Voting protocol (VVVV) 1144

vertical BLAST (V-BLAST) 114

Very High Frequency (VHF) 273

Very Small Aperture Terminal (VSAT) 274, 275, 276

viable business models 838, 839, 850, 851

video conference 390

Video on Demand (VoD) 429, 487

Video Quality Metric (VQM) 1208

Video Streaming 1211

Virtual Access Points (VAPs) 362

Virtual Breeding Environment (VBE) 651

Virtual Communities 1198

Virtual Enterprise (VE) 649, 650, 651, 652, 654, 655, 657, 658, 659, 660, 661, 662, 665

virtual environment 397, 398, 399, 400, 406, 408, 411, 413

virtual healthcare teams 447

virtual keypads 1171, 1177

virtual local area network (VLAN) 319

Virtual Mobility 396

Virtual Private Network (VPN) 1271

virtual reality (VR) 887

virtual spaces 396

virtual worlds 859

Visitor Location Register (VLR) 935

Visualization Interface 413

Visualization module 85, 90, 91, 92, 94

voice over internet protocol (VoIP) 314, 318, 320, 322, 323, 386, 390, 426, 427, 428, 430, 431, 434, 439, 441, 442, 443, 444, 493, 596, 599, 616,

Voice service 218

Voyager 350, 353

W

Wearable Computing 738, 744, 745, 748, 757, 758

wearable computing systems 1226, 1227, 1228, 1230, 1236, 1237, 1241

wearable technology 68

Web 2.0 251, 253, 254, 263, 265, 266, 667, 668, 669, 670, 671, 672, 673, 674, 676, 677, 678, 680, 681, 682, 683, 684, 685, 686, 687, 760, 761, 763, 767, 768, 771, 773

Web browser 3

Web content 1, 2, 3, 15

WebCT/Blackboard (WEBC) 369

web-forms 175

Web Ontology Language (OWL) 1081, 1084, 1087, 1088, 1089, 1090, 1239

WebTec 780

WHERE platform 206, 207, 211

Wide Area Networks 473, 475, 477

Wideband Code Division Multiple Access (WCDMA) 221, 1200, 1206, 1210, 1211

WIDENS project 278

WiFi infrastructures 1064

WiFi interfaces 1064

Windows Media Video (WMV) 434

Windows Mobile 1171, 1176, 1177, 1181

WiNG Project 1207

wireless ad-hoc networks (WANET) 1020

Wireless Application Protocol (WAP) 220, 221, 226, 229, 232, 236, 492

Wireless Application Service Providers (WASPs) 49, 59, 1108

wireless body area networks (WBAN) 1020

wireless environments 1056

Wireless Equivalent Privacy (WEP) 319

Wireless Fidelity (WiFi) 303, 307, 309, 315, 316, 317, 318, 319, 323, 324, 325, 420, 429, 434, 443, 460, 461, 465, 635, 795, 931, 932, 946, 1204, 1205

Wireless Internet Access 48

wireless intrusion prevention system (WIPS) 60

wireless local area network (WLAN) 221, 315, 319, 325, 426, 428, 429, 430, 439, 442, 443, 444, 616,

- wireless local positioning system (WLPS) 119, 120
 - wireless mesh clients (WMC) 596, 616,
 - Wireless Mesh Networks (WMN) 1049
 - Wireless Mesh network (WMN) 279, 616,
 - wireless mesh routers (WMR) 596, 616,
 - Wireless Metropolitan Area Network (WMAN) 315, 326
 - Wireless Mobile Technology 1103
 - wireless multimodal sensors 582
 - wireless networks 35
 - wireless personal area networks (WPAN) 1020,
 - Wireless Private Network Technologies (WPAN) 491
 - wireless sensor networks (WSN) 994, 995, 996, 1003, 1020, , 1022, 1027, 1049
 - Wireless Sensor Networks (WSNs) 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 249, 502, 503, 504, 506, 507, 508, 510, 511, 514, 515, 516, 517, 519
 - wireless short-range communication 156
 - wireless wide area networks (WWAN) 315
 - Wizard-of-Oz Method 1245
 - work practices 1119, 1120, 1121, 1122, 1123, 1128, 1130
 - Worldwide Interoperability for Microwave Access (WiMAX) 53, 57, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 635, 1204, 1205, 1206, 1210, 1211
 - Wreck Watch 503, 504, 505, 506, 507, 508, 509, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520
- X**
- XClass (XCLA) 370
 - Xerox PARC 461
- Y**
- Yahoo 838, 841, 843, 844, 848, 851
- Z**
- ZigBee protocols 1020
 - Zone Routing Protocol (ZRP) 21, 28