

Index

A

- AAII 7
- abstract computational resources 148
- abstraction 346
- abstraction levels 288
- action event 282
- action event type 287
- actions 9
- activities in ADELFE 183
- activity 296
- activity diagram 297
- activity theory (AT) 254
- activity type 297
- actor 21, 51
- actor diagrams 24
- actor in focus 296
- adaptability 36, 347
- adaptive customer service OSS (ACSOSS) 227
- adaptive multi-agent systems (AMAS) 173, 174, 279
- ADELFE 4, 7, 13, 252
- ADELFE limitations 197
- ADELFE methodology 172, 183, 279
- ADELFE process 183
- ADELFE strengths 196
- agent 208
- agent architectures 252
- agent behaviour 9, 225
- agent classes 324, 331
- Agent Communication Language (ACL) 190
- agent design 63
- agent diagrams 245
- agent identification 93
- agent identification phase 87
- agent implementation model 83
- agent in PASSI 84
- agent interaction protocol 97
- agent interactions 122
- agent model 46, 48, 55, 67, 160
- agent modelling 55
- agent nature 344
- agent network design 62
- agent platforms 252
- agent role types 295
- agent society infrastructure 226
- agent society model 83
- agent types 119
- Agent Unified Modeling Language (AUML) 27, 122
- agent viewpoint 241
- agent-based systems 156
- agent-object-relationship (AOR) modelling 277
- agent-object-relationship simulation (AORS) 299
- agent-oriented (AO) approach 204
- agent-oriented (AO) methodologies 1
- agent-oriented analysis 203
- agent-oriented conceptual thinking 368

- agent-oriented methodologies 1, 46, 341, 368
- agent-oriented programming 110
- agent-oriented programming and design 112
- agent-oriented programming (AOP) paradigm 5
- agent-oriented software 20, 128
- agent-oriented software engineering (AOSE) 204, 277, 342
- agent-platform detailed design 214
- agent-UML (AUML) 27, 122
- agent/role model 206
- AgentFactory 82
- agents behavior description phase 99
- agents structure definition phase 97
- agent's working memory 208
- aggregation 93
- AMAS adequacy tool 177
- analysis 12, 47, 66, 210
- analysis phase 148, 319
- analysis-elaboration stage 262
- analysis-inception stage 259
- ant algorithms metaphor 138
- AO methodologies 2, 5, 379
- AOR 7, 13
- AOR activity diagrams 294
- AOR agent diagram 290
- AOR agent diagrams 290
- AOR interaction frame diagrams 290
- AOR interaction sequence diagrams 290
- AOR interaction-frame diagram 293
- AOR interaction-pattern diagrams 294
- AOR interaction-sequence diagram 293
- AOR modelling 277
- AOR Modelling Language 285, 298
- AOSE methodology 203, 345
- application domain 344
- aptitude module 175
- architectural design 22, 24, 34, 111, 119, 153, 166
- artificial intelligence (AI) 7, 280
- association 93
- AUML 6, 371
- AUML notation 180
- Australian Bureau of Meteorology 128
- autonomous agent 3

- autonomous individuals 138
- autonomous PSMs 60
- autonomy 4, 346
- availability 36

B

- base type 284
- BDI paradigm 280
- behaviour 3
- behaviour aspect 304
- behaviour implementation 288
- behaviour-oriented approach 351
- belief-desire-intention (BDI) model 109, 280
- beliefs 280
- beliefs, desires, and intentions (BDI) architecture 9
- benevolence relationships 290
- bidding 26
- BOGAR_LN library 228
- booking 26
- BooksProvider 91
- broker 26
- business process interpreter 311
- business use cases 293
- business-to-consumer (B2C) 27

C

- call-for-proposal 26
- CAMLE 8
- Cassiopeia 8
- characteristic of situatedness 3
- class-responsibility-collaboration (CRC) 47
- class-responsibility-collaboration (CRC) cards 47, 54
- code completion phase 102
- code generation facilities 253
- code model 83
- code reuse phase 101
- coherence of an agent 161
- collaborator 63
- collect-coordinator-requirements 68
- combined goal 321
- commitment/claim type 287
- commitments 280
- common terms 8

- communicating agent 282
 - communication ability 347
 - communication model 46, 49
 - communication ontology description (C.O.D.) 93
 - communicative action event 282, 287
 - comparisons of these methodologies 8
 - complex adaptive systems (CAS) theory 4
 - complexity 346
 - computation-independent modelling (CIM) 288
 - computational information design 288
 - computational organizations 136, 138
 - computer-supported cooperative work (CSCW) 156
 - concepts 109
 - conceptual interaction modelling, 288
 - Conceptual Modelling Language (CML) 60
 - COncceptual Network (CONE) 310
 - conceptualisation 47, 48, 50, 64
 - concurrency 347
 - concurrent task model 322
 - consistency 346
 - consultant 90
 - contact manager 116, 120
 - ContactTracker 120
 - contradiction 254
 - contradiction patterns 254
 - control regime 144
 - control relationship 158
 - control relationships 290
 - conversations 324
 - cooperation module 175
 - cooperative agents 174
 - cooperative behaviour 347
 - cooperative PSMs 60
 - cooperative agent 180
 - coordination facilities 62
 - coordination model 46, 49, 57, 72
 - coordination modelling 55
 - customer relationship management (CRM) 311
- D**
- data coupling diagram 120
 - data structure 252
 - defining agents 2
 - deliberative behaviour 347
 - delivery 93
 - DeliveryNotifier 91
 - dependency 21, 290
 - dependency relation 158
 - dependency relationships 290
 - deployment configuration (D.C.) 102
 - deployment configuration phase 102
 - deployment design 325
 - deployment model 84
 - description 151
 - descriptors 117
 - design 12, 74, 211
 - design aptitudes 191
 - design characteristics 192
 - design model 46, 49, 62
 - design of the agent network 74
 - design phase 323
 - design process 146
 - design representations 192
 - design techniques 21
 - design-elaboration stage 267
 - design-inception stage 262
 - designing agent systems 110
 - detailed design 22, 26, 37, 111, 123, 160, 166
 - development 47
 - development lifecycle 344
 - domain (information) model 206
 - domain information viewpoint 300
 - domain knowledge 60
 - domain requirements description phase 86
 - domain-behaviour viewpoint 294, 300
 - domain-information viewpoint 294
 - domain-interaction viewpoint 289, 299
 - dynamic structure 348
- E**
- e-business application 258
 - early requirements 22
 - early requirements analysis 28
 - effectors 139
 - electronic commerce 156
 - embassy 26
 - emergence 4

engineering adaptive multi-agent systems 172
 enhanced CRC cards 54
 enterprise application integration (EAI) 311
 enterprise resource planning (ERP) 22, 311
 environment 141
 environment viewpoint 246
 environment-centred analysis 52
 environmental model 148
 expertise model 46, 48, 59, 69
 eXtended Markup Language (XML) 278
 external events 59
 external primary actors 296
 eXtreme Programming (XP) 47, 279

F

fast prototyping 195
 feature analysis approach 342
 FIPA architecture 97
 FIPA specifications 5
 “flight occurrence” 216
 Foundation for Intelligent Physical Agents (FIPA) 27, 190, 280
 functionalities 116
 fuzzy knowledge 175

G

Gaia 7, 13, 238, 368
 Gaia analysis 153
 Gaia context 160
 Gaia interaction model 151
 Gaia methodology 136, 141, 146, 164
 Gaia process 162
 Gaia services model 161
 generalization 93
 generic system engineering 342
 goal 3, 9, 21, 22, 108, 208
 goal hierarchy diagram 320
 goal-based use case models 294
 goal-oriented approach 351
 goal-oriented behaviour 229
 graph traversal algorithm 252
 graphical user interface (GUI), 311

H

high-level message sequence charts (HMSC) 58
 human computer interaction 347

I

i* 8, 21
 incoming message 298
 inference knowledge 60
 inferential capability 347
 information aspect 303
 informer 90
 INGENIAS 7, 13, 227
 INGENIAS development kit (IDK) 236, 249
 INGENIAS methodology 236
 INGENIAS notation 236
 INGENIAS process 247
 initial prototype 253
 initiator 151
 inputs 151
 institutional agent 282, 283, 286
 interaction 209, 239
 interaction aspect 301
 interaction diagrams 119
 interaction languages 190, 191
 interaction model 159, 206
 interaction module 175
 interaction pattern diagram 287
 interaction patterns 287
 interaction protocol 110, 119, 209, 221
 interaction viewpoint 243
 interactions 139, 141
 interactions roles 222
 interactive tool 181
 interchanged messages 58
 internal events 59
 internal use cases 54
 iterations 85

J

JACK 5, 112, 125
 JACK development environment (JDE) 127, 128
 JADE agents 110
 JADE framework 215

JADEX 125
 JAM 125
 JASON 125
 Java Agent DEvelopment framework
 (JADE) 5, 74
 Jess behaviours 75

K

knowledge engineering 46
 knowledge facilities 62
 knowledge modelling 55
 knowledge-based system 61

L

late requirement analysis 30
 late requirements 22
 lifecycle 121, 174
 liveness properties 150
 liveness rules 152

M

MAS architectures 252
 MAS-CommonKADS 4, 8, 13, 46, 47,
 55, 205, 238
 MAS-CommonKADS methodology 47
 MaSE 7, 14
 MASSIVE 8, 205
 matchmaker 26
 Medi@ 27
 Media Producer 27
 Media Shop 27
 mediation patterns 26
 mediator 26
 meeting manager 116
 meeting scheduler 116
 mental moments 281
 mental state manager 242
 MESSAGE 7, 13, 204, 239
 MESSAGE analysis and design 204
 message events 59
 MESSAGE methodology 203, 279
 MESSAGE modelling language 208
 MESSAGE notation 203
 message sequence charts (MSC) 47
 metaphor of the human organization 4

method engineering 370
 method fragment selection 374
 methodology testing 380
 middle line 25
 mixin type 284
 mobile computing 138
 model derivation 346
 model multiplicity problem 312
 model-driven architecture (MDA) 13, 277,
 279
 model-related criteria 343, 345
 modularity 346
 monitor 26
 MOSES 61
 multi-agent behaviour description (MABD)
 99
 multi-agent research tool (MART) 326
 multi-agent societies 79
 multi-agent structure definition (MASD) 98
 multi-agent system (MAS) 1, 3, 80,
 136, 137, 230, 236, 342
 multi-agent systems engineering (MaSE)
 317, 318

N

negotiator 91, 116
 Nemo 8
 “network architecture” 48
 network facilities 62
 non cooperative situations (NCS) 175, 192
 non-action event type 287
 non-agentive object 282
 non-communicative action event type 287
 non-functional goal 320
 non-functional requirements (NFRs)
 framework 25
 notations 109

O

Object Management Group (OMG)
 13, 183, 279
 object modelling technique (OMT) 47
 object-oriented (OO) systems development
 methodology 2
 object-oriented development 21

- object-oriented process, environment, and notation 372
- object-oriented programming 110
- object-oriented software developer 238
- object-oriented software engineering (OOSE) 48
- ontology 63
- ontology description phase 93
- OO software development methodologies 12
- OPEN 7
- OPEN process architecture 375
- OPEN repository 373, 374
- open source CASE tools 237
- open systems: 348
- OPEN task 376
- open-agent systems 164
- OPEN-compliant methodologies 373
- OPEN contract-driven life-cycle model 376
- OPEN metamodel 373
- OpenTool 179
- operational core 25
- operational environment 21
- OrderPlacer 91
- organisation model 46, 49, 55, 61, 73, 205, 223
- organization 138, 148, 208
- organization management 266
- organization theory 24
- organization viewpoint 240
- organization-driven detailed design 223
- organization-oriented approach 351
- organizational abstractions 138
- organizational environments 20
- organizational metaphor 139
- organizational patterns 157
- organizational perspective 139
- organizational protocols 159
- organizational roles 159
- organizational rules 141, 143, 152, 155
- organizational software systems 21
- organizational structure 141, 144, 154, 158
- OTScript language 180
- outgoing message 298
- outputs 151
- overall system structure 122

P

- pair patterns 26
- parameters 323
- partitioned goal 321
- partner 151
- Partner Interface Process® (PIP) 301
- PASSI 13, 81
- PASSI methodology 82
- PASSI ToolKit (PTK) 82
- peer relationships 158
- “perceive-decide-act” lifecycle 174
- percept processing 118
- perceptions 280
- percepts 9
- permissions 150
- personal agents 75
- personal travel agent (PTA) 220
- phase type 284
- physical agent 282, 283
- physical metaphors 138
- physical object 282
- plan 9, 10, 108
- platform design 63
- platform specific model (PSM) 13
- platform-independent model (PIM) 13, 288
- platform-specific modelling (PSM) 288
- power relationships 208
- preliminary definition 149
- preliminary interaction model 151
- preliminary protocols 149
- preliminary role model 149
- preliminary roles 149
- primary actor 296
- proactive agent 3
- proactivity 4
- problem-solving method (PSM) 60
- process 109
- process-related criteria 343
- processor 242
- producer 373
- program committee (PC) 164
- Prometheus 13, 107
- Prometheus design tool (PDT) 126
- Prometheus methodology 107, 109
- protocol name 151
- protocols description phase 97

PRS 125
 purchase 93
 purchase advisor 95
 purchase manager 91
 purchase monitor 92

R

radical agent-oriented process (RAP) 7, 278
 RAP/AOR development project 300
 RAP/AOR methodology 278, 281
 RAP/AOR viewpoint modelling framework 277, 288
 Rational Unified Process (RUP) 7, 13, 47, 204, 277
 reaction rules 287
 reactive agents 3
 real-world organization 156
 receiver 282
 reference model for open distributed processing (RMODP) 288
 representation module 175
 requirements 254
 requirements analysis 21, 23
 requirements-driven methodology 20
 resource 9, 22
 resource manager service 75
 responsibility driven design (RRD) 48
 responsibility-driven analysis 53
 role 208
 role schema 151
 role type 284
 roles 239
 roles description (R.D.) 96
 roles description phase 95
 roles identification phase 89

S

safety properties 150
 safety rules 152
 secondary actor 296
 security 36
 self-organization 174
 sender 282
 sensors 139
 service charts 58

service provider 180
 services model 161
 session manager agent (SMA) 74
 simulation 308
 single-agent behaviour description (SABD) 101
 single-agent structure definition (SASD) 98
 situatedness 4
 situational method engineering or SME 370
 skill module 175
 social moment 281, 282
 social/institutional agents 285
 sociality 4
 societal metaphors 138
 softgoal 22
 software agent 283
 software development 21
 software development life cycle (SDLC) 12
 software development methodology 20
 software process engineering metamodel (SPEM) 82, 183
 software system 138
 sortal type 284
 Specification and Description Language (SDL) 47, 58
 state machines 222
 steps in ADELFE 183
 stereotypes 179
 storekeeper 93
 storeUI agents 92
 strategic alliances 24
 strategic apex 25
 strategic dependencies 24
 strategic dependency model 23
 strategic rationale model 23
 structure-in-5 25
 structured analysis 21
 structured programming 21
 subscription 26
 SuccessfulNegotiation 93
 summary goal 320
 supplier 93
 support tools 254
 supporting actor 296
 supportive-feature criteria 343, 348
 system goals 114

system interface 118
 system requirements model 83
 system specification 111, 113

T

“TA Gatherer” 221
 “TA Selector” 221
 task 22, 208, 371
 task knowledge 60
 task model 46, 48, 56, 68
 task modelling 55
 task specification phase 91
 tasks 9
 tasks/goals viewpoint 242
 technique-related criteria 343, 345
 techniques 109
 temporal continuity 347
 testing 47, 84
 tool support 108, 126, 252
 topology 144
 “transfer arrangement” (TsA) 216
 “transfer requirements” (TsR) 216
 “travel arrangement” (TA) 216
 “travel requirement” (TR) 216
 triggering events 296
 triggers 117
 Tropos 4, 6, 8, 20, 109, 368
 “TSP booking manager” 220
 “TSP sales assistant” 220

U

UER technique 50
 UFO-A 281
 UFO-B 281
 UFO-C 281
 UML 6
 UML use case diagrams 290
 unified foundational ontology (UFO) 281
 Unified Modeling Language (UML) 47, 81, 318
 unified software development process 238, 279
 universal personal assistant for travel (UPA4T) 227
 use case scenarios 113, 117
 use cases 47

user information manager 117, 121
 user interaction 117
 user monitor 117, 121
 user notify 117
 user-centred analysis 51
 user-environment-responsibility (UER) 47
 user-environment-responsibility (UER) technique 50
 UserInterface 120, 121
 UserManager 121

V

validation 254, 344
 verification 254, 344
 viewpoint 239
 vowel engineering 238

W

Web services (WS) 280
 Web Services Description Language (WSDL) 280
 work definitions in ADELFE 183
 work product 373
 work units 373
 workflow-phase 248
 wrapper 26

X

XML schema 309

Z

Zeus 252