

Index

A

alias-free filter banks 351
 alias-free two-channel IIR QMF banks 357
 aliasing 21, 32, 33, 35, 36, 37, 40, 49, 64, 65, 67, 70, 71, 89, 90, 91, 92, 93, 94, 95, 96, 100, 101, 103, 112, 114, 131, 144, 158, 172, 175, 183, 249, 275, 276, 277, 278, 279, 281, 288, 289, 292, 321, 322, 324, 325, 335, 340, 341, 342, 343, 347, 348, 349, 350, 351, 353, 363
 aliasing characteristics, computation 89
 aliasing transfer function 351, 363
 all-pass complementary filter pairs 243
 all-pass complementary property 247, 269, 270
 all-pass filters 15, 196, 263, 269, 293
 all-pass subfilters as polyphase components 142
 all-pass transfer functions 15
 analysis/synthesis filter bank 349, 350, 351, 352, 358, 359, 368, 370, 383
 analysis bank 248, 249, 347, 348, 356, 372, 373, 375, 376, 380, 382, 383
 analysis filter pair 248
 analysis octave filter bank 373, 374
 antialiasing filter 36, 65, 66, 67, 89, 91, 92, 94, 95, 100, 101, 104, 172, 174
 antiimaging filter 65
 approximately linear-phase IIR halfband filter 235, 236
 arbitrary bandwidth design 301
 attenuation function 8

B

B-spline functions 187, 188, 190
 bandpass interpolation 98
 bandpass signals, sampling rate alteration 93
 basepoint index 185, 186
 binary tree 373
 boxcar filter 316
 Butterworth halfband filters 230

C

cascade integrator-comb (CIC) filters 319
 cascading CIC filter and FIR filter 323
 cascading complementary multirate filter stages 289
 cascading sampling-rate alteration devices 45
 CIC decimator 319, 320, 323, 324, 327
 comb-based decimator, performances 321
 comb-based filter 316, 317, 339
 comb-based filter sections 316
 comb-based filters for sampling-rate conversion 316–346
 comb filter sharpening 332
 Commutative polyphase structure of a decimator 111
 Commutative polyphase structure of an IIR factor-of-L interpolator 145
 Commutative polyphase structure of an IIR factor-of-M decimator 144
 Commutative polyphase structure of an interpolator 112

complementary filter pairs 242–273
 complementary filters, structures based on 287
 complementary pair of periodic filters 302
 COMPUTATIONAL EFFICIENCY OF FIR DECI-
 MATORS AND INTERPOLATORS 121
 computational efficiency of polyphase IIR decima-
 tors 150
 computational efficiency of polyphase IIR interpo-
 lators 150
 continuous-time signal, sampling 19
 convolution 3, 4, 104, 188, 192, 210

D

decimation 35
 decimation filter 36, 57, 89, 128, 131, 135, 137,
 141, 142, 143, 145, 151, 172, 276, 279, 282,
 320, 322, 324, 325, 326, 328, 330, 336, 342,
 345, 346
 decimators, special characteristics 65
 delay-complementary filter pairs 243
 delay-complementary property 244, 245, 250
 DIRECT IMPLEMENTATION STRUCTURES
 FOR FIR DECIMATORS 104
 Direct Implementation Structures for FIR Interpolat-
 ors 105
 discrete-time Fourier transform (DTFT) 1, 5
 discrete-time signals 1
 discrete-time systems 2
 discrete-time systems, structures 16
 discrete Fourier transform (DFT) 1, 8, 9
 discrete sampling 24
 distortion transfer function 351, 352, 353, 358, 360,
 361, 363, 364, 365, 368, 373, 375, 383
 double-complementary filter pairs 244
 down-sampler 24, 25, 26, 27, 28, 29, 30, 32, 35, 36,
 41, 45, 47, 49, 57, 61, 62, 65, 104, 105, 109,
 110, 114, 124, 126, 130, 139, 151, 178, 275,
 319, 320, 321, 326, 328, 329, 331, 333, 339
 down-sampler, frequency-domain characterization
 30
 down-sampling operation 24
 Down-sampling with the phase offset 49, 50, 51
 dyadic cascading 283

E

elliptic halfband filters 230
 elliptic minimal Q-factors (EMQF) filter 311
 elliptic minimal Q-factors (EMQF) filter pair 311
 EMQF filters applications 158

equal passband widths, filter banks 370
 extra filter role 151

F

factor-of-L interpolation 37
 factor-of-M decimation 35
 farrow structure 191
 filter banks, examples 347–384
 filter banks, nearly perfect-reconstruction 352
 filter banks, perfect-reconstruction 352
 Filter Banks with Equal Passband Widths 370
 filter design, matlab functions 73
 filter sharpening 332
 filters in multirate systems 64–102
 filter specifications 69
 finite impulse response (FIR) filters 73
 Finite Impulse Response (FIR) systems 4
 FIR alias-free QMF bank 354
 FIR antialiasing filter 91, 104
 FIR complementary filter pairs 250
 FIR decimators 104
 FIR decimators, computational efficiency 121
 FIR filter design 73
 FIR filters, maximally-flat magnitude response 225
 FIR filters for sampling rate conversion 103–135
 FIR interpolators, computational efficiency 121
 FIR interpolators 105
 FIR QMF filter bank 353, 354
 fractional-delay filters 195
 fractional interval 185, 186, 194
 fractional sampling-rate converters, polyphase
 implementation 176
 fractional sampling rate alteration 171
 frequency-domain representation 30
 frequency-response masking techniques 295–315

G

gain function 8
 general interpolation filtering 185
 general interpolator 138, 187
 group delay function 8

H

halfband FIR filters 215
 halfband IIR filters 228
 half Nyquist filters 212
 highpass FIR filters 244
 highpass IIR filter, generating 245
 highpass IIR filters 244

highpass multirate filter 285
hybrid analog/digital model 188

I

IIR complementary filter pairs 259
IIR decimators, computational requirements 138
IIR filter design 84
IIR filters for sampling rate conversion 136–170
IIR filter structures, polyphase decomposition 140
IIR half-band filter 153
IIR half-band filter design in MATLAB 230
IIR interpolators, computational requirements 138
imaging 34, 64, 68, 69, 112, 144, 158, 172, 175, 183, 275, 277, 347, 350
impulse response 3, 4, 5, 7, 12, 14, 15, 16, 17, 21, 71, 73, 74, 76, 77, 79, 81, 82, 84, 85, 87, 100, 101, 102, 103, 104, 105, 134, 136, 171, 174, 180, 183, 186, 188, 189, 190, 191, 192, 196, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 222, 224, 225, 226, 227, 238, 240, 245, 253, 256, 271, 273, 289, 298, 303, 307, 316, 330, 331, 344, 355, 364, 365, 368, 382, 383
infinite-impulse-response (IIR) 73
infinite impulse response (IIR) filters 71
integer-band decimation and interpolation 95, 99
interpolated FIR (IFIR) filter design 81
interpolation 35, 37
interpolation, time-domain approach 185
interpolation filter 39, 40, 58, 142, 151, 167, 172, 190, 210, 276, 282, 285
interpolators, special characteristics 65
inverse discrete-time Fourier transform (IDTFT) 6
inverse discrete Fourier transform (IDFT) 9
inverse z-transform 11

L

Lagrange interpolation 187, 189, 196, 205
Lagrange polynomial 187, 188, 191, 197
lattice structure 258, 265
lattice wave digital filters (WDFs) 300
linear-phase FIR halfband filter 215, 220, 221, 237, 238
linear-phase FIR QMF bank 354
linear-phase halfband filters 215
linear-phase halfband filters, efficient implementation 218
linear-phase highpass FIR filter 244
linear-phase Lth-band Nyquist filter 214
linear-phase maximally-flat FIR filter 226

linear-phase nonnegative halfband Nyquist filter 225
linear-phase separable (factorizable) FIR transfer function 364
linear-phase systems 14
linear fractional-delay Farrow filter 197
linear time-dependent operations 28
linear time-invariant (LTI) systems 3
Lth-band digital filters 206–241
Lth-band filters, polyphase implementation 211
Lth-band IIR filters 227
Lth-band linear-phase FIR filters 207

M

magnitude-complementary filter pairs 243
magnitude-preserving property 357
masking filters 302
MATLAB, structure verification and simulation 111
maximum-phase filter 224, 255
maximum-phase FIR halfband filters 222
memory saving structures 117
minimum-phase and a maximum-phase spectral factors 213, 252
minimum-phase FIR filter 79, 81, 213, 227, 380
minimum-phase FIR halfband filters 222
minimum-phase spectral factor 255, 256, 364
mixed-phase spectral factor 364
modified comb decimation filter 340
MODIFIED COMB DECIMATION FILTER:
 ZERO-ROTATION APPROACH 340
modified sharpened filter 336, 337, 338, 345
moving-average (MA) filter 316
multichannel filter bank 348, 370, 371, 382
multilevel multichannel filter bank 348, 370
multirate filter 64, 103, 274, 275, 276, 277, 281, 283, 284, 286, 287, 289, 290, 291, 292, 293, 294
multirate filter banks, examples 347–384
multirate systems, basics 23–63
multirate systems, six identities 40–44
multirate systems filters 64–102
multirate techniques in filter design 274–294
multistage comb filter 317
multistage decimator 57
multistage filtering with interpolation filters 277
multistage filtering with the halfband decimation 277
multistage interpolator 57
multistage multirate filter 276
multistage narrowband filters 276

multistage systems 57
 multistage systems, computational efficiency 123

N

narrowband filter design 296
 narrowband filters 310
 nearly-perfect reconstruction property 352
 Nyquist filters 206
 Nyquist frequency 20
 Nyquist rate 20

O

octave filter banks 372
 Orthogonal Two-Channel FIR Filter Banks 362
 orthogonal two-channel FIR filter banks 362
 oversampling 20

P

passband droop 318, 321, 322, 324, 325, 326, 333, 335, 337, 339, 342, 343
 perfect-reconstruction property 352, 362, 363, 364, 365, 366, 368, 369, 370, 372, 375, 378, 380
 periodic filter 81, 82, 83, 84, 124, 127, 128, 295, 311, 326
 periodic model filter 295, 296, 297, 298, 299, 301, 302, 303, 304, 306, 309, 310, 312, 313
 polynomial interpolation 185, 187, 188, 189, 190
 polyphase decomposition 51, 52, 54, 55, 56, 57, 62, 107, 108, 122, 124, 136, 141, 171, 176, 183, 211, 326, 328, 329, 330, 339, 345
 POLYPHASE IIR STRUCTURE WITH TWO ALL-PASS SUBFILTERS 153
 polyphase implementation of decimators 107
 POLYPHASE IMPLEMENTATION OF FIR Lth-BAND FILTERS 211
 POLYPHASE IMPLEMENTATION OF FRACTIONAL SAMPLING RATE CONVERTERS 176
 polyphase implementation of interpolators 107
 Polyphase implementation structure for comb decimator 330
 polyphase implementation structures 328
 polyphase Lth-band filters 212
 power-complementary filter pairs 243
 power-complementary FIR filter pairs 254
 power-complementary property 247, 248, 254, 256, 263, 358, 359, 372

Q

quadrature mirror (QMF) filter banks 352

R

rational sampling rate alteration, large conversion factors 183
 rational z-transforms 11
 regular filters 232
 resampled signal 174
 resampling 171

S

sample index 1, 185
 sampling-rate alteration, arbitrary factor 185
 SAMPLING-RATE ALTERATION DEVICES 45
 sampling-rate conversion, comb-based filters 316–346
 sampling-rate conversion by a fractional factor 171–205
 sampling frequency 2, 13, 20, 21, 24, 27, 65, 66, 68, 69, 82, 91, 92, 93, 101, 112, 120, 123, 125, 126, 132, 140, 150, 152, 167, 168, 171, 173, 176, 178, 190, 196, 203, 283, 284, 298, 306, 313, 321, 322, 323, 326, 329, 339
 sampling interval 2, 20, 21, 185, 186
 sampling period 2, 20, 21, 173
 sampling rate conversion, FIR filters 103–135
 sampling rate conversion, phase offset 47
 sampling theorem 20, 64
 separable linear-phase FIR filter 255
 sequence expansion 27
 sharpened comb filters 332
 signal compression 24
 single-rate discrete-time signals 1–22
 single-stage equivalence for the multistage structure 60
 single-stage systems, computational efficiency 123
 spectral factors 212, 213, 214, 222, 252, 255, 363
 spectral images 68, 97, 190
 Spectrum of down-sampled signal 32
 Spectrum of interpolated signal 39
 strictly-complementary filter pairs 251
 synthesis bank 249, 347, 348, 349, 350, 353, 356, 360, 361, 362, 366, 368, 369, 370, 373, 375, 377, 378, 382, 383
 synthesis filter pair 248
 synthesis octave filter bank 374

Index

T

time-domain approach 185
time index 1, 3
tolerance schemes for antialiasing and antiimaging
 low-pass filters 69
tree-structured multichannel filter banks 369
two-band filter banks 248
two-channel analysis/synthesis filter bank 349, 352
two-channel filter banks 348
two-channel FIR QMF bank 354
two-channel IIR QMF bank 359
two-channel wavelet filter bank 366
two-stage sharpened comb decimator 335

U

undersampling 20, 21
up-sampler, frequency-domain characterization 33

up-sampling 23
up-sampling operation 26

V

valid halfband filter 222

W

wavelet filter banks 225, 227, 241, 366, 382
wideband filters 310
wideband filters, constrained design 310
wideband frequency-response-masking filter 310

Z

z-transform 10
zero-rotation approach 340