

Index

A

a priori 445
 Abox 18
 absolute temporal consistency 524
 abstract data types 378
 abstraction 433
 accumulation component 300
 accuracy 316
 acquisition and implementation 581
 action execution 2
 active
 databases systems (aDBMSs) 1
 integrity constraints 345, 348
 server page 185
 Adaptation phase 90
 adorned program Pb, an 563
 advanced planning systems (APS) 601
 agent markup language 723
 agentification 551
 aggregate query 615
 aggregates 11
 aggregation 179
 algebraic transformations 11
 algorithm(s) 88, 102, 474, 487, 500
 alphanumeric databases 408
 alter the code 174
 anatagonomy 147
 anonymous request/reply 106
 ANSI/SPARC Database Model 78
 aperiodic
 pull 107
 push 107
 application program interfaces 457
 approximate searching 688
 array
 storage 519
 type 422
 assertion 49
 assertional part 18
 asymmetric communication 701

asymptotic consistency 556
 atomicity property 696
 atoms 74
 attribute-dimension 310
 attributes 607
 auditing tools 282
 author gender detection 684
 authorship attribution 684
 automatic
 detection 273
 documentation 332
 automatically composing versions of documents 203
 autonomous databases 450
 autonomy 494
 availability 582

B

background knowledge 666
 backup 341
 balanced scorecard 395
 collaborative 397
 band sequential 737
 base
 atom 483
 nodes: 155
 basic transformations 710
 benchmark results 521
 benchmarking 23
 benign neglect 211
 bidirectional line 177
 binding occurrence 446
 bioinformatics 29
 biometric databases 42
 bit transposed file model 737
 Boolean symbolic objects 667
 boundary-line cases 575
 bounded 613
 brute force checking 67
 BSD license 247
 business

- process component model 398
rule 47
-to-business 54, 206
-to-consumer 206
- C**
- cache-sensitive search trees 342
call-back locking 223
callback model 106
cardinality constraint 607
CASE tools 413, 707
categorical algebra 352
category theory 262, 351
centralized 495
chemical markup language 721
city simulator 25
class
 hierarchy 486
 identification 418
classification level 383
cleaning 240
cluster 549
collaboration protocol 55
commercial off the-shelf 87
common information model (CIM) 78
complete evaluation 469
complex event detection 2
component-based software systems 87
composite data quality assessment 117
computer
 science 466
 -aided design 93, 390, 511
 -assisted passenger prescreening system 207
 -based information technologies 216
 -supported cooperative work 395
concept-based retrieval 391
conceptual
 design of databases 250
 modeling 378
 schema 59, 708
conceptualism 434, 435
concurrency control 343
 protocols 153
condition evaluation 2
confidentiality 582
 policy 383
connectivity 89
constant interaction 154
constraint(s) 421, 564
containers 88
content management technologies 160
context
 dependencies 192
 -aware 715
- contextual
 information 552
 quality 281
contextualization 150
cooperative work 160
countermeasure transaction model 555, 696
course 536
covert channel secure 304
cross-sentence 588
cultural innovations 172
customer relationship management (CRM) 213, 601
cyclic association rules 196
- D**
- data
 analysis process 665
 and reality 435
 capture and data integration interface 737
 cleansing 315, 594
 consistency 163
 dissemination 105
 exchange 287
 extraction 287
 flow diagrams 415
 form 116
 guard 167
 integration 730
 loading phase 90
 mining 395, 665
 algorithm 737
 interface 737
 suites 317
 modeling 594
 profiling 594
 replication 159
 source 121
 standards 596
 streams 199
 structures 88
 sublanguage alpha 624
 transmission 163
 visualization 31
- database
 consistency 66
 disaster 556
 management systems 5, 127, 304, 341, 652
 repairs 483
 replication management 153
 schemas 159
- datalog 483
dataveillance 170
datawarehouse 395
DBS querying framework 495
decentralized 495

Index

- decision support system 281, 395
- declarative knowledge 333
- decoupled subsystem approach 66
- delivery and support 581
- density-dimension 310
- derivation structure 140
- derived atom 483
- description logics (DL) 18, 336
- descriptive properties 675
- differential evaluation 469
- digital
 - libraries 201, 542
 - media warehouses (dmws) 191
- direct-access-scope 113
- dirty read anomaly, the 695
- discursive effects 172
- disjunction 562
- disjunctive 483
 - datalog 536
- distributed Ptree management interface 737
- document
 - imaging 294
 - management 293
 - object model 658
- domain 100
 - rules 48
- dominance 383
- dorment step 563
- DRDBMS 343
- dynamic
 - behavior 445
 - logic programming 345
 - management 548
 - re-grouping 470
- E**
 - e-government 206
 - e-index 473
 - e-mail data stores 211
 - e-voting 207
 - ease
 - of disaster recovery 556
 - of failure 556
 - edit
 - distance 688
 - scripts 658
 - electronic
 - commerce 603
 - data interchange 721
 - product code 715
 - element-at-a-time 258
 - elementary set 575
 - end-user license agreement 249
- enterprise
 - application integration 229
 - resource
 - management (ERP) 212
 - planning 292
 - systems (ERP) 601
- entity
 - type(s) 607, 710
 - based query 615
 - dimension 310
 - relation model 378
 - relationship
 - diagram 530
 - model 103, 434
- episodic knowledge 334
- eposition 473
- equivalence 102
- ER modeling 135
- erroneous 315
- event
 - type meta-model 6
 - condition-action (ECA) rules 1
- exclusion dependencies 345
- existence time 377
- experimentation component 300
- expert preparations 741
- expertise knowledge 666
- explicate 276
- expression signatures 470
- extended
 - datalog program 536
 - entity relationship 414
 - logic program 538
- extent mapping 662
- external schema 78
- extracting a 414
- extraction 240
 - translation, and loading (ETL) process 122
- F**
 - face database 42
 - federated
 - database(s) 286, 450, 451
 - management systems 5
 - system 286
 - information systems 286, 451
 - fetch-and-add 160
 - filter-based 147
 - fingerprint-based authentication 43
 - Firebird 247
 - first multimedia normal form 411
 - first order logic (FOL) 336
 - fitness-for-use 282

flexible
 algebra 537
 infrastructures 9
 foreign
 key constraint 531
 keys 101
 free
 software 246
 foundation 464
 /open source software 457
 development 457
 frequent life span 198
 functional dependencies 345, 409
 functionalities 47, 74, 286, 372, 548, 624, 740
 fuzzy
 data 250
 functional dependency 251
 multivalued dependency 251
 relational databases 250

G

G-TERD 26
 Gait recognition 44
 gene expression analysis 36
 general
 packet radio service 622
 public license 246, 460
 temporal association rules 195
 generalization 180
 generalized division 626
 generation step 563
 generator for time-evolving regional data 26
 generic
 design phase 90
 entity-relationship mode 707
 MMt 258, 364, 351
 genetic algorithms 31
 genomics 36
 genre classification 684
 geo-object 177
 geographic
 data 308
 information system 23, 208, 390, 511, 587
 geospatial applications 93
 global-as-view 286, 730
 globalization 570
 gMMt 362
 GPL 246
 granule 575
 grid computing 460
 GROLL 305
 groupware 398

H

hackers 457
 HDM-driven design 186
 height of document 660
 heterogeneity 287
 heterogeneous 258, 450
 data types 199
 hierarchy 490
 high availability 153
 higher-level transformations 710
 histogram 369
 homogeneous 258, 286
 interface technology 231
 human-computer interaction 740
 hybrid
 ER/OO 378
 OSDBMS 458
 hypermedia video links 391

I

IDCM 292
 impact assessment 78
 implementation
 design subsystem 186
 -oriented 184
 in-network query processing 496
 inclusion dependencies 345
 inconsistency handling 337
 inconsistent 315
 data 315
 KDBs 336
 incredulity 283
 index
 container 89
 iterator 90
 indiscernibility relation 575
 information
 acquisition 276
 processing system 714
 quality problems 593
 security 581
 informational subsumption 588
 inProceedings 507
 integrated 184
 relational calculus 537
 integration broker or IB 78
 integrative document and content management 292
 integrity 582
 constraints 537
 rules 48
 intension mining 298
 intermittent presence 494
 internal schema 78

Index

International Organization for Standardization (ISO)

216

international outsourcing 570

Internet-scale distributed data 469

interoperability problem 286

intrinsic 458

dimension 368

quality 281

inverted indexes 473

iris recognition 44

item sets 195

iterators 88

J

JAVA-based RDF infrastructure 507

JENA 507

K

k-item-set 197

kernelized architecture 304

Kleisly Operation 352

knowledge

capital 330

databases (KDB) 336

discovery from databases 313

management systems 396

mining 331

workers 330

-creating company 330

Kohonen algorithm 273

L

large

amounts of factual data 447

-scale integration 463

leveraging knowledge 330

linear

interaction 154

vector space 117

local-as-view 287

localization 570

LOCUS 27

logic

of evaluation 278

program with exceptions 538

logical

schema 60, 708

doctrines 363

loosely coupled subsystem 66

lost update anomaly, the 695

low isolation levels 695

M

magic-set method 563

main

memory database management systems 341

-memory-oriented algorithms 18

manufacturing resource planning 229

mapping 414, 596

-at-a-time 258

market basket analysis 199

marketspaces 170

master 549

matching group 627

mathematical expressions 721

maximal

consistent subsets 537

marginal relevance 588

mBroker 165

mediation 286

merge component 300

merging 111

by majority 537

metadata 258, 506

extraction 75

repository 122, 594

metric

database 366

range query 367

micro-electro-mechanical systems 716

minable view 315

minimal

models 346

orthogonal bounding rectangle 512

minimum support 198

mining component 300

MLS/DBMS 304

MMDBMS 343

mobile

agents 701

databases 701

environment 701

multimedia database management system 622

nodes 155

phones 162

modal symbolic objects 667

model

management 258

mapping 258, 351

semantics 346

-driven transformation 62

modeling stage 314

modelling modifications as attributes and storing 203

modellum 276

modification step 563

MOLAP 135

Monet XML 661

monitoring 581

- component 301

monolithic database 286

morphisms 262

moving

- objects 377

- databases 23

Mozilla Public license 247

multi-

- agent systems 587

- aspect Data 117

- databases 159

- document Summarization systems 587

- participative decision systems 395

- threaded system 249

multidimensional

- discrete data (MDD) 517

- join 12

- OLAP 130

multilevel security 383

multimedia

- database

- management system 619

- querying 252

- databases 408

- information systems 511

multivalued attributes 374

MultiView system 490

MySQL 247

N

nearest neighbor method 31

network

- connectivity 163

- relationships 180

neural networks 31, 272

new indexing techniques 11

nominalism 435

non-

- aggregate query 615

- voting termination 154

nonmonotonic formalisms 345

nonprofit foundations 457

nonrepeatable read anomaly, the 695

normalization of multimedia databases 408

novel data analysis methods 29

O

object

- analysis and design 415

data

- management group 681

- type 422

management group 356

modeling

- of relational applications 413

- tool 413

naming service 715

versions 112

-at-a-time 258

-oriented

- database 272, 633

- methodology 187

- schema 100

-relational

- database management system 247

- model 530

- modeling 421

ObjectAttributes 101

oid 732

OLAP 135

OMAR 414

online

- analytical processing 121, 127, 134, 282, 308,

- 625

- transaction processing 121

- transactional processing 127

- handwriting recognition 44

- transaction processing transactions 134

ontological 286, 377

ontologies 720

ontology 277, 595

open

- software foundation 464

source

- database management systems 457

- databases 246

- initiative 249

- strategies 458

operational data 121

optical mark recognition 294

optimistic

- concurrency control 695

- two-phase locking 223

optimization algorithms 343

OSD 721

outerjoins 11

output/input dependencies 192

overlap constraint 612

P

p-tree 737

P2P networks 76

page allocator 89

Index

- participation constraint 234, 607
partitioning 159
path-oriented queries 472
pattern corpus 741
peer
 functionality 494
 -to-peer 74
performance improvement 153
periodic
 pull 107
 push 107
personal
 agents 147
 digital assistants 162
personalization 147
phantom anomaly, the 695
physical schema 60, 708
pipeline approach 192
planning and organization 581
PMR trees 653
pool approach 192
portable document format 294
POS devices 199
PostgreSQL 247
pre-execution 526
precipitation dimension 308
predictive model markup language 316
preferable 349
prescriptive 348
primary Copy 154
probabilistic
 flooding 497
 minimum query 615
 query 615
 range query 615
 sum query 615
 threshold query 616
product markup language 715
profile 421
projection 488
propagation 564
 and loading 240
property of versioning 140
proteomics 37
publication 507
- Q**
- QDN 493
QoS
 mechanism 621
 -based querying processing precision matrix 620
Quadtree 653
quality of service 226, 619
quantitative
approach 620
values 324
querical data networks 493
query
 augmentation 148
 by example 624
 evaluation 520
 language 633
 modification 67
 modifiers 130
 optimization 11
 personalization 147
 rewrite 11
 -based 147
 paradigm 151
querying
 changes 202
 the history of a document 202
- R**
- radio frequency identification 173, 715
range query 615
raster
 databases 562
 retrieval 519
RDBMS 624
RDF 75
 schema 19
REA ontology research 602
read
 performance/capacity 556
 -once write-all 224
real-time
 databases 524
 systems 524
recognition systems 294
recommendations 147
recovery 343
reduct 580
redundancy 78
referential integrity constraints 531
RegionName Dimension 308
RegionWeather Table 308
regular expressions 688
regulatory imperatives 292
reification 446
relational
 applications 414
 data model 530
 database management systems 457
 databases 730
 modeling 135
 OLAP 130
 -database schema 530

relationship type 710
 relationships 607
 relative temporal consistency 524
 repository 60
 request/reply 105
 RescueWare 332
 resource description framework 506
 reverse engineering 60
 revision
 chain 111
 programs 345
 rhetorical expectations 571
 ripple join 15
 ROLAP 135
 rollback 372
 RS-Trees 589
 rule
 induction 31
 selection 2

S

Sarbanes-Oxley Act 283
 scenarios 480
 schema 333, 360, 530
 analyzer 61
 changes 490
 evolution 103, 110
 integration 110
 modification 110
 versioning 110
 -version capability rule 113
 schemas 258
 scope of knowledge 78
 second
 multimedia normal form 411
 -generation companies 457
 secure sockets layer 164
 security
 levels 383
 policy 383
 semantic 450
 differences 593
 integrity constraints 66
 mapping 662
 properties 720
 reconciliation and denormalization 242
 search 688
 support 447
 Web 18, 56, 75, 506
 services 232
 semi-structured 75
 sensor uncertainty 613
 SEQUEL 624

Sesame system 507
 set-
 and-test 160
 valued attributes 633
 short-duration locking 695
 similarity
 join query 647
 nearest-neighbor query 647
 range query 647
 simple security policy 304
 sketch 671
 slaves 549
 Smalltalk 633
 Smart Dust 716
 snapshot 679
 snowflake schema 308
 Sourceforge 460
 spam filtering 684
 spatial data 652
 applications 93
 mining 310
 warehouses 308
 spatial
 database management 93
 systems 511
 integrity constraints 176
 OLAP 309
 properties 675
 relations 179
 -query-by-sketch 671
 spatio-temporal
 applications 652
 databases 377
 DBMS 652
 ER 378
 UML 378
 specializations 233
 SQL 511
 query 11
 types 353
 stable models 346
 standard
 for the exchange of product model data 216
 template library 88
 star schema 135
 model 308
 static time series 646
 statistical
 algorithms 31
 databases 633
 stereotype 421
 streaming time series 646
 structural 450
 assertions 48

Index

- structured
 - english query language 624
 - query language 464, 679
 - subclasses 233
 - subquery 11
 - subsequence-match queries 647
 - subsumee 19
 - subsumer 19
 - subtransactions 702
 - suffix
 - array 692
 - trie 691
 - superclass 233
 - surrogate keys 243
 - survey coding 684
 - symbolic
 - data
 - analysis 668
 - table 666, 668
 - graphical objects 672
 - object 665
 - sync multimedia integration language 721
 - synchronization 160
 - syntactic search 688
 - syntactical heterogeneity 450
 - syntactically correct 673
 - synthetic data generation 26
 - system-wide techniques 331
 - systematic 660
- T**
- t-index 473
 - t-tree 342
 - table type 422
 - tagged
 - image file 294
 - value 421
 - taxonomy 331
 - Tbox 18
 - temperature dimension 308
 - temporal
 - atom 372
 - consistency 524
 - database 372
 - systems 677
 - element 372, 679
 - query operators 500
 - relations 677
 - set 372
 - structured query language 679
 - support 197
 - terminological part 18
 - text
 - categorization (TC) 683
- classification 683
 - clustering 683
 - database 688
 - tiling algorithm 589
 - third multimedia normal form 411
 - three-dimensional 677
 - threshold 197
 - time-
 - oriented database 677
 - to-market 87
 - timestamp-ordering protocol 153
 - topological consistency 93
 - toposes 363
 - trajectory-bundle tree 654
 - transaction
 - design tool 66
 - models 160
 - processing 527
 - time 372, 377
 - processing systems 281
 - databases 196
 - transactions 121
 - transportation 240
 - tree inclusion 474
 - trend dependencies 199
 - triggering operations 48
 - triggers 5, 49
 - tuple
 - distance function 410
 - iteration 11
 - tuples 635
 - two-
 - dimensional 677
 - phase locking 153, 223, 695
- U**
- u-matrix method 273
 - ubiquitous 291, 652
 - computing 714
 - UDDI registry 548
 - unidirectional line 177
 - unified modeling language (UML) 217, 421, 726
 - uniform resource identifier 506
 - uniplexed information and computing service 463
 - Unisys 332
 - universal
 - description, discovery, and integration 548
 - mobile telecommunications system 623
 - property 356
 - universe of discourse 435
 - unstructured 75
 - update
 - everywhere 154
 - monitoring 469

use phase 91

user

- interface layer 451

- defined

- data types 422

- time 372

V

valid time 372, 377

value

- domains 353

- based query 615

VAN 54

variants 111

Vbase 633

version

- graph 111

- model 140

versionable element 140

vertical databases 737

very large scale integration 93

- design 511

video analysis and content extraction 393

view

- definition 729

- domain 729

- schema 729

virtual

- collaborative environments 398

- subclasses 489

- view 730

voting Termination 154

W

wait-free synchronization 160

Web

- business systems developers 184

- content database 460

- databases 460

- portals 542

- service modeling ontology 56

- technology 720

- based

- design 216

- multi-document 587

- enabled models 206

whole-match queries 647

wireless sensor nodes 714

workflow 295, 398

- management system 158

- patterns 159

WWW consortium 542

X

X11 247

XBR tree 653

XID 500

XML 103, 460, 500, 607, 658, 721

- query languages 472

- technology 742

XSQL 490

Xyleme 500

Z

zero-count bug 11