

Index

A

accuracy paradox 118–119
 antinuclear autoantibodies (ANA) 91
 application ontologies 171
 architectural model 163
 ARF method 31
 AtomicBind 194

B

bankruptcies (BK) 153
 Bayesian approach 206
 behavioral model 140
 biomedical semantic-based knowledge discovery
 system (Bio-SbKDS) 181
 body of evidence (BOE) 205–206
 Boolean discriminant functions 3
 brief psychiatric rating scale (BPRS) 39
 business impact 128

C

CaRBS technique 215
 CART tree 38
 Chains class 194
 charge-off (CO) 153
 classic decision tree (CDT) 102
 algorithm 103
 classification and ranking belief simplex (CaRBS)
 203, 220

classifier 53
 -based model 52
 clinical study report (CSR) 32
 clustering method 142
 commercial-off-the-shelf (COTS) 8
 CommonKads methodology 183
 concept learning 180
 conceptual clustering 179
 continuous
 SOM (CSOM) 231
 value discretisation (CVD) 252
 contractual charge-offs (CCO) 153
 convenience users 140
 cost-sensitive machine learning algorithms 119
 coverage ratio (CR) 231
 cross industry standard process for data mining
 (CRISP-DM) model 171

D

Darwinian evolution 24
 data
 mining 95
 practitioner 140
 model 166
 preparation 172
 understanding 172
 decision tree (DT) 98
 Dempster-Shafer theory (DST) 203, 205, 220

Index

deployment phase 174
domain ontologies 171

E

enhanced
 information retrieval and filtering for Analytical systems
 (enIRaF) 168
 knowledge warehouse (eKW) 168
entity relationship (ER) 166
evaluation phase 174
event
 benefit 131
 cost 131
expectation-maximization (EM) 10, 61
 algorithm 5
 supervised clustering 11
explicit knowledge 166
exploratory data analysis (EDA) 31
exposure 127

F

fault-prone (FP) 2
Fitch
 bank individual rating (FBR) 204, 211
 Publishing Company 211
Food and Drug Administration 32
Foundation for Intelligent Physical Agents (FIPA) 176
frame ontology 171
fuzzy set theory 204

G

gene ontology (Go) 181
generalization power (GP) 231
 trees 25
genetic
 algorithm 143
 programming (GP) 24
graphical model 53

H

hierarchical aspect models method (HAM) 62

I

inductive databases (IDBS) 167
internal representations 225
Internal Revenue Service (IRS) 116
interval splits 35

K

k-means algorithm 2, 9
knowledge
 discovery (KD) 163, 170

 in databases (KDD) 167
 models 166
Kolmogorov-Smirnov (K-S) statistic 148

L

language technologies 170
latent dirichlet allocation model (LDA) 62
least absolute difference (LAD) algorithm 153
least squares (OLS) algorithm 153
linear model 52, 53
link weights 67

M

MAGIC 53, 67
Mahalanobis 148
mean square error (MSE) 229
meta-object facility (MOF) 185
metric recall 124
Metrics Data Program (MDP) 7
misclassification rate (MR) 231
model
 -driven
 architecture (MDA) 185
 method 52
 performance 148
 quality 128
 quality assessment 144
modeling phase 172
multifactor dimensionality reduction (MDR) 17–18
 method 21
 model 25
multivariate adaptive regression splines (MARS) 142

N

naïve Bayes classifier 20
NASA Metrics Data Program 7
natural selection 24
nearest-neighbor link (NN-link) 55
neural
 -gas algorithm 9–10
 network model 143
new drug application (NDA) 32
NN-links 65
not fault-prone (NFP) 2

O

object-attribute-value links (OAV-links) 55
objective function (OB) 209
Object Management Group (OMG) 185
object nucleoli 93
ontology
 -driven approach 164

- creation 177
- development environment (ODE) 176
- engineering (ONTO) 163
 - workbenches 164
- learning
 - from dictionary 180
 - system 180
- population 178
- pruning 179

P

- positive and negative syndrome scale (PANSS) 39
- predictive accuracy 253
- protein ontology (PO) 190, 193, 200

R

- random walk with restarts (RWR) 57, 66, 69
- receiver operating characteristic (ROC) 115
- representational ontologies 171
- residues class 194
- return-on-investment (ROI) 134
- revolvers 140
- risk model 144
- robust split 35
- rough set theory (RST) 245

S

- self-organizing map (SOM) 77, 224, 225
- Semantic Web (SW) 169, 170
- sequential search method (SS) 69
- stability index (SI) 150

- statistical
 - analysis plan (SAP) 32
 - models 53
- straightforward method 197
- successive decision tree (SDT) 98–99, 103

T

- tacit knowledge 166
- task ontologies 171
- text-to-onto module 180
- thinking ontologies (Tones) 181
- top-k precision 123
- top-level (generic) ontologies 171
- Toronto Virtual Enterprise (Tove) 169
- training iterations (epochs) 229
- tree sketch 35
- trigger happy 128
- trigonometric differential evolution (TDE) method 208
- tuned relief algorithm (TuRF) 23

U

- unified
 - medical language system (UMLS) 181
 - modeling language (UML) 185

V

- variable precision rough set theory (VPRS) 244

W

- Web ontology language (OWL) 191
- weighting scheme 197