

Index

A

access control 275, 276, 279, 280, 281, 282, 284, 285, 286
 access management 324, 325, 327, 329
 activity cycle diagrams (ACDs) 193
 acute care 453
 adoption 451
 ADSL 440
 adverse drug events (ADEs) 144, 145, 146, 147, 148, 150, 152
 agent based modelling (ABM) 193, 196, 197, 199, 203
 agent-based simulation 256
 alliance 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 233
 alliance satisfaction 224, 226, 227, 228, 229
 Aquarius Research Centre 454
 Arden Syntax 236, 242, 252
 artefact design 323

B

the baby boom 97, 458, 461, 463, 464, 467, 469, 470, 471, 473, 474
 Backus-Naur form (BNF) 245, 254
 best practices 291, 305, 307
 BioGrid 124, 127, 128, 129, 133
 bulletin 507
 business processes 290, 291, 295, 300, 302, 304, 306, 310
 business process management (BPM) 289, 290, 291, 292, 306
 business requirements 295, 300, 302, 312

C

CAN bus nodes 178
 CAN enabled medical equipment 178
 CAN header 178
 CAN message 178, 179, 180, 181
 CAN protocols 178
 CAN-UMTS gateway 178, 181, 184, 186
 capability maturity model (CMM) 75
 CareGrid 124, 127, 136
 causal loop diagrams (CLDs) 194
 change management 451
 chronic disease management 423, 427, 430
 chronic illnesses 354
 chronic illnesses, coping with 353, 356, 357, 360, 363, 364
 chronic illnesses, diagnosis of 353, 355, 356, 357, 361, 362, 364
 client application 495
 clinical decision support systems (CDSSs) 76, 146, 234, 236, 251
 clinical information technology 424, 431
 clinical management 109
 clinical physician order entry (CPOE) 76
 clinical plagiarism 424
 clinical processes 206
 clinical scenarios 70
 clinical usefulness 112, 117, 118, 119, 120
 clinical work 53, 54, 55, 56, 57, 62, 65, 66, 69
 clinical work and tools 18, 26
 cmdSendMessage_Click() 506
 cognitive tool 17, 18, 19, 24, 32
 Co-MAP method 211
 Co-MAP method, information flow 211, 216, 220

commercial, off-the-shelf (COTS) software 257, 270, 272, 273
 community care access centers (CCACs) 453
 computer interface design 325
 computerized physician order entry (CPOE) 33, 35, 39, 41, 42, 48, 51, 146, 151, 152
 computer support design 321
 computer supported collaborative work (CSCW) 216
 confidentiality 453
 conflicting requirements 328
 consumer health information 463
 continuous quality improvement (CQI) 336, 351
 controller area network (CAN) 169, 177, 178, 179, 180, 181, 184, 186, 187, 188
 control objectives for information technology (COBIT) 75, 79, 84
 COTS simulation package (CSP) 258, 260, 261, 262, 263, 265, 266, 267, 269, 273
 CRIS issues: conceptualisation of technology 345, 346
 CRIS issues: organisational politics 346
 CRIS issues: rationality 333, 345
 CRIS issues: social consequences 347
 critical research in information systems (CRIS) approach 333, 334, 345, 351
 culture 155
 culture, layers of 155, 156, 165
 current practice scenarios 63
 Cyprus Association of Cancer Patients and Friends 435

D

data delivery 494
 data processing 502
 data reduction 169, 170, 180, 186
 data source 495
 decision support systems (DSS) 33, 42, 43, 385, 386, 387, 389, 390, 393, 394, 395, 396, 397
 Deming, W. Edwards 333, 334, 335, 336, 337, 348, 349, 351, 352
 development work research (DWR) 319, 331
 digital health records 446
 digital subscriber line (DSL) 93, 94, 106

direct costs and benefits criteria 8, 9, 10
 discrete event simulation (DES) 191, 193, 194, 195, 196, 197, 199, 200, 204, 255, 257, 258, 259, 264, 265, 269, 270, 273
 discrete event simulation, parallel (PDES) 259, 260
 distributed data sources 128
 distributed medical informatics 127
 distributed simulation 255, 257, 258, 259, 260, 261, 262, 263, 266, 267, 269, 270, 271, 272, 273
 distributed simulation middleware 261, 262, 269, 273
 distrust 208, 209, 210, 211, 213, 214, 215, 216, 217, 218
 DITIS 435, 436, 437, 438, 439, 440, 441, 442, 443

E

early discharge solution 91, 93
 early hospital discharge 91, 93
 ease of use 109, 111, 112
 e-business solutions 448
 econometric modelling 191, 196, 197, 199, 200
 economic satisfaction 225
 e-health 353, 354, 355, 361, 362, 363, 364, 366, 367, 410, 411, 413, 415, 418, 419, 420, 421, 422
 e-healthcare applications 434
 e-healthcare, OSS and 410
 e-health development, patient-centered approaches 353, 354
 e-health initiatives 1, 2, 11
 e-health mobile application 435
 e-health project 434
 e-health services 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
 e-health services evaluation 1, 2, 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 16
 e-health services evaluation criteria 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 16
 e-health system 2
 electronic health records (EHRs) 50, 152, 447
 electronic medical records (EMRs) 33, 35, 38, 42, 43, 161, 385, 386, 389, 390, 391, 392, 393, 394, 395, 396, 397, 423, 424,

Index

425, 426, 427, 428, 429, 430, 431
electronic patient communication 385, 389,
390, 393, 394
electronic patient records (EPRs) 274, 275,
276, 277, 278, 279, 280, 281, 285, 351
emergency medical data transmission 169,
170, 171, 172, 174, 184
emergent change 452
emergent interactions 34
EMR adoption 423, 424, 425, 426, 427, 428,
429, 430, 431
EMRs, physician characteristics and practice
patterns concerning 423
enterprise business architecture 292, 307, 308
e-patient context: access 359
e-patient context: coping mechanisms 360
e-patient context: demographics 358
e-patient context: diagnosis 357, 358
e-patient context: patient role 360
e-patient context: preferences 359
e-patients 353, 354, 355, 358, 360, 361, 362,
363, 364
e-prescribing 385, 386, 390, 393
e-records 435
ethnography 319, 320, 329, 331
evaluation framework 1, 2, 3, 5, 6, 8, 11, 334
evaluative criteria 24, 25

F

factor analysis 115, 116, 117, 118
family practice (FP) 386, 389, 392
first order logic (FOL) 238, 244

G

GeneGrid services 129, 130
general packet radio service (GPRS) 435, 440
geographically distributed infrastructure 125,
142
global message 493
global system for mobile communication
(GSM) 435, 440
graphical interface usability 54, 55, 65, 66, 67,
69, 71
grid-enabled medical simulation services
(GEMSS) 132, 139, 141

grid resource 125, 127, 132, 133, 137, 138,
141, 142, 143
group-oriented cryptography 287
group-oriented key agreement 284
guideline interchange format (GLIF, GLIF3)
234, 236, 237, 239, 240, 241, 242, 243,
246, 251, 252, 253
guideline representation ontology 234, 235,
236, 238, 243, 251, 253
guideline representation ontology, computa-
tional 253
guideline representation ontology: concepts
234, 235, 240, 242, 243, 244, 247, 248,
253
guideline representation ontology: relationships
234, 235, 239, 242, 244, 253

H

healthcare 446, 109, 434, 110, 111, 112, 113,
114, 115, 116, 117, 118, 120, 121, 122,
123
healthcare information systems (HIS) 75, 76,
77, 82, 83, 124, 125, 134, 137, 138, 146,
333, 334, 343, 344, 412
healthcare IT evaluation 18, 21
healthcare modelling 190, 191, 192, 195, 198,
200
healthcare organizations, IS and 74, 75, 76, 77,
78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88,
90
healthcare services 127
healthcare system goals 17, 23, 24, 25, 26, 27,
29
health data heterogeneity 127, 143
health data integration 125, 126, 127, 129, 130,
131, 133, 134, 135, 137, 138, 139, 141,
142
Health delivery practice 448
HealthGrid (HG) 124, 125, 127, 128, 130, 133,
136, 137, 138, 139, 141, 143
HealthGrid taxonomy 124, 125, 126, 127, 137,
138
health informatics 124, 125, 127, 136, 137,
138, 160
health information exchange 447

health information technology (HIT) 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 48, 51
 Health record privacy 453
 health services 109, 112
 HELP system 146
 high level architecture (HLA) 259, 261, 262, 263, 266, 267, 269, 270, 271, 272, 273
 HIS, developing nations and 410, 412, 413, 420
 HIS, interoperability of 125, 127, 133, 137
 HIS stakeholders 333, 344, 345, 346, 347, 348
 HIT implementation 33, 34, 36, 37, 39, 41, 44, 45, 46
 HIT-in-use 36, 37, 40, 41, 42, 43, 44, 46
 HLA runtime infrastructure (HLA-RTI) 261, 262, 263, 266, 267, 269, 273
 Hofstede, Geert 155, 167
 Home Health Care 453
 Home Health Care, applications 453

I

ICT, adoption of 153, 154, 155, 156, 157, 158, 159, 160, 163, 164, 165, 166, 167
 ICT design 322
 ICT, implementation of 153, 154, 155, 156, 157, 158, 159, 160, 162, 163, 164, 165, 166, 167
 ICT resource alignment 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 233
 ICT resources 221, 222, 226, 227, 228, 229, 230
 ICT resources, complementary 222, 227, 229
 ICT resources, supplementary 227, 229
 ICT use, conflicting interests 329
 information system (IS) culture 155, 156
 information systems assessment 74, 78
 information systems evaluation 76
 integrated healthcare services 126, 137
 integrated risk management (IRM) program 295, 297, 300
 integrated services digital network (ISDN) 440
 interactive sociotechnical analysis (ISTA) 33, 34, 35, 36, 37, 38, 44, 45, 46
 internal medicine (IM) 386, 389, 392
 international classification of diseases (ICD-9) 146

international joint venture (IJV) 226, 231
 interoperability 451
 IP protocols 92
 IP voice 92
 IS, effectiveness of 75
 IS implementation 434
 i* strategic rationale models 208, 210, 217, 218, 220
 IT evaluation 477, 478, 479, 480, 481, 482, 483, 486, 488, 489, 490, 492
 IT success permutations 17, 21

J

Joint Commission on Accreditation of Health-care Organizations (JCAHO) 148
 Jupiter Hospital 454
 Jupiter Hospital's Diabetes Education Centre, Canada 456

K

Kaiser Family Foundation (KFF) 464, 476
 key establishment 278, 280, 281, 282, 283, 284
 key management 281, 283, 286

L

large and complex simulation 258, 263, 265, 269
 last mile methods 92
 loop 500
 low-fidelity prototypes 65

M

Markov modelling 191, 193, 197, 200, 203, 204, 256
 Mars Home Health 454
 Mars Home Health, Canada 454
 medical data transmission over cellular network (MEDTOC) 169, 170, 177, 178, 184, 186
 medical error reporting systems 23, 24, 28, 30, 145, 146, 148
 medical informatics 159, 168
 medical information security 274, 275, 276, 277, 278, 280, 281, 282, 283, 284, 285, 286, 287

Index

medical logic modules (MLMs) 236
medication errors 144, 145, 146, 147, 148, 149, 150
MediGrid 124, 127, 130, 131, 132, 133
Microsoft Access® database 495
Microsoft® eMbedded Visual Basic® 3.0 497
Microsoft® Pocket PC 2002 496
Microsoft® Visual Basic® 6.0 497
Microsoft® Windows™ 2000 496
mobile application 434–435
mobile business applications, evaluation of 450
mobile computing 493
mobile device applications: charge capture 370
mobile device applications: e-prescription 370
mobile device applications: medical information 370
mobile device applications: order entry 370
mobile device applications: test result reporting 370
mobile devices 449
mobile e-health 434, 446
mobile e-health applications 451
mobile health care 446
mobile ICT 52, 65, 67, 69
mobile phone 434
mobile solutions 449
mobile technology 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 382
Mobile wireless content 449
mobile wireless technology 448
mobility 448
modelling resource load 200
Monte Carlo simulation (MCS) 256, 257, 272, 273
multi method modelling 190, 191, 196, 197, 198, 199, 200, 201, 202

N

national culture 155, 156
news bulletin 507
non-acute care 453

O

object oriented analysis 333, 334, 336, 348
observational study 58, 59

obstetricians and gynecologists (OBGYN) 386, 392
office work 321, 323, 327, 329, 332
online health information 459, 461, 467, 469
online proficiency 460, 461, 468, 470
open grid service architecture data integration and access (OGSA-DAI) 128, 129, 131, 133, 135, 138, 140, 143
open grid service architecture distributed querying protocol (OGSA-DQP) 129
open source software (OSS) 411, 412, 413, 416, 417, 418, 419
OPNET network simulation 170, 182, 183, 186, 188
opportunity-based change 452
organisational modelling 191, 204
organizational culture 153, 154, 155, 156, 157, 165, 166, 168

P

parallel and distributed simulation (PADS) 259
participant observation 56, 58
patient anonymity 276, 282, 284, 285
patient consent 275, 277, 278, 279, 282, 285
patient privacy 274, 275, 285, 286
patients 495
patient transfer 211, 212, 213, 217
patient transfer process, perceptions of 207, 210, 211, 216
pediatrics (PEDS) 386, 389
perceived ease of use 451
perceived usefulness 370, 371, 375, 379, 380, 382, 451
personal digital assistant (PDA) 449, 495, 496
pervasive computing 449
PharmaGrid 124, 127, 133, 134, 135
physical infrastructure 34
picture archiving and communication systems (PACS) 76
pilot projects 91, 92, 97
Pocket PC 496
point-of-care decision support tools 385, 387, 389, 390, 393
point of clinical care information system (PoCCS) 52, 54, 58, 72

President's Information Technology Committee 148
 primary care physicians 385, 386, 387, 388, 389, 390, 392, 393, 394, 395, 423
 princeton survey research associates (PSRA) 464
 privacy 451
 problem isomorph 31
 problem space 18, 24, 25, 26, 27, 32
 process architectures 289, 290, 292, 294, 296, 297, 298, 299, 303, 304, 308, 309, 312
 process based information systems effectiveness (PRISE) 74, 76, 77, 78, 79, 80, 81, 82, 83, 86, 87, 88, 89, 90
 process modelling 289, 290, 291, 293, 296, 304, 305, 306, 308
 process patterns 290, 291, 292, 297, 298, 302, 303, 304, 305
 PROforma 234, 237, 244, 245, 251, 252, 253, 254
 prototype usability 67
 public healthcare sector 368, 369, 372, 378, 379, 380
 public healthcare sector, South African 368, 369, 371, 372, 373, 378, 379, 380, 381
 public healthcare services 136
 public key cryptography 282, 283, 287
 pull mechanism 494
 push mechanism 493, 494

Q

qualitative research 112, 483, 489, 491
 quality assurance (QA) 333, 334, 335, 336, 337, 338, 342, 343, 344, 345, 346, 347, 348, 351
 query 494

R

radiology information systems (RIS) 76
 recursive interaction 41
 reference information model (RIM) 242, 243, 254
 rehabilitation liaison officer (RLO) 211, 212, 213, 214, 215, 216, 217
 representational system 19, 31
 requirements engineering 53, 58, 63, 69, 72

result demonstrability 371, 372, 378, 379, 383
 retrieveRecord() 501
 return on investment (ROI) 450, 451
 risk management 289, 290, 295, 297, 299, 300, 310, 311
 risk mitigation 451
 role playing 55, 63, 65, 72, 73
 rtiexec.exe 266, 273

S

satisfaction scale 226
 Schein, Edgar 155, 167
 Schön, Donald 328, 331
 secret key cryptography 283, 287
 security protocols 281, 284
 SendData method 501
 server application 495
 shop floor work 321, 323, 332
 Simul8™ 258, 261, 263, 265, 266, 267, 270
 Six Sigma 75
 small dialysis centers 221, 222, 224, 225, 227, 229, 233
 small group practices 423
 small to medium enterprises (SMEs) 221, 222, 223, 224, 227, 228, 229, 232, 233
 social drivers 96
 social network 206, 207, 208, 216, 217, 218
 social network analysis 217, 218
 sociodemographic characteristics 462
 sociodemographic status 463
 sociotechnical approach 71
 sociotechnical system 33, 34, 37, 44, 45
 sociotechnical systems, culture and 33, 34
 sociotechnical systems (STS) 34, 35, 37, 38
 sociotechnical system workflow 41, 45, 46, 48
 soft factors 216
 SQL query 501
 SQL query string 501
 stakeholder 434, 442, 442–443
 standard information services 133
 strategic dependency (SD) model 208, 211, 212, 216, 220
 strategic rationale (SR) model 208, 211, 212, 213, 214, 215, 216, 220
 strData() 501
 strData() array 502

Index

strRetrieveBuffer() 502
strRetrieveBuffer() array 502
structured observation 53, 62
subjective norm 370, 371, 372, 379, 382
subjective satisfaction 226
supply chain simulation (SCS) 258, 272
system dynamics 256
system dynamics (SD) modelling 191, 193,
194, 195, 196, 197, 199, 200, 203, 204
System reliability 452
system trust (confidence) 208, 209, 210, 211,
215, 216, 217, 218, 220

T

task/technology fit 372, 378, 383
TCD framework, agents 207, 208, 209, 211,
215, 216, 220
TCP/IP network 495
technological change 157, 158, 166, 168
technology acceptance model (TAM) 110, 111,
112, 370, 371, 379, 382
technology adoption 109, 110, 112, 114, 115,
116, 117
technology personalization 353, 354, 355, 361,
364
telemedicine systems 91
thematic analysis 368, 374, 375
third generation (3G) technology 169, 170,
171, 174, 175, 176, 177, 184, 186, 187
threshold cryptosystems 279, 285
trust 451
trust-building 213
trust-confidence-distrust (TCD) framework
205, 206, 207, 208, 210, 211, 216, 217,
218
trust criteria 9, 11
trust issues 206, 207
trust relationships 205, 206, 210, 211, 213, 216
twisted pair 93, 94

U

ubiquitous computing (UbiComp) 66, 67, 69
unified modeling language (UML) 435

unintended consequences 34, 36, 37, 38, 39,
44, 45, 46, 47, 48
universal mobile telecommunication system
(UMTS) 169, 170, 177, 178, 179, 181,
184, 185, 186, 188
usability 54, 55, 65, 66, 67, 69, 71, 451
usability criteria 6, 7, 8, 9
usability evaluations 65, 66, 69
usability laboratories 66, 69
usability laboratory 55
usefulness 109, 110, 111, 112, 114, 117, 118,
119, 120
user-centered design 52, 53, 54
user-perceived usability 66
user's perspective 1, 7

V

value conflict 328
Venus County CCAC 454
Venus County Mobile E-Health Project 454
Veterans Affairs (VA) system 424
videocommunication 91, 92, 93, 100, 107
virtual collaborative healthcare teams 435
virtual electronic medical record (vEMR) 239,
243, 254
virtual healthcare services 136

W

Web-based content 450
Web portals 450
Web Services 131, 132, 137, 141, 143
wireless ad-hoc network 497
wireless application protocol (WAP) 435, 440
wireless computing 493
wireless handheld technology 109, 122
wireless sensor network (WSN) 172
wireless technology 109, 110, 111, 112, 113,
114, 115, 116, 117, 119, 120, 121, 122
wskTCP(2) 502
wskTCP_DataArrival() 502

Z

Zodiac Wireless Inc 454