

Index

A

abstraction dimension 70, 72, 74
 access control 322, 324, 328, 330, 332, 336, 343, 344
 activity-oriented computing (AoC) 281, 282, 283, 286, 287, 288, 309, 311, 312
 activity theory model 177, 178, 182
 advanced traveller information system (ATIS) 231
 ambient business 253, 254, 257, 258, 261, 263, 270
 ambient intelligence 253. *See also* ubiquitous computing (ubicomp)
 angle of arrival (AoA) 86, 90, 92, 93, 94, 95, 101, 103, 105, 106, 107, 109, 110, 112, 114
 ANOVA tests 150, 162, 163
 application scenario 338
 artificial intelligence (AI) 330, 343
 attractiveness of alternatives (AA) 161, 162
 augmented reality , 242
 aura location identifiers (ALIs) 299
 auras 284, 288, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 303, 304, 306, 309, 314, 315
 authentication 322, 328, 330, 331, 332

B

behavioral intention of use (BI) 161, 162, 163

C

camera-phones 2, 15
 classes dimension 70, 74
 context 173, 194, 195, 197, 198
 context, definition of 173
 context, five W's of 174
 context-aware computing 207
 context-awareness 205, 222
 context-awareness, location-awareness 205, 208
 context management 24
 contextual information services (CIS) 294, 295
 Cramer Rao bound (CRB) 86, 107, 108, 109, 111
 Crossbow platform 137, 147

D

DataGlyphs technique 6
 Data Matrix symbology 6, 8, 13, 14, 15, 18, 19
 data processing 329, 339, 340, 342, 344
 declarative applications in immersive sen-

- sor networks (DAIS) 117, 118, 134, 135, 136, 137, 138, 141, 142, 144, 145
- decoders 3, 15, 18
- development dimensions 70
- development framework 76
- device-agnostic 121
- distributed cognition model 177, 178, 180, 181, 189, 193, 195, 198

E

- embodied interaction
 - 203, 204, 205, 208, 222
- emerging technologies
 - 253, 254, 255, 256
- end-user applications 120
- environment management (EM) 291, 292, 293, 294, 296, 298, 299, 306, 307, 308, 315
- environment manager binding protocol (EMBP) 298, 299
- extensible markup language (XML) 236, 243

F

- federative library (FedLib)
 - 252, 253, 268, 269
- feedback management 211
- functional dimension 70, 71, 74

G

- geographical adaptive fidelity (GAF) algorithm 84, 89
- GeoGRID algorithm 84, 88
- global positioning system (GPS) 84, 90, 92, 109, 113, 116
- GOAFR+ algorithm 84, 87
- graphical user interfaces (GUIs) 203, 204, 205, 211, 212, 221
- GRID algorithm 84, 87, 88, 114, 116

H

- human-computer interaction (HCI)
 - 203, 204, 205

- human computer interface (HCI) 177, 182, 192, 194, 195, 196, 197, 198

I

- image processing 229, 230, 232, 233
- immersive environments 144. *See* immersive sensor networks
- immersive sensor networks 119, 120, 122, 123, 125, 126, 144
- in-network aggregation 122
- in-network processing 121
- in-network query resolution 145
- information infrastructure
 - 253, 260, 262, 263
- innovation diffusion theory 150, 164
- instrumented environment 118
- interferometric ranging 86, 90, 93, 94, 95, 103, 107, 109, 110, 111, 112, 113

J

- Java platform micro edition (JME)
 - 3, 11, 12, 13, 21

K

- kinetic-awareness 205
- kinetic-aware systems 206
- kinetic user interfaces (KUI) 210
- kinetic user interfaces (KUI), interaction patterns 204, 212, 213, 219, 221
- kinetic user interfaces (KUI), interaction patterns, continuous tracking 212, 222
- KUI widget (Kuidgets)
 - 215, 216, 217, 220, 221

L

- learner modeling 24, 28, 29
- learning, context-aware 23, 24, 40, 23, 24, 25, 26
- learning, mobile (m-learning) 23, 24, 25, 26, 27, 28, 29, 32
- learning, personalized 24, 25

learning context 25, 23, 24, 25, 23, 25,
26, 27, 28, 29, 31, 32, 35, 36,
38, 39, 40, 42
learning object metadata (LOM)
27, 31, 32
learning objects (LOs)
25, 29, 31, 32, 39
learning Web (LW) 30, 38, 40
localization 83, 85, 86, 87, 88, 90, 91,
93, 94, 95, 96, 97, 98, 99, 100
101, 103, 104, 105, 106, 107,
108, 109, 110, 111, 112, 113,
114, 115, 116
location-aware services 207
location-based multicast (LBM) algorithm
84, 88
location aided routing (LAR) algorithm
84, 87, 88, 113, 116

M

MaxiCode symbology 6
middleware 117, 118, 120, 121, 124,
125, 126, 129, 132, 134, 136,
137, 141, 142, 143, 144, 145,
147, 149, 201, 209, 210, 212,
215, 218, 219, 220, 221, 222
MIDlets 11, 13, 15, 17
mobile ad hoc network (MANET)
84, 87, 89
mobile computing 202, 211, 226
mobile traffic (M-Traffic) system 229,
230, 231, 233, 234, 235, 238,
240, 241, 246, 247, 248, 236
model-driven architecture (MDA)
52, 53, 54, 55, 81
model-driven development (MDD)
46, 52, 53, 56, 57, 58, 59, 67,
68, 69, 70, 77, 78
model human processor model 177
motion as an input modality 206, 211
multilateration 91, 97, 99, 100, 115,
116. *See also* triangulation

N

nesC 124, 137, 138, 141, 147
nomadic computing 203. *See* ubiquitous
computing

O

on-demand loading 3
ontologies 24, 25, 28, 29, 30, 31, 32,
33, 34, 35, 36, 37, 38, 39, 42
open innovation 253, 258
open object information infrastructure
(OOII) 252, 253, 264, 265, 266,
267, 268, 269, 270
over-the-air provisioning (OTA) 11, 13

P

perceived ease of use (PEOU) 158, 160,
161, 162, 164, 165
perceived risk (PR) 161, 162
perceived usefulness (PU) 150, 158, 160,
161, 162, 163, 164
personal device 331, 332, 340
pervasive computing 46, 47, 48, 49, 51,
52, 79, 80, 81, 117, 118, 119,
121, 129, 148, 151, 253, 254,
267, 277. *See* ubiquitous comput-
ing (ubicomp)
pervasive information systems (pervasive
IS) 150, 151, 164
pervasive information systems (PISs)
45, 46, 49, 52, 67, 68, 69, 70,
72, 74, 76, 77, 78
position-based multicast (PBM) algorithm
84, 88, 89
privacy 316, 317, 318, 319, 321, 322,
323, 324, 326, 327, 328, 329,
330, 331, 332, 333, 334, 335,
336, 337, 338, 339, 340, 341,
342, 343, 344, 345, 346
privacy-enhancing technologies (PETs)
323, 324, 325
project aura 288

Q

QR Code symbology 6, 8

R

RADAR project 285
radio frequency identification (RFID) 4, 5
22, 150, 151, 152, 153, 155, 156
157, 158, 159, 160, 162, 163,

164, 165, 167, 168, 169, 264,
269, 272, 274, 275, 277, 279
real-time 229, 230, 231, 232, 233, 235,
237, 239, 240, 243, 247, 249
received signal strength indication (RSSI)
85, 90, 91, 92, 93, 94, 95, 96,
98, 100, 101, 103, 104, 105, 106
107, 109, 110, 112
RETSINA framework 285
routing 83, 84, 86, 87, 88, 89, 97, 111,
113, 114, 115, 116

S

scenarios 213
Semantic Web 23, 24, 25, 26, 28, 32,
34, 40, 41, 42, 43, 255, 265,
266, 270, 272, 274, 275, 277
sensors 229, 230, 232, 233, 237, 243,
245, 247, 248
service announcement & activation proto-
col (SAAP) 293, 315
service request protocol (SRP) 293
service use protocol (SUP) 293
situated action model 177, 179, 180
situated interaction paradigm 181
smart environments 251, 253, 254, 256,
257, 258, 263, 264, 266, 267,
270, 271
smart services 253, 254, 256, 257, 258,
261, 262, 263, 266, 267, 270
spatio-temporal relations 218
strategy patterns 136, 141, 143

T

tangible user interfaces (TUI) 204, 227
task management (TM)
290, 291, 292, 307, 308
technology, user acceptance of 150, 157,
158, 159, 164, 168, 170
technology acceptance model (TAM)
150, 158, 165
ticketing systems 152, 153, 155, 156,
159, 162, 163, 164
time of arrival (ToA) 90, 91, 92, 95,
98, 100, 101, 103, 107, 109, 110
112

TinyOS 124, 137, 142
traffic information system 229, 233
traffic simulator 243–247
triangulation 101. *See also* multilateration

U

ubicomp applications, characteristics of
173
ubiquitous applications, design of 172,
173, 180, 182, 191, 193
ubiquitous commerce 253
ubiquitous computing (ubicomp) 23, 24,
25, 46, 47, 48, 79, 80, 81, 82,
118, 119, 120, 121, 122, 123,
125, 128, 134, 144, 145, 146,
148, 151, 171, 172, 173, 177,
178, 179, 180, 181, 182, 183,
185, 186, 187, 188, 80, 125,
183, 189, 43, 182, 174, 175,
177, 178, 190, 183, 189, 190,
191, 192, 193, 194, 197, 199,
201, 202, 203, 204, 211, 223,
224, 225, 226, 251, 252, 253,
254, 255, 260, 263, 267, 270,
271, 274, 278, 279, 316, 317,
318, 319, 320, 321, 322, 323,
325, 326, 327, 329, 330, 332,
334, 335, 336, 337, 338, 339,
341, 342, 344. *See* pervasive com-
puting
ubiquitous solutions for pain monitoring
and control in post-surgery patients
(uPAIN) 59, 60, 61, 62, 63, 64,
66, 67, 68, 71, 74
universal product codes (UPCs) 5
universal resource identifiers (URIs) 299
unobtrusive interfaces 205, 211
user activities 280, 281, 282, 283,
284, 285, 286, 287, 288,
289, 291, 292, 293, 294, 295,
296, 300, 303, 304, 305, 306,
308, 310, 311, 312
user interface 172, 182, 192, 332

V

video streams 238
virtual sensors 126, 129, 130, 131, 132

133, 134, 139, 141, 143, 144,
146
visual tag 2, 3, 4, 7, 8, 9, 10, 14, 16,
17, 19

W

Web services 26, 32, 34, 41
Weiser, Mark 47, 48, 49, 82
wireless technologies 151