Index

Symbols

2PC (see two-phase-commit) 235

A

accuracy 69
additivity 17
ad hoc analysis 137
ad hoc star queries 137
advanced modeling 9
aggregate navigation 32, 53
aggregation 17
algorithm 269
analysis and modeling 61
association rule mining (ARM) 257, 261
attribute value decomposition (AVD) 186

B

basic bitmap index 161
BBC (see byte-aligned bitmap code) 166
binning 164
bit-sliced index (BSI) 186
bitmap index tuning 168
BSI (see bit-sliced index) 186
byte-aligned bitmap code (BBC) 166

\mathbf{C}

cache approximation query routing 241 canonical schemas 52 chunk-tree representation 147 combustion dataset 171 completeness 69 compression 166 conceptual design 18 conceptual model 122 conceptual modeling 2 consistency 69 contextual data quality 66 controlled requirements expression (CORE) 62 conventional routing strategies 239 convergence 11 CORE (see controlled requirements expression) 62 correctness 242 cost model 206, 217 cross-dimension attribute 10 cube dependence graph 38 cube view 37 currency 69

D	entry point 9
DAG (see directed acyclic graph) 35 database management system (DBMS) 89, 300 data communication cost (DC) 217 data cube 37	equality-encoded bitmap 174 equality encoded bit-sliced index (EEBSI) 187 ETL (see extraction, transformation, and load) 88, 112, 300 expected query response time 70
data driven 62	
data mining (DM) 254	eXtensible Markup Language (XML) 278
data partitioning 236	extraction 119
data quality 58, 65	extraction, transformation, and load (ETL)
data replication 236	88, 112, 300
data source availability 70	F
data warehouse (DW) 1, 88, 203	r
data warehouse design 1	facts 28, 37, 216
data warehouse operational processes 112	fact table 37
data warehouses (DWs) 2	FAS (see freshness-aware scheduling) 232
data warehousing 62, 254	flow measure 17
DBMS (see database management system)	FPR (see fully partitioned replica) 224
89, 300	freshness-aware scheduling (FAS) 232, 242
DC (see data communication cost) 217	freshness index by data deviation 244
decisional model 20	frozen dimension 51
decision support system (DSS) 58, 62	full replica (FR) 222
delay freshness 244	fully partitioned replica (FPR) 224
delta object exchange model (DOEM) 281	runy partitioned replied (1114) 224
descriptive attribute 10	G
DFM (see dimensional fact model) 3	
dimensional fact model (DFM) 3	GEM (see graphical semistructured tempo-
dimension attribute 8	ral data model) 282
dimension constraint 34, 51-53 dimension schema 51	geographical information system (GIS) 299
directed acyclic graph (DAG) 35	global positioning systems (GPS) 301
DM (see data mining) 254	global rollback 107
DOEM (see delta object exchange model)	goal question metric (GQM) 61
281	GPS (see global positioning system) 301
domain 73	GQM (see goal question metric) 61
drill-down 268	graphical semistructured temporal data
DSS (see decision support system) 58	model (GEM) 282
DSS-METRIQ 66	graph morphism 36
DW (see data warehouse) 1, 88, 203	graph morphism 50
dynamic hierarchies 15	Н
E	hash-partition fact and replicate dimensions strategy (PFRD-H) 215
EEBSI (see encoded bit-sliced index) 187 encoded bitmap index (EBI) 185 encoding 161 entity/relationship (E/R) 3	heterogeneous 36 hierarchical chunking 147 hierarchical pregrouping transformation 138
J 1 \ /	100

hierarchy 9 near real time (NRT) 91 hierarchy domain 28, 35, 44 node-partitioned data warehouse (NPDW) hierarchy schema 28, 35 203, 204 high-energy physics dataset 171 nonstandard/complex transformation 91 homogeneous 36 NPDW (see node-partitioned data warehub 102 house) 203 hybrid design 236 NPDW (see node-partitioned data warehouses) 204 NRT (see near real time) 91 null element 45 IBIS (see issue-based information system) $\mathbf{0}$ initial aggregations dictionary 73 initial data dictionary 73 O&M (see operation and maintenance) initial requirements 72 106 intrinsic data quality 66 object exchange model (OEM) 281 issue-based information system (IBIS) 61 OLAP (see online analytical processing) 2, 34, 136, 159, 230, 299 OLTP (see online transaction processing) 2, 159 joint application development (JAD) 61 online analytical processing (OLAP) 2, 136, 159, 230, 299 K online decision support system 230 knowledge discovery in databases (KDD) online transaction processing (OLTP) 257 2, 159 operational systems 62 L operation and maintenance (O&M) 106 optional arc 12 LAN (see local area network) 203 organizational model 20 LC (see local processing cost) 217 loading atomicity 91 P local area network (LAN) 203 local processing cost (LC) 217 parallelism 88, 96 logical model 122 parallel join 206 low bandwidth 208 partition and replicate strategy (PRS) 208, 214 M partitioned replica (PR) 224 partitioning 93, 206, 213 merging cost (MC) 217 PFRD-H 215 metrics 9 physical database design 88, 93 middleware 235 physical design alternatives 235 modularization 99 pipelining 88, 96 motivation 116 PMap (see property map) 188 multidimensional data model 28 pragmatic approach 66 multiple arc 12 previous knowledge 239 N process driven 62 property map (PMap) 188 NCR methodology 62

PRS (see partition and replicate strategy) Standard Generalized Markup Language 208, 214 280 PR (see partitioned replica) 224 star dimension 42, 44 star join 137 0 star query optimization 151 star query processing 143 QFD (see quality function deployment) 61 star schema 3, 31, 42 quality dimensions 73 star transformation 144 quality function deployment (QFD) 61 stock measures 17 quantifying 63 strict time constraints 91 queries 58 structural heterogeneity 32 query-dependence 239 structurally heterogeneous 29 query frequency 70 structurally heterogeneous OLAP data 28 query routing 238 structurally homogeneous 29 summarizability 39, 40, 54 R system architecture 234 ragged (or incomplete) hierarchy 14 T range-encoded bitmap indices 173 RC (see repartitioning cost) 217 temporal data warehouses 284 relational OLAP (ROLAP) 138 temporal graphical model (TGM) 281 reliability/availability 91 temporal hierarchy 13 repartitioning cost (RC) 217 temporal operations 310 replication 212, 242 temporal semistructured data model 277 replication for availability 209 TGM (see temporal graphical model) 281 requirements elicitation 61 thematic operations 310 requirements validation 62 time complexity 172 right-hand side (RHS) 256 timeliness 69 ROLAP (see relational OLAP) 138 transaction model 235 roll-up 267 transaction routing 240 roll-up operation 32, 38 transportation 119 roll-up relation 36 two-phase-commit (2PC) 235 S U scientific approach 65 unbalanced (or recursive) hierarchy 15 secondary event 9 unbalanced dimension 34, 47 self-describing 278 unit measures 17 semistructured data 279

V

variables 9 version freshness 244 volatility 70

W

WAH code (see word-aligned-hybrid code) 166

scientific approach 65
secondary event 9
self-describing 278
semistructured data 279
shared hierarchies 13
skills acquisition 73
slice 268
snowflake dimension 42
snowflake schema 42
software construction 125
SOLAP (see spatial OLAP) 308
source instability 91
spatial OLAP (SOLAP) 308

WBP (see workload-based partitioning)
215
WBP+JB (see WBP with bitmap join indexes) 216
word-aligned hybrid (WAH) code 166
workflow management 99
workload-based partitioning (WBP) 215

X

XML (see eXtensible Markup Language) 278 XML data warehouse 278 XML Web data warehouses 278