

Index

A

- AAM (see adaptive agent model)
- ABRL (see Agent Behaviour Representation Language)
- abstract schema 176
- abstraction 166, 174
- accountability 64
- accuracy 219
- action 64, 66
- action knowledge 64
- activity-decision flow (ADF) diagram 96
- adaptive agent model (AAM) 149, 152
- adaptivity 149, 188
- ADF diagram (see activity-decision flow diagram)
- agent 149, 150, 151, 152, 157, 165, 323, 326, 343
- agent behaviour 152
- Agent Behaviour Representation Language (ABRL) 150
- agent communication diagram 157
- agent message 165
- agent pattern 150
- agent system 149
- agent UML (AUML) 151
- agent-based computation model 343
- agent-object-relationship (AOR) 151
- agent-oriented system 149
- agent-oriented systems development 149
- agent-view reorganization algorithm (AVRA) 326
- agent/rule/class hierarchy 155
- agile method 64
- AGG (see attributed graph grammar)
- AHP (see analytical hierarchy process)
- analytical hierarchy process (AHP) 91
- AOR (see agent-object-relationship)
- API (see application program interface)
- application program interfaces (API) 265
- architecture independence 157
- ArgoUML 32
- ARIES 307
- artefacts/artifacts 88, 96
- association classes 106
- association selection 391
- ATHENA 86
- attributed graph grammar (AGG) 196
- attributes 178
- AUML (see agent UML)
- auto-adaptivity 167
- autonomic computing 206
- AVRA (see agent-view reorganization algorithm)

B

basic schema 176
 behavioural model 152
 benchmark for object-relational databases (BORD) 296
 binding 166
 BORD (see benchmark for object-relational databases)
 BPD (see business process diagram)
 BPMI (see Business Process Management Initiative)
 BPML (see Business Process Modeling Language)
 BPMN (see business process modeling notation)
 buffer pool 206, 209, 211
 buffer pool tuning algorithm 211
 bulk-loading 267
 Bunge-Wand-Weber (BWW) ontology 44, 94, 102, 124
 business classes 162
 business objects 161
 business process diagram (BPD) 95, 88, 101
 Business Process Executive Language for Web Services 97, 189
 Business Process Management Initiative (BPMI) 95
 Business Process Modeling Language (BPML) 80
 business process modeling notation (BPMN) 88, 95
 business rules 109, 149
 business user 101
 BWW ontology (see Bunge-Wand-Weber ontology)

C

case study 32
 CASE tool 161
 CASL (see Common Algebraic Specification Language)
 CDM (see common data model)
 CG (see conceptual graphs)
 changing requirements 149

CIM (see computation-independent model/computational independent model)
 CIS (see cooperative information system) 171
 classification framework 45
 cluster analysis 227, 230
 CML 43
 Combitech Systems AB 32
 Common Algebraic Specification Language (CASL) 2, 16
 common data model (CDM) 322
 common warehouse metamodel (CWM) 4
 compatible matrix 251
 completeness of the conceptual schema 182
 composition operation 382
 computation-independent model/computational independent model (CIM) 1, 2, 3, 396
 conceptual data modeling 290
 conceptual graphs (CG) 375
 conceptual model 43
 conceptual modelling 44
 conceptual schemas 171
 concurrency control 250
 connecting objects 88, 96
 constraints 109
 context 403
 context mechanism 383
 cooperative information system (CIS) 171
 correctness of the conceptual schema 181
 coverage in process 46
 coverage in product 46
 covtype 364
 CPLEX, 197
 cross-validate 230
 CWM (see common warehouse metamodel) 4
 CycL 43

D

Daemon program 327
 DAML+OIL 43
 DAML+OIL Tutorial 49
 data flow diagram (DFD) 100
 data search GUI 327

data-partitioning 250
 database administrator (DBA) 206, 228
 database design 275
 database integration 171, 422
 database interoperability 177
 database management system (DBMS)
 206, 228, 250, 295
 DataSearchMaster 329
 DB2 Universal Database 209
 DBMA-aglet framework 325
 DBMS (see database management system)
 DBMS-aglet framework 325
 deadlock 251
 DEF (see dynamic evaluation framework)
 DFD (see data flow diagram)
 derivation rules 109
 detection and reclustering of objects (DRO)
 306
 development situations 66
 Document Access Problem of Insider
 Threat 405
 DoEF (see dynamic object evaluation
 framework)
 Domain appropriateness 82
 DRO (see detection and reclustering of
 objects)
 DSTC algorithm (see dynamic, statistical,
 and tuneable clustering algorithm)
 dynamic evaluation framework (DEF)
 294, 295, 297
 dynamic GP algorithm (see dynamic graph
 partitioning algorithm)
 dynamic graph partitioning (GP) algorithm
 306
 dynamic object evaluation framework
 (DoEF) 294, 295
 dynamic probability ranking principle (PRP)
 algorithm 306
 dynamic PRP algorithm (see dynamic
 probability ranking principle algo-
 rithm)
 dynamic reconfiguration algorithm (DRF)
 206, 213
 dynamic, statistical, and tuneable cluster-
 ing (DSTC) algorithm 306

E

EDI (see engaging, dynamic innovation)
 EDI CASE 55
 EEML (see Extended Enterprise Modeling
 Language)
 EER model (see enhanced entity-relation-
 ship model)
 efficiency 183
 engaging, dynamic innovation (EDI) 55
 enhanced entity-relationship (EER) model
 275
 enterprise modelling 124
 entity-relationship (ER) 375, 377
 EPC (see event-process chain)
 equality constraint 115
 ER (see entity-relationship)
 evaluation 43, 95
 evaluation of languages 95
 event-process chain (EPC) 96
 executable requirements 167
 export/import functionality 33
 Extended Enterprise Modeling Language
 (EEML) 86
 eXtensible Agent Behaviour Specification
 Language (XABSL) 150
 eXtensible Markup Language (XML)
 43, 149
 external uniqueness constraint 113
 externalisation 149, 167
 eXtreme Programming (XP) 72

F

F-logic 43
 fact type 110
 FCO-IM (see fully communication oriented
 information modeling)
 FDBS (see federated database system)
 feature vectors 249
 federated database system (FDBS) 322
 FEER model (see fuzzy extended entity-
 relationship model)
 FIPA 151
 flow objects 88, 96
 framework 80

FRDB (see fuzzy relational database)
 fully communication oriented information
 modeling (FCO-IM) 375
 functional requirement 152, 153
 fuzzy data 273, 275, 276, 278
 fuzzy extended entity-relationship (FEER)
 model 275
 fuzzy IFO data model (IF₂O) 273
 fuzzy object-relational databases 275
 fuzzy relational database (FRDB) 275, 278

G

generalization hierarchies 179
 goal modelling 124
 gradual moving window of change 310
 granular-locking 257
 Graph eXchange Language (GXL) 196
 graphical user interface (GUI) 327
 GUI (see graphical user interface)
 GXL (see Graph eXchange Language)

H

heterogeneous data 322
 heterogeneous databases 227
 heuristics 177
 HostMaster 329

I

i* 126
 i-Logix Rhapsody® tool 30
 IB (see information broker)
 IBM Rose® tool 30
 ICM (see implementation component
 model)
 ICT (see information and communication
 technology)
 ideal typical method 67
 IF₂O (see fuzzy IFO data model)
 IFO data model 273
 implementation component model (ICM) 11
 implicit semantics 405
 index structures 249
 information and communication technology
 (ICT) 171
 information broker (IB) 326

information retrieval 325
 information security 321
 information systems 125
 information technology (IT) 375
 information-modeling approach 106
 Insider Threat 402
 integrated schema 174
 integration 174
 integration/abstraction 174
 interpretation 65
 interschema relationship identification (IRI)
 227
 IRI (see interschema relationship identifica-
 tion)
 IT (see information technology)

J

JADE 149
 Java database connectivity (JDBC) 228
 JavaBeans 163
 JDBC (see Java database connectivity)

K

K-NN query 265
 key-range locking 256
 knowledge externalizability 101
 Knowledge Query and Manipulation
 Language (KQML) 325
 KQML (see Knowledge Query and
 Manipulation Language)

L

language quality 80, 82
 large-scale models 37
 latches 251
 link techniques 250
 lock-coupling techniques 250
 locks 251
 logical consistency 251
 logical selection 390
 logical sequence number (LSN) 253
 LOOM 43
 LOVeM 96
 LSN (see logical sequence number)

M

- MAIS (multichannel adaptive information systems)
- MAMDAS framework (see mobile agent-based secure mobile data access system framework)
- mandatory role constraints 113
- maturity 48
- MBR (see minimal bounding rectangle)
- MDA (see model-driven architecture)
- MDA-based tools 24
- MDAS (see mobile data access system)
- MDBAS (see mobile database agent system)
- MDBS (see multidatabase systems)
- MDD (see model-driven development)
- message-oriented middleware (MOM) 155
- metadata extraction 402
- metadata interchange format 30
- metamodel 6, 97, 124
- metamodeling patterns 6
- method configuration 65, 68
- method creator 65
- method description 65
- method engineering 64
- method engineering approach 74
- method fragments 66
- method rationale 64
- method tailoring 64
- method-in-action 64
- method-in-concept 64
- method-ism 74
- methodological framework 187
- methodology 45, 171
- methods 64
- MILP (see mixed integer linear programming)
- minimal bounding rectangle (MBR) 349
- minimum bounding region (MBR) 255
- minus 391
- misuse detection 405
- mixed integer linear programming (MILP) 197
- mobile agent 321, 323
- mobile agent-based secure mobile data access system (MAMDAS) framework 320
- mobile data access system (MDAS) 321
- mobile database agent system (MDBAS) 325
- mobile information systems 188
- model interchange 28
- model-based development 1, 28
- model-driven approaches 6
- model-driven architecture (MDA) 1, 2, 189
- model-driven communication architecture 165
- model-driven development (MDD) 1
- modelling tools 29
- modifiability 166
- MOM (see message-oriented middleware)
- moving window of change 310
- MPL (see multi programming levels)
- multi programming levels (MPL) 266
- multichannel 188
- multichannel adaptive information systems (MAIS) 188
- multidatabase 321
- multidatabase system (MDBS) 322

N

- need to know 402
- NEREUS 7
- next-key locking 256
- NFR (see non-functional requirement)
- NIAM 44
- node sequence number (NSN) 253
- node splits 252
- NodeManager 329
- nominalization 106
- non-functional requirement (NFR) 126
- NSN (see node sequence number)

O

- object clustering benchmark (OCB) 296, 301
- Object Constraint Language (OCL) 2

- object database management system (ODBMS) 295
- object frequency 306
- object linking and embedding for databases (OLE DB) 228
- Object Management Group (OMG) 2, 30
- object type 110
- object-oriented database management system (OODBMS) 297
- object-role modeling (ORM) 106, 375
- objectification 106
- OCB (see object clustering benchmark)
- OCL (see Object Constraint Language)
- OCML 43
- ODBC (see open database connectivity)
- ODBMS (see object database management system)
- OIL 43
- OLE DB (see object linking and embedding for databases)
- OLTP application (see on-line transaction processing application)
- OMG (see Object Management Group)
- on-line transaction processing (OLTP) application 213
- Ontolingua 43
- ontological discrepancies 102
- ontology 43, 44, 48, 101, 189, 403
- ontology building 48
- ontology development 101
- ontology specification 44
- ontology specification languages 43
- OODBMS (see object-oriented database management system)
- OPCF (see opportunistic prioritised clustering framework)
- open database connectivity (ODBC) 228
- open interchange standard 30
- open standards 30
- open-source 29
- open-source tool 30, 33
- opportunistic prioritised clustering framework (OPCF) 306
- ORM (see object-role modeling)
- OWL (see Web Ontology Language)
- OWL-Tutorial 49

P

- page usage 306
- PAM (see point access method)
- partial lock-coupling (PLC) 255
- partitioning 196
- path notation 382
- path stack 263
- path-loss 259
- performance 206
- PGP protocol (see pretty good privacy protocol)
- phantom protection 250
- physical consistency 251
- PICM (see platform-independent component model)
- PIM (see platform-independent model)
- PIR protocol (see private information retrieval protocol)
- PKI (see public key infrastructure)
- platform independent model (PIM) 189
- platform specific model (PSM) 1, 189
- platform-independent component model (PICM) 11
- platform-independent model (PIM) 1
- platform-specific component model (PSCM) 11
- platform-specific model (PSM) 1, 3
- Platypus 296
- PLC (see partial lock-coupling)
- point access method (PAM) 349, 359
- predicate locking 256
- pretty good privacy (PGP) protocol 337
- primary keys 178
- private information retrieval (PIR) protocol 337
- process modeling 80
- process partitioning 196
- propositional nominalization 107
- propositions 108
- protégé 43
- PSCM (see platform-specific component model)
- PSM (see platform-specific model)
- public key infrastructure (PKI) 336

Q

QoS (see quality of service)
 QoS trees 193
 quality 42, 80, 98, 189, 193, 337
 quality evaluation framework 125
 quality of conceptual modelling languages 98
 quality of models 80
 quality of service (QoS) 189, 193, 337
 query server 326
 query simplification 376
 query, view, transformations (QVT) metamodel 5
 QVT metamodel (see query, view, transformations metamodel)

R

RAAM (see reflective and adaptive agent model)
 range search 265
 range search operations 265
 rationale 68
 rationality resonance 68
 RDF (see resource description framework)
 RDF/XML 49
 recovery 250
 referential integrity constraints 178
 reflective 192
 reflective and adaptive agent model (RAAM) 167
 reification 106
 reinsert operations 250
 relational database schemas 178
 relevance of documents 403
 remote procedure call (RPC) 325
 repository 171
 representation of product 48
 requirements 163
 requirements transformation 154
 resource description framework (RDF) 43, 376, 404
 resource management 206
 retrieval server 326
 reuse 171
 reuse of product and process 47

Rhapsody 32
 ripple effect 166
 risk and compliance 402
 RM 377
 robustness 220
 role concept 383
 Rose Realtime 32
 RosettaNet 96
 round-trip interchange 33
 RPC (see remote procedure call)
 rule model 154
 RUP 45

S

S-reference dependency protocol 310
 SAM (see spatial access method)
 schema correspondences 229
 SCM (see semantically complete model)
 SCM-based client/server technology 395
 SCQL (see Semantically Complete Query Language)
 SCRUM 72
 secure socket layer (SSL) protocol 337
 self-adaptivity 167
 self-organizing map (SOM) 227, 228
 semantic analysis 402
 semantic annotations 402
 semantic associations 403
 semantic completeness 375
 semantic conflict 420, 421
 semantic discovery 403
 Semantic Web 42, 402
 semantically complete model (SCM) 375, 380
 Semantically Complete Query Language (SCQL) 375, 378, 382, 396
 semiotic framework 98
 semiotic quality framework 95
 SHOE 43
 SHORE 296, 307
 simple QSF-trees (sQSF-trees) 369
 situational method 67
 situational nominalization 107
 social action 65
 software architecture 157
 software processes 65

space-partitioning 250
 spatial access method (SAM) 349
 sQSF trees (see simple QSF-trees)
 SSL protocol (see secure socket layer protocol)
 SSM (see summary-schemas model)
 SSM administration server 326
 SSM prototype 326
 stakeholder participation 47
 star notation 383
 state machine 150
 states of affairs 108
 structural model, agent diagram 155
 structuring primitives 173
 summary-schemas model (SSM) 321, 322, 326
 SWETO (see test-bed ontology)
 swimlane 88, 96
 systems development 28

T

TAU 32
 TDIM (see top-down index region modification)
 Telos 43
 template 124
 test-bed ontology (SWETO) 406
 thesaurus server 326
 tool 171
 tool lock-in 28
 top-down index region modification (TDIM) 254
 TPC (see Transaction Processing Performance Council)
 Transaction Processing Performance Council (TPC) 295
 transformation 393
 two-phase locking 256
 two-way encapsulation 165

U

UEML (see Unified Enterprise Modelling Language)
 UML (see Unified Modeling Language)

UML class diagram 32
 UML diagram 193
 UML model 30
 Unified Enterprise Modelling Language (UEML) 86, 125
 Unified Modeling Language (UML) 2, 17, 30, 32, 44, 87, 95, 106, 149, 193
 union 392
 uniqueness constraint 111
 UoD 44

V

values 65
 view 174
 virtual object-oriented database (VOODB) simulator 307
 VOOB simulator (see virtual object-oriented database simulator)

W

Web Ontology Language (OWL) 43, 54
 Web Service Definition Language (WSDL) 189
 Web services 97, 188
 Web Services Business Process Execution Language (WS-BPEL) 95
 Web-based ontology specification language 48
 weltanschauung 45
 workflow processes 150
 WS-BPEL (see Web Services Business Process Execution Language)
 WSDL (see Web Service Definition Language)

X

XABSL (see eXtensible Agent Behaviour Specification Language)
 XMI (see XML metadata interchange)
 XMI interchange 36
 XML (see eXtensible Markup Language)
 XML metadata interchange (XMI) 5, 28, 30, 36