

Index

Index

A

access overhead times 230
 access time 49, 50, 60, 88, 92, 93, 94, 95,
 96, 98, 99, 129, 130, 134, 139, 140,
 142, 153, 154, 161, 162, 171, 172,
 173, 174, 175, 182, 183, 184, 185,
 186, 187, 188, 198, 205, 209, 212,
 227, 253, 267, 268, 269, 270, 277,
 304, 321, 335, 338, 343, 344, 348
 amplitude 19, 21, 331
 animations 15
 aspect ratio 22, 24, 25

B

bandwidth-to-space ratio (BSR) 121, 122,
 123, 124, 125, 126, 127
 bandwidth-to-space ratio (BSR), actual
 122, 123
 bandwidth-to-space ratio (BSR), allocated
 122, 123, 124, 125, 126
 bandwidth-to-space ratio (BSR), replica-
 tion 121, 122, 123, 126
 bandwidth-to-space ratio (BSR) deviation
 123, 126

basic policy 296, 298, 321
 bi-directional predicted pictures 83
 bits per pixel 16, 17
 byte hit ratio 327, 369, 380

C

cache admission policy 324, 326, 327, 384
 cache array routing protocol (CARP) 377
 cache misses 327, 334, 339, 341, 385
 cache replacement policy 324, 327, 333,
 335, 364, 369, 384
 caches, hierarchical Web 370
 cache value 328, 329, 332, 334, 335, 336,
 337, 338, 347, 348, 353, 354, 359,
 360, 362, 363, 364, 365, 366, 384,
 385
 caching, hotspot 343, 352, 353, 354, 369,
 378, 379, 381, 386
 caching, interval 343, 355, 356
 caching, layered based 357
 caching, memory 324, 326, 341, 344, 345
 capacity miss 327, 342, 345, 346, 370,
 371, 372, 373, 378
 circular buffer 291, 292, 296, 297, 298,
 321, 322
 coding, arithmetic 63, 64, 71, 73, 74, 77,
 86, 88
 completeness of layer 360
 compression, asymmetric 83

compression, hybrid 77, 78, 86
 compression, JPEG 18, 77, 78, 79, 81, 83, 84, 86
 compression, JPEG2000 3, 61, 77, 78, 81, 82, 86, 88
 compression, lossless 77
 compression, lossy 77
 compression, LZ77 63, 64, 67, 68, 69, 70
 compression, MPEG 77, 78, 82, 83, 84, 85, 86, 88, 301, 353
 compression, MPEG2 83
 compression, noiseless. *See* compression, lossless
 compulsory miss 327
 content distribution network (CDN) 9
 content distribution system 38, 39
 content providers 11
 continuity 29, 31, 32, 88, 92, 97, 104, 187, 205, 209, 225, 227, 248, 249, 251, 252, 255, 256, 257, 259, 260, 285, 304, 317, 343, 344, 346, 358, 360, 361, 362, 366, 374, 386

D

data consumption rate 103, 104, 204, 273, 274, 280, 282, 285, 288, 289, 298, 303, 307, 318, 321
 data migration 1, 143, 157, 158, 170, 180, 187, 200, 262, 266, 318, 320, 322
 data transfer rate 46, 56, 95, 153, 170, 181, 204, 268, 281, 282, 288, 321
 data transfer time 49, 51, 55, 56, 57, 60, 88, 94, 95, 98, 99, 141, 153, 157, 170, 171, 180, 185, 227, 229, 239, 253
 depot system 38
 dequantization 80
 dictionary methods 64, 66, 67, 86
 digitization 21, 26
 directory based cooperation 374, 377
 disk array 57, 58, 59, 60, 102, 104, 105, 108, 116, 126, 127, 128, 133, 141, 142, 342
 disk bandwidth, aggregate 103, 104
 disk multitasking 115, 118, 119, 120, 134
 disk platters 43, 44, 45, 59, 88, 98, 149, 219, 223, 259

disks, compact (CDs) 5, 21, 22, 46, 47, 149, 290, 292, 293, 294, 297
 disks, digital versatile (DVDs) 22, 46, 47, 149
 disks, magnetic 40, 43, 44, 45, 46, 47, 48, 59, 88, 133, 146, 148, 149, 229
 disks, millipede 47
 disks, Nano-RAM 48
 disks, optical 46, 47, 48, 59, 88, 145, 146, 149, 150, 154, 188, 189, 190, 191, 196, 206, 207, 291
 disks, redundant array of inexpensive (RAID) 58, 59, 60, 115, 116, 117, 128
 disks, redundant array of inexpensive (RAID), streaming 115, 116, 117, 128
 disks, zoned 3, 34, 45, 46, 50, 59, 60, 88, 94, 97, 100, 136

E

earliest deadline first (EDF) method 241, 242, 243, 244, 245, 246, 248, 249, 256, 259
 entropy 70, 71, 74, 86, 88
 erase and redraw process 16
 exchange time 153, 154, 162, 164, 165, 170, 171, 176, 181, 185, 186, 187, 188, 204, 205, 209, 267, 269, 282, 303, 304

F

feasibility condition 190, 191, 195, 196, 197, 205, 209, 228, 229, 232, 236, 239, 241, 259
 first-come-first-serve (FCFS) 213.
 See first-in-first-out (FIFO)
 first-in-first-out (FIFO) 213, 214, 215, 223, 242, 258
 frequency 19, 21, 77, 78, 83, 90, 92, 93, 94, 95, 96, 97, 99, 119, 120, 136, 140, 144, 161, 162, 163, 164, 165, 166, 208, 329, 332, 333, 348, 363, 364, 365

G

gap time 229, 230, 232, 233, 236
 graphics 7, 8, 13, 14, 16, 25, 26
 graphics array, colour (CGA) 25
 graphics array, enhanced (EGA) 25
 graphics array, extended (XGA) 25
 graphics array, super video (SVGA) 25, 26
 graphics array, video (VGA) 25
 greedy dual size (GD-size) 328, 335, 336, 339, 385
 group-of-pictures (GOPs) 83, 379
 group-of-pictures (GOPs), B-frames 83, 84, 86
 group-of-pictures (GOPs), I-frames 83, 84, 86
 group-of-pictures (GOPs), P-frames 83, 84, 85, 86
 group sweeping scheduling (GSS) 137, 241, 249, 250, 251, 252, 255, 256, 257, 260

H

hash based cooperation 377
 hierarchical storage system (HSS) 138, 143, 144, 145, 151, 159, 161, 187, 188, 199, 208, 209, 261, 262, 318, 322
 hit 326, 327, 329, 334, 339, 342, 346, 360, 369, 380, 385
 hit, weighted 360
 hit ratio 327, 329, 334, 339, 342, 346, 369, 380, 385
 Huffman coding 63, 77, 84
 hybrid method 64, 86

I

image 3, 6, 8, 13, 15, 16, 17, 23, 24, 25, 26, 31, 61, 77, 78, 79, 80, 81, 82, 84, 86, 88
 information content 70, 74
 input/output (I/O) bus 41, 264, 267
 input/output processor (IOP) 41, 42, 43
 interactive television (ITV) 9, 10
 interleaved contiguous placement 144, 188, 191, 197, 198, 205, 209

interpolations 84
 intrapictures. *See* GOPs, I-frames

L

layer based 358
 least frequently used (LFU) 328, 332, 333, 338, 340, 384
 least recently used (LRU) 328, 329, 333, 334, 335, 336, 338, 339, 340, 384, 385
 least recently used (LRU)-min 328, 334, 335, 336, 339, 340, 385
 least unified value (LUV) 328, 336, 337, 338, 339, 384, 385

M

media distortion cost 363, 364, 365
 mix 328, 337, 338, 339, 340, 384, 385
 motion estimation 84
 multimedia database systems 39
 musical instrument digital interface (MIDI) 22

N

nano random access memory (NRAM) 48, 59, 88
 network costs 363, 364, 365, 366
 networks, peer-to-peer (P2P) 9

O

object recency 328, 329, 334, 335, 336, 347, 348, 364
 objects, super 131, 132

P

partitioning, front and rear 372
 partitioning, multiple hotspots 380
 phase based constraint allocation 130, 131, 132, 133, 138, 139, 142
 phases 131, 133, 139, 142
 pipelining, normal 200, 262, 281, 285, 286, 287, 288, 290, 291, 296, 299, 315, 316, 317, 321
 pipelining, segmented 262, 281, 290, 300, 301, 313, 315, 316, 317, 318, 322

- pipelining, space efficient (SEP) 262, 281, 288, 290, 291, 293, 296, 298, 299, 316, 318, 321
 - placement, bandwidth based 92, 97, 98, 99, 136, 141
 - placement, contiguous 144, 156, 157, 158, 160, 161, 172, 174, 184, 188, 189, 191, 193, 195, 197, 198, 205, 208, 209
 - placement, frequency based 92, 93, 94, 95, 96, 97, 99, 136, 140, 144, 161, 162, 163, 164, 165, 166, 208
 - placement, log structured 157, 159, 160, 208
 - placement, popularity based 93. *See* placement, frequency based
 - placement, pseudorandom 102, 108, 111, 112, 141
 - placement, temperature based 93. *See* placement, frequency based
 - predicted pictures 83. *See* GOPs, P-Frames
 - preprocessing 79
 - production consumption rate (PCR) 282
 - proxy servers, child 370, 371, 372, 373, 375
 - proxy servers, parent 370, 373, 377
 - proxy servers, reverse 38
 - pull-based approach 27
 - push-based approach 27, 28
- Q**
- quantization 78, 79, 80, 81, 86, 88
- R**
- random access memory (RAM) 33, 40, 48, 58, 60, 342
 - read/write heads 43, 44, 45, 49, 51, 52, 53, 54, 102, 147, 148, 153
 - recursive leader 369, 372
 - region based constraint allocation method 134, 137, 138, 139, 142
 - region of interest (ROI) 81, 86, 88
 - regions, logical 45, 81, 86, 88, 130, 134, 135, 136, 137, 138, 139, 142, 256
 - reposition latency 303, 313, 314, 315, 316, 317, 318, 322
 - reposition time 153, 157, 170, 181, 188, 204, 205, 209, 267, 282, 303, 304
 - representation, cyan, magenta, yellow, and black (CMYK) 18, 26
 - representation, red, green, and blue (RGB) 17, 26, 79, 84
 - representation, YCbCr 17, 18, 26, 79
 - representation, YUV 17, 18, 26, 84
 - resident leader 343, 344, 345, 346, 353, 365, 372, 373, 374, 385
 - robotic arm 151, 152, 165, 168, 169, 175, 176, 177, 178, 179, 180, 185, 186, 201, 208, 264
 - rotational delay 53, 54. *See also* rotational latency
 - rotational latency 49, 51, 53, 54, 55, 60, 88, 94, 198, 227, 253, 268
- S**
- SCAN, unidirectional 137, 219, 221, 223, 246, 257, 259
 - SCAN-EDF 243, 244, 245, 246, 248, 249, 256, 259
 - SCAN algorithm 213, 214, 216, 217, 218, 220, 222, 241, 246, 249
 - scan format, helican 148
 - seek distance 51, 52, 53, 60, 88, 90, 94, 97, 130, 134, 135, 136, 138, 219, 223, 229, 244, 245, 259
 - seek time 49, 51, 52, 53, 60, 88, 94, 95, 129, 130, 131, 133, 134, 136, 137, 138, 139, 142, 213, 219, 223, 227, 229, 243, 252, 253, 256, 259, 268
 - server, Lancaster continuous media storage 117
 - servers system, distributed 39
 - server system, distributed multimedia 36, 37, 38
 - server system, simple multimedia 34, 35
 - service time 170, 226, 227, 237, 277, 278, 279, 321, 342, 369, 381, 386
 - set-top box (STB) 7, 10
 - shrinking buffer policy 296, 298, 322
 - sound quality level 21
 - space stealing policy 296, 297, 298, 322
 - spiral track 45, 46, 47, 59, 88, 149

staging 97, 157, 158, 160, 204, 208, 262,
 264, 265, 266, 267, 268, 270, 272,
 273, 275, 276, 277, 278, 280, 287,
 288, 289, 290, 291, 296, 299, 300,
 304, 317, 318, 320, 321, 343, 349,
 350, 351, 366, 367, 385
 start-up latency cost 363, 364, 365, 366
 statistical methods 64
 statistical placement 92, 97, 99, 140, 144,
 165, 187, 208
 storage area network (SAN) 9, 38
 storage pattern altering (SPA) policy 191,
 195, 196, 197, 198, 205, 209
 storage pattern preserving (SPP) policy
 191, 192, 193, 194, 195, 196
 stream, response time of a 227
 streams, aperiodic 30
 streams, continuous 31, 360
 streams, discrete 31
 streams, heterogeneous 190, 205, 209,
 228, 233, 236, 239, 255, 259, 278
 streams, homogeneous multimedia 131,
 189, 190, 205, 209, 228, 230, 233,
 239, 249, 250, 251, 255, 256, 259,
 273, 275, 278
 streams, irregular 31
 streams, request 2, 28, 31, 93, 115, 121,
 225, 241, 262, 341, 368
 streams, strongly periodic 29
 streams, strongly regular 30
 streams, weakly periodic 30
 streams, weakly regular 30
 striping, concurrent 144, 188, 199, 200,
 201, 203, 204, 205, 209
 striping, data 101, 107, 113, 167. *See*
also striping, disk
 striping, disk 101. *See also* striping, data
 striping, parallel tape 144, 167, 168, 170,
 171, 172, 174, 175, 176, 177, 180,
 182, 184, 185, 186, 198, 204, 208,
 209
 striping, simple 102, 104, 106, 112, 131,
 141
 striping, staggered 102, 105, 106, 112, 141
 subband coding 78, 79, 80
 symbolwise methods 64, 86

T

tape exchange time 170, 181
 tape format 147, 148, 149, 150
 tape format, linear 148
 tape format, serpentine 148
 tape libraries, robotic 151, 152, 154, 168,
 171, 172, 176, 177, 182, 186, 200,
 207, 208, 292, 299
 tape reposition time 170, 181
 tapes, exchange of 151
 tapes, magnetic 146, 147, 148
 tapes, optical xvii, 145, 146, 150, 154, 207
 tapes, optimal number of striping 173, 184
 tape striping, parallel xviii
 tape transfer rate 153, 267, 285, 303
 Tier-1 coding 81
 Tier-2 coding 81
 time distribution model 331
 time slicing 272, 273, 275, 276, 277, 278,
 289, 299, 318, 321
 tracks 44, 45, 46, 50, 51, 52, 56, 59, 88,
 94, 95, 96, 118, 129, 130, 133, 134,
 136, 137, 139, 142, 147, 148, 150,
 213, 214, 215, 218, 219, 221, 223,
 229, 246, 253, 259
 transforms, intercomponent 79
 transforms, irreversible colour (ICTs) 79
 transforms, reversible colour (RCT) 79
 transverse format 150
 triangular placement 144, 167, 175, 176,
 179, 180, 181, 182, 184, 185, 186,
 198, 209, 269, 270

V

variable length segmentation 343, 347,
 348, 365, 385
 video 3, 6, 7, 8, 9, 10, 11, 12, 13, 14, 22,
 23, 25, 26, 30, 32, 60, 61, 77, 82,
 83, 86, 87, 88, 97, 99, 100, 103,
 113, 127, 128, 131, 132, 133, 134,
 138, 139, 142, 148, 149, 165, 188,
 257, 271, 300, 301, 330, 338, 343,
 344, 349, 350, 351, 352, 354, 366,
 367, 381, 384, 385, 386

video-on-demand 9, 10, 11, 12, 13, 32,
 60, 83, 87, 100, 113, 131, 132, 133,
 134, 138, 139, 142, 257, 271, 300,
 344, 350, 354
 video-on-demand, dynamically allocated
 11, 13
 video-on-demand, near 11, 12, 131, 132,
 133, 134, 138, 142, 344
 video-on-demand, partitioned 11, 12
 video-on-demand, true 11, 354
 video conferencing 8, 13
 video frame rate 23
 video frames 23, 24, 26, 82, 83, 84, 86
 video staging 343, 350, 351, 366, 385
 viewing distance 22, 25

W

waiting time 53, 118, 165, 205, 209, 212,
 215, 219, 226, 227
 wavelengths 19
 wavelet 78, 79, 80, 86, 88
 wireless networks, cost based method for
 362

Z

Zipf-like distribution 93, 330, 331, 338,
 384
 Ziv-Lempel coding 67