

Index

2D averaging algorithm 107, 109-110
 2D DTCWT - See Two Dimension Dual Tree Complex Wavelet Transform.
 3D DTCWT - See Three Dimensional Dual Tree Complex Wavelet Transform.
 2D DWT - See Two Dimension Discrete Wavelet Transform.
 2D wavelet 145, 150
 4g communications 103

A

access router (AR) 190, 200
 acoustic energy flow 170
 acoustic signals 166-167
 acoustic wave-front 167
 active queue management (AQM) 87-91, 94-95, 98, 100-102
 adaptive grid 242, 258
 adaptive-grid-based map 243, 245-247, 254
 Additional Control Gap (ACG) 49, 52
 Additive White Gaussian Noise (AWGN) 105, 146, 151
 ad hoc networks 1-2, 5, 8, 16-21, 32-33, 35, 44-53, 58-60, 111
 advertising and marketing channel 262
 American IPv6 registration services (ARIN) 134
 anonymization area 242, 244-246, 249-253, 258
 anycast address 136
 application adapter 65
 Application Programming Interface (API) 63, 68, 72, 213-214, 216, 224, 270, 275
 Arabic corpus 227
 Asia Pacific Network Information Center (APNIC) 134
 asymptotic values 233
 automatic program generation 212
 Automatic Speaker Recognition (ASR) 165, 181, 228, 230, 238-241

B

bandwidth allocation 88-91, 102
 bandwidth utilization 88
 Base Station (BS) 89, 105, 204
 behavior detection 1, 5, 8, 11-14
 Best Effort (BE) 88, 90
 bilinear interpolation 103, 107, 109-110
 Binding Update (BU) 186-187, 189, 202, 206
 bit error rate (BER) 109-110
 bit-stream information 114
 bit-stream models 114
 block variance 146
 bottle-neck problem 244
 brand-building ads 263
 broadband wireless access (BWA) 101, 104, 111
 bug detection 216

C

camera control 164, 174, 178-179
 care-of-address (CoA) 183, 185-190, 195, 199-207
 Care-Of Test Init (COTI) 188
 carrier sense mechanism 51
 Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA) 50, 59-60
 car-to-car communications 20
 category ads 263
 cellular networks 5, 198-199
 centralized authority (CA) 36
 centralized trusted party architecture 243-244
 central limit theorem 146
 channel contention delay 48
 channel estimation 103-107, 109-111
 charge-coupled device (CCD) 146
 collision avoidance 49-50, 52
 Complex Wavelet Transform (CWT) 145-146, 149-150
 component based software 61, 76

component based software engineering 61
 concurrent transmission 47-49, 52, 55-56, 58
 concurrent transmission MAC protocol (CTMAC)
 47-49, 52-58
 congestion control mechanism 47-48, 88-89
 Connected Limited Device Configuration (CLDC)
 67, 76, 213, 220, 222, 224
 Connectivity Aware Routing (CAR) 21, 30-33
 contiguous frequency 105
 conventional advertising 263-264
 cooperative algorithms 36
 Correspondent Node (CN) 184, 202-203
 covariance matrix 235-236
 cross-correlation 164, 168-169
 cyclic prefix (CP) 104, 109

D

data mining 125, 129-130, 214-215, 225, 242-243,
 259
 data mining algorithms 214-215
 data mining techniques 242
 data transmission 51, 103, 108
 DCF inter-frame space (DIFS) 50
 Dedicated Short Range Communications (DSRC)
 20-22, 24-25
 Denial of Service (DoS) 2
 Diffie–Hellman (DH) key exchange 37
 digital certificates 1, 3, 5-6, 8-10, 17
 digital classified ads 263
 digital coupons 263
 directional antennas 50, 59-60
 directional MAC (DMAC) 50
 directional network allocation vector (DNAV) 50
 directional virtual carrier sensing (DVCS) 50, 59
 discrete-time domain 233
 Discrete Wavelet Transform (DWT) 145-155, 157-
 162
 Distributed Co-ordination Function (DCF) 50-51,
 58
 drop-tail queue management 91
 dual-tree complex 145, 150, 163
 Dual-Tree Complex Discrete Wavelet Transform
 (DT CDWT) 149
 Dual-Tree Complex Wavelet Transform (DT CWT)
 149
 dynamic allocation scheme 106
 Dynamic Host Configuration Protocol (DHCP) 136,
 185, 196, 200
 dynamic topology 2

E

electronic commerce 261, 284-285
 end-to-end delay 47-48, 58, 89-90, 93-94, 96, 99,
 184, 195
 end-to-end throughput 48
 energy differential 164-165, 170-172, 175, 179
 energy differential method (EDM) 164, 170-171,
 175-176, 178-180
 environmental monitoring 61-62
 European Regional Internet Registry (RIPE) 134
 exposed terminal problem 51-52
 Extended Mobile Internet Protocol (EMIP) 183,
 185-187, 189-191, 193, 195
 Extended Mobile IPv6 route optimization 183, 196
 extended real-time Polling Service (ertPS) 90

F

fault tolerance 62, 64, 68, 70, 74-75, 82, 198
 filter bank 148-150, 233
 filtered correlation method (FCM) 164, 168-169,
 175-176, 179-180
 finite intervals 3
 first order energy 171
 fixed-grid-based map 243, 246-247, 254
 flooding based routing 21-22
 Foreign Agent (FA) 36, 38-39, 137, 199, 204
 forward error correction (FEC) 109-110, 135
 frequency-averaging-time-interpolation (FATI) 107,
 109-110
 frequency dimension 106, 108
 frequency subcarriers 105, 107-109
 functional module 244
 Fusion Favoring the Correlation (FFC) 173, 175-
 176, 179-180
 Fusion Favoring the Energy (FFE) 134, 173-175,
 179
 fusion techniques 164-165, 172-175, 178-180

G

game-based ads 263
 Gaussian distribution 146
 Gaussian noise 105, 146, 152-153, 157-158
 General Packet Radio Service (GPRS) 89, 143
 Global Information Grid (GIG) 1-2, 16
 glottic signal 169
 grid-based map 243, 245, 247, 249
 grid-based solution 245-247
 group key distributors (GKD) 37

H

headway distance 22, 30
heterogeneous prosodic features 228
hexadecimal fields 134
hidden terminal problem 51
High Speed Downlink Packet Access (HSDPA) 87, 89
home address (HoA) 183-184, 189, 195, 199-200, 202
Home Agent (HA) 36, 38-39, 183, 199-203, 209
Home Test Init (HOTI) 188
host impersonation 2
Human Visual System (HVS) 114, 151-152
hybrid analysis 147
hybrid spatial-frequency representation 147

I

IETF route optimization 202-203
individual links 19-20
infinite number 3, 13
information disclosure 2
intelligent CASE tool 212
intelligent denoising system 145, 147, 160, 162
Intelligent Transportation Systems (ITS) 20
inter domain agent 35, 44
Interface Definition Language (IDL) 63-64
Interference Cancellation (IC) 49
International Telecommunication Union (ITU) 1-4, 6, 8, 17, 114-115, 130
inter-NEMO 185, 190-191, 195
internet-based advertising 264
Internet Engineering Task Force (IETF) 32, 101, 131, 133, 135, 199, 202-203, 209
Internet Protocol (IP) 132, 198
Internet Protocol version 4 (IPv4) 131-136, 140-143, 204, 210
Internet Protocol version 6 (IPv6) 131-144, 183-186, 188-189, 195-197, 200, 208, 210
Internet Service Providers (ISP) 134
inter-speaker variability 228-230, 239
interstitial ads 263, 276
Interval Temporal Logic (ITL) 1, 3, 12, 17
intra-group rekeying systems 37
intra-NEMO 185, 189-190, 193-195
intra-speaker variability 229-230, 240
IP auto-configuration 131
IPv4-Mapped IPv6 Address 135

J

Java applications 212, 215, 223
Java class 214, 217
Java code fragments 212
Java mobile applications 212
Jump Developer Desktop (JDD) 215
Jump Transformation Engine (JTE) 215

K

k-anonymity 244, 259
k-area cloaking 244
Kilobyte Virtual Machines (KVM) 213-214

L

Learning Vector Quantization (LVQ) 227-228, 232-236, 238-240
least squares (LS) estimator 107
Linear Frequency Cepstral Coefficients (LFCC) 232
linear-time temporal logic 3
link duration 19-22, 26, 28-29, 34
link-local 131, 135
link-local unicast address 135
link traffic 90
Linux Red Hat 133
Local Fixed Node (LFN) 184
Local Mobile Node (LMN) 184, 189
location area (LA) 199
location-based ads 263, 276
location-based services (LBS) 242-244, 259-260
location privacy 242-245, 259
location transparency mechanism 244
location update (LU) 198, 205-207, 210
logarithmic energy 164, 172
logarithmic energy differential 164, 172
LooCI middleware 62, 65-66, 72, 77
Loopback address 135
Loosely-coupled Component Infrastructure (LooCI) 61-62, 65-79, 81-83
low frequency 103, 108-109, 232-233
low-frequency energy 227, 233, 238
LVQ algorithms 232-233, 238, 240

M

machine learning 112-113, 118, 129-130, 224
Machine Learning (ML) algorithms 119, 128
machine learning prediction 112
macro-mobility management 199, 203
manual configuration 131-133, 137-138, 142-143

marketing and advertising 262
 Mean Opinion Score (MOS) 113
 Mean Squared Error (MSE) 114, 152
 Media Access Control (MAC) 39, 47-52, 54, 56-60, 93, 135-138, 189, 222
 media streaming 87-88, 90, 100-101
 Mel Frequency Cepstral Coefficients (MFCC) 232, 235, 237
 memorizing algorithm 242-243, 247, 254, 256-257
 metropolitan area network (MAN) 60, 103-105
 micro-mobility 198-200, 203-204, 206, 209
 micro-mobility management 199, 203-204, 206
 mix zone 244
 Mobile Ad Hoc Network of Networks (MANoN) 1-12, 14-17
 Mobile Ad hoc Networks (MANET) 1-2, 5, 9, 11, 15, 17-20, 22, 32, 35-37, 44-45, 49, 56, 59
 mobile ads 261-262, 267-271, 274, 276-278, 283-284
 mobile advertising system 261-262, 284
 mobile agents (MA) 35-36, 38
 Mobile Agents Technology (MAT) 36
 Mobile Anchor Point (MAP) 151, 185
 mobile clients (MC) 35, 38
 mobile commerce 260-262, 284
 mobile commerce applications 261
 mobile commerce systems 261
 mobile communications 198, 209, 285
 mobile configuration 166
 mobile coupons ads 263
 mobile host 199-209
 Mobile Information Device Profile (MIDP) 213-215, 220, 222, 225, 269, 275
 Mobile Internet Protocol (MIP) 184, 199-206, 209-211
 Mobile IPv6 143, 183-186, 188-189, 195-196, 200, 210
 mobile networking 1-2
 Mobile Network Nodes (MNN) 183, 185-189, 191, 195
 Mobile Network Prefixes (MNP) 187, 190
 mobile networks 89, 102, 183-187, 189-191, 193, 195-199, 209-211
 mobile publishers 262, 265, 270, 283
 mobile router (MR) 38, 183, 187
 mobile station (MS) 94, 104
 mobile technologies 212, 261
 mobile WiMAX 87, 101-102
 mobility based routing 21
 mobility management 184, 195-196, 198-199, 206, 209-211

Modified Learning Vector Quantization (MLVQ) 227-228, 232-236, 238, 240
 Multicast addresses 134-136
 multi-hop ad hoc networks 47-49, 53
 multi-hop RTS MAC (MMAC) 50
 multimedia automation and applications 164
 Multiuser Detection (MUD) 49

N

nearest-neighbor classification 233
 Network Allocation Vector (NAV) 50, 55
 network card 133, 139-140
 Network Centric Warfare (NCW) 1-2, 18
 network congestion 48, 58, 88
 Network Mobility Basic Support protocol (NEMO BS) 183-185, 189-191, 193, 195
 network mobility (NEMO) 183-191, 193, 195-196, 210
 Network of Networks (NoN) 1-2, 16-17, 162
 Network Simulator (NS-2) 1
 next generation IP 132
 NIST evaluations 227
 non-cooperative architecture 243
 nrtPS - See on-real-time Polling Service.

O

omnidirectional antennas 50
 online advertising 262-263, 273, 275-277
 online learning 112-113, 115, 119, 121-122, 125-128
 on-real-time Polling Service (nrtPS) 90, 94
 Optimized Distance for Heterogeneous Features (ODHEF) 227-228, 230, 232-233, 235-236, 238
 Optimized Route Cache Management (ORC) 186, 197
 orthogonal frequency 103, 111
 Orthogonal frequency division multiple access (OFDMA) 103-106, 108-109
 orthogonal frequency division multiplexing (OFDM) 103-106, 110-111
 Overlapped Carrier-Sense Multiple Access (OC-SMA) 49, 59

P

path maintenance 19, 28, 31
 Peak Signal to Noise Ratio (PSNR) 92, 94, 97-98, 114, 152-154, 156, 158-161
 peer-to-peer cooperative architecture 243-244

Index

Personal Area Network (PAN) 183
Personal Digital Assistants (PDA) 116, 118, 122-125, 143, 212
pervasive vehicular network 20
Point-to-Multipoint (PMP) 91, 101
policy-based management 61-62, 66, 75, 83
polymorphic operation 214
privacy level 245-250, 252-254, 257
privacy module 244
privacy preserving 242-243
probabilistic routing protocol 19
probability based routing 21
program source-code 216
prosodic features 227-229, 232-233, 235-236, 238-239
Public Key Infrastructure (PKI) 5, 8-10, 36-37

Q

QoE-aware management 112
QoE estimation 112-115, 121
QoE prediction 112-113, 115-116, 118-119, 121, 128
Quality of Experience (QoE) 101, 112-119, 121-123, 128-130
Quality of Service (QoS) 2, 101-102, 113-115, 117, 121, 128-130, 140-142, 184, 203

R

Radio Link Control (RLC) 89
radio propagation 19
Random Early Detection (RED) 49, 59, 76-78, 88-90, 94, 96-99, 101
Random Exponential Marking (REM) 88, 90, 94-101
real-time applications 101, 145, 147, 155-156, 162
real-time Polling Service (rtPS) 90, 94-95, 102
real-time video services 90
reconfigurable component 61, 63
Reconfigurable Ubiquitous Networked Embedded Systems (RUNES) 63-64, 70, 76-77, 83
red hat operating system 131, 133, 138-140
re-keying algorithm 37
reliable routing 19-20, 33
remote procedure calls (RPC) 63-64, 66, 77, 84
RIPE - See European Regional Internet Registry.
robust localization 165
RObust VEhicular Routing (ROVER) 22
Round Trip Time (RTT) 48, 89, 184-185, 191-193, 195

route optimization (RO) 183-184, 186-189, 191, 193, 195-196, 201-203, 209-210
Router Advertisement (RA) 185, 187, 190-191, 208
routing header 141, 183-185, 189, 195, 197
routing paths 19-20
run-time debugging 214

S

Scalable Video Coding (SVC) 89
scanning algorithm 170
security management 1-4, 6, 17, 46
security & multimedia applications 227
SeqFinder 212, 214, 216-217, 220-221, 223
Service Oriented Architectures (SOA) 62, 64
Session Initiation Protocol (SIP) 199, 209
short message ads 263
signal denoising 147
Signal-to-Interference-and-Noise Ratio (SINR) 49, 53
signal-to-noise (SNR) 92, 109-110, 178
Silence Activity Detection (SAD) 172
simultaneous transmissions 47, 49-52, 54, 56, 58
single equivalent Gaussian noise 146
site-local 131, 135
SmartMobile-AD 261-262, 268-274, 276, 278-279, 281-282, 284
software engineering 61, 214-215, 224-225
sound intensity methods 170
spatial frequency content 147
spatial-frequency representation 147
spatial grid 242, 245
spatial noise estimation 146, 151
spatial position 147, 150
spatial variance-based methods 146
spatial video denoising 145-147, 151-152, 155
speaker identification 227-228, 230, 232, 235-238, 240
speaker identity 227
speaker localization 164-165, 172, 175, 178-181
speaker recognition 165, 227-228, 230-232, 236-241
speaker tracking 164-165, 180
speech processing 164, 227, 239
stable configuration 165-166
stateless address auto-configuration (SLAAC) 136
/static ad hoc networks (SANET) 48, 56
static configuration setup 137
stereophonic acquisition 166
sub-optimal path 200

T

TCP-Friendly Rate Control (TFRC) 87-90, 93-102
 text-dependant speaker recognition 227
 TFRC congestion control 89
 Three Dimensional Dual Tree Complex Wavelet Transform (3D DTCWT) 146
 three-dimensional intensity technique 171
 threshold cryptography 3, 5, 8-10, 17, 37
 time-difference-of-arrival (TDOA) 169
 time-domain-interpolation (TDI) 108-109
 Tira Jump 215, 225
 tracking technology 165
 Transmission Power Control (TPC) 49
 transmission range 15, 20-22, 27, 41, 49-51, 54-55
 trusted middleware 242-243, 246, 256
 two-dimensional (2D) lattice 104-105
 Two Dimensional Dual Tree Complex Wavelet Transform (2D DTCWT) 145-147, 149, 152-153, 155, 157-159
 Two Dimension Discrete Wavelet Transform (2D DWT) 145-147
 Two Dimension Dual Tree Complex Wavelet Transform (2D DTCWT) 145-147, 149, 152-153, 155, 157-159

U

ultra wideband (UWB) technology 109
 unicast addresses 135
 Unique Local Addresses (ULA) 135-136
 Universal Mobile Telecommunications System (UMTS) 17, 87, 143
 Unsolicited Grant Service (UGS) 90-91
 unspecified address 135
 uplink behavior 87
 uplink (UL) queue management 88
 user-centric management 112-113

V

Variable Bitrate Video (VBR) 90, 92
 Vehicular Ad hoc Networks (VANET) 19-21, 31-33

vehicular dynamics 19
 video conferencing 87, 113, 155, 162
 video denoising 145-147, 151-153, 155-157, 162-163
 video noise estimation algorithms 146
 video processing algorithms 146, 151
 video telephony 87
 video transport 88
 Visiting Mobile Node (VMN) 184, 187, 189

W

war-fighters 1-2
 wavelet transform 145-151
 weighted variable 232
 WiMAX DL scheduling 90
 WiMAX link traffic 90
 WiMAX modules 91, 102
 WiMAX networks 90, 101
 WiMAX systems 91, 100, 103-104, 106-110
 WiMAX uplink services 88
 WiMAX video 87
 WiMAX waveform 91
 wireless advertising 261-263, 265, 268, 275-276, 278, 281, 283-285
 wireless advertising systems 262, 268, 283-284
 wireless application systems 262
 wireless internet 261-263, 267
 wireless networks 17-18, 30, 32-33, 36, 46, 58-59, 88, 101-102, 195, 209-211, 261, 268, 275, 285
 wireless sensor networks (WSN) 61-70, 72-76, 78-79, 83-85
 wireless service vendors 262, 283
 Wolf coefficient 233
 Wolf ratio 230-232

Z

zone flooding 21
 zone flooding algorithm 21
 zone routing 21
 zone routing algorithm 21