

Index

14 Grand Challenges for the 21st century 2

A

ACED 29-30, 40
 action library 289-290
 Agent Oriented Software Engineering (AOSE) 190
 ALEKS 29-30, 36, 39
 American Association for the Advancement of Science (AAAS) 7, 14, 17, 20
 architectural design 233-234, 244, 252
 ARIADNE Foundation 183-184
 artificial neural networks 288
 assistments 29-30
 association fuzzy rules 288
 ATAM method 242
 Attention Profile Markup Language (APML) 19
 Attribute-Based Architectural Styles (ABAS) 245, 253
 AuthorRank 104
 automatic query expansion (AQE) 74

B

Bayesian learning 288
 Bayesian networks 130, 132, 153
 BDI agents 182, 184, 188, 190, 206-207, 209
 Belief-Desire-Intention (BDI) 182-184, 186-190, 205-208, 210
 beliefs context (BC) 187-188, 193
 bigrams 8-9
 bimodal distributions 262
 blended learning 264, 274, 277-278, 280, 325
 Bloom's taxonomy 73, 89, 119, 122
 business rule management system (BRMS) 213

C

Case-Based Reasoning (CBR) 50, 180, 188
 C compiler (GCC) 214-217, 228

centroid 7-8, 165-166, 181
 centroid feature 7
 closed world assumption 70
 cluster centroid 181
 clustering search results 178, 181
 COGENT 6, 8, 23
 cognitive load 26, 40, 285
 Cognitively Guided Instruction (CGI) 28-29, 38-39
 cognitive tutors 29-30, 39
 cold-start problem 87-88, 142, 153, 279
 collaborative filtering (CF) 3, 98-99, 117, 119-120, 125, 132-133, 136, 142, 149-153, 155, 179, 185-186, 207, 212-213, 217, 228, 230, 254-255, 260, 270, 275-277, 279, 294, 297, 300, 305-306, 321, 323, 327
 collaborative systems 68
 communication context (CC) 48, 188
 competence ontology 225
 compiler 214-215, 217, 221-223, 228, 231
 Composite Capabilities / Preferences Profile (CC/PP) 20-23, 39-40, 48, 63-66, 88-92, 122-127, 148-152, 177-181, 206-209, 228-229, 253-255, 277-280, 294-300, 321-327
 Computer-Aided Tutoring Systems (CATS) 134-135, 142, 153
 Concept selection and aggregation (COSA) 158
 connective knowledge 96, 122
 connectivism 96-97, 122, 124
 connectivist 96
 constructivism 97
 constructivist educational theory 97
 content-based filtering 3, 132, 149, 155, 186, 260, 277, 296
 content-based systems 68
 content delivery system 31
 content map 24, 26, 28-29, 31-38, 41
 content word density 8
 context awareness 43-45, 47-48, 50-51, 53, 60-62, 64, 323, 325

Index

context domain ontology 73
correct first attempt (CFA) 143
COSMOS* component implementation model 235-236, 251-253
C Programming 214, 220
Creativity Support Tool (CST) 43-47, 53, 60-62, 66
creativity support tools 43-46, 61-62, 64-65
Customized Learning Service for Concept Knowledge (CLICK) 1, 3, 5-7, 9-10, 12-17, 19-20, 23

D

data mining 37, 130, 132, 142, 147, 149-153, 155, 179, 189, 229, 255, 282-283, 288-289, 293, 296-297, 299-300, 325
decision tree construction 288
demographic systems 68
Description Logics (DL) 70-71, 88
Descriptive Ontology of Ontology Relations (DOOR) 69, 76, 88, 305
desires context (DC) 22, 64-65, 187-188, 193, 254-255, 297-300
digital learning activity 24-25, 28, 32, 34, 37, 41
Digital Library for Earth Systems Education (DLESE) 4-5, 12-13, 23
digital media collaboratory 27
distributed reasoning 50
documents vectoring 181
domain concept map generator module 5
domain model 5, 62, 157, 213, 237-239
Dyme 221-222
Dynamic Compiler Generation (DCG) 221-222

E

e-assessment 154-156, 158-159, 169, 175-177, 181
e-commerce 2-3, 45, 68, 129-130, 142, 147, 153, 254-255, 259-263, 265, 270, 273, 275-276, 279-280, 286, 289, 293, 305-306, 309, 316
Educational Data Mining (EDM) 130, 142, 149-151, 153, 297
educational games 24-25, 27, 31, 40-41, 221, 229
educational recommendations 212
Educational Recommender System (ERS) 2, 4-5, 15, 68-70, 75-77, 80-87, 92, 155, 232-234, 239-246, 248, 251-252
Educational Resource ontology 73-75, 77-78, 82, 84
Educational Resource quality 67-68, 71-72
e-lance economy 105, 124

e-learning 1, 18, 20, 22, 24, 66, 68, 91-92, 96, 122, 124, 127, 129-133, 147-149, 151-153, 178-179, 185, 189, 207-208, 228-229, 253-254, 258-265, 270, 272-273, 275-277, 279-280, 282-289, 293-300, 302-306, 319, 322-325, 327
electronic version of word-of-mouth (eWOM) 261-262
embedded assessment 24, 27-29, 31, 40-41
extrinsically motivated e-learners (EML) 263

F

Facebook 3, 19, 42, 69, 217
factorization techniques 129, 131, 133, 136-138, 147-148, 150
Federación Latinoamericana de Repositorios (FLOR) 183, 185, 199, 204
Formative e-Assessment 158, 181
fuzzy matching method 189, 233

G

gazetteer feature 7, 17
Genetic Programming (GP) 203, 221, 228
Google Scholar 157
graded attitudes 182, 188, 193, 210

H

hands-on learning 304
higher cognitive discourse 263
HITS algorithm 11
HTTP protocol 250
hybrid reasoning 50, 89
hyponyms 10
hypertext 7
hyponyms 10

I

ideation session 57
identification (ID) 5, 10-11, 17, 32, 49, 73, 133, 136, 157, 164-165, 183, 200, 202, 230, 237, 252, 290, 312
implicit feedback 132
individualized learning paths 35, 41
information agent ontology model (IAOM) 157
instance-based learning 288
instructional plan generation module 5, 11

Intelligent Tutoring Systems (ITS) 3-4, 8-10, 12, 15, 19, 22-23, 25, 29-32, 35, 37-38, 40-41, 43-46, 49-53, 58, 60, 62, 66, 69, 72-73, 76-77, 83, 85, 88, 90, 98, 101-104, 110-114, 116-118, 121, 124, 137, 147, 149-150, 154-155, 158, 161, 163, 165, 169-170, 184-185, 189-190, 193, 200-205, 210, 212-213, 219, 221, 223-226, 228, 231, 233-235, 237, 239-240, 242, 244-245, 247, 249, 254-255, 259, 262, 264, 266, 268, 270-271, 275-277, 284, 290-291, 293-295, 297, 301, 304, 314, 320

intentional learning 1-3, 5, 13-14, 19-20, 23

intentions context (IC) 187-188, 193-194

interactive query expansion (IQE) 74, 89

Interface Agent (I-Agent) 190-191, 197-199, 201, 204-205

intrinsically motivated e-learners (IML) 263

K

K-12 classrooms 2

Key-value coding 48

Key-value models 44, 48

keyword search methods 313

K-means algorithm 158

K-means clustering 163-166

knowledge-based filtering 3, 186

Knowledge-based (KB) recommender technologies 186

knowledge-based systems 68, 89, 100, 128, 149, 179, 294

knowledge management 64-66, 90, 95, 115, 118-119, 121, 123, 177, 183, 211, 221, 230

knowledge, skills, and abilities (KSAs) 24-25, 27-35, 37-38

L

Latin-American Community of Learning Objects 183

learner attributes 286-287, 290-291, 293

Learning Management System (LMS) 214, 229, 278, 321

learning object (LO) 75, 77-78, 81-84, 87, 90, 92, 151, 183-185, 189, 191, 193-194, 196-197, 199-205, 210, 305

Learning Object Metadata (LOM) 77-78, 82, 84, 87-88, 92, 184-185, 193, 198-199, 209-210

Learning Objects Context Ontologies (LOCO) 224

learning pattern 300

learning sequence 189, 286, 289-292

Lecture Slides and Reading Materials (LSRM) 259, 263-268, 272-276

lexical chain 9-10

Library of Labs (LiLa) 115-116

LinkedIn 3

LISP 213, 229

Logical Programming (LP) 70, 198, 288

logic based models 44

lower cognitive discourse 263

M

mark-up schemes 44, 48

Massive Open Online Course 96

mastery learning 26

Matrix Factorization (MF) 23, 129-131, 136-142, 144-148, 150, 152-153, 323

MEAD 7-9, 23

Mediator Agent (M-Agent) 190-191, 197

MeSH ontology 158

meta-cognition 282-285, 287, 293, 295-296, 300

meta-cognitive knowledge 283, 301

meta-cognitive regulation 283, 287, 301

Metadata Vocabulary (OMV) 69, 89

Meta-Mender 211-214, 218-221, 224, 227, 229

meta-rules 211-213, 219-223, 226-227, 231

meta-search 155, 160, 166, 180-181

Metis recommender system 31-33

Minimally Invasive Surgery (MIS) 127, 221

misconception identification module 5, 10

mobile computing 64, 302, 305, 321, 326-327

mobile learning 302-327

Moodle CMS 96

multiagent systems 124, 126, 182, 189, 208-209

multi-context systems (MCS) 187

MygameIQ™ 31

MySpace 3

N

National Academy of Engineering 2, 21

National Science Education Standards 7

Neural Networks 130, 132, 136, 152, 288

NLP techniques 10

non-authoritative metadata 15, 185

non-monotonic reasoning 70

non-symbolic reasoning 50

O

object oriented (OO) models 44, 48-49, 213, 229

object oriented RuleML 213

Index

object oriented software engineering 190
Object Role Extension (ORM) 48, 203
offline reasoning 50
ontological based models 44
ontological reasoning 50
ontology 5, 17, 21, 43-45, 49-51, 53-54, 58, 62-64, 66-85, 87-93, 101, 107, 110-111, 118, 120-121, 126, 154-159, 161-164, 169, 176, 178-179, 181, 191, 207, 212, 219, 223-226, 228-230, 241, 253, 255, 306, 315, 322
Ontology Design Ontology (C-ODO) 69, 89
ontology network 67-70, 75-82, 85, 87-89, 93, 179, 224-225
Ontology Network for Adaptive and Informal Learning (ONAIL) 224-226
Ontopia Knowledge Suite (OKS) 45
Open Archives Initiative - Protocol for Metadata Harvesting (OAI-PMH) 185
Open Educational Resources (OER) 183, 185
OpenID 19, 21
OpenLink Virtuoso 223, 229
open-world assumption 70
Orkut 3
OWL 64, 70-71, 81, 85, 88-90

P

PageRank 102-104, 109-110, 114
pedagogical Strategies 237-239
peer-based learning 95-96, 102, 104, 108-111, 118, 121, 127-128
personalization 1-2, 4, 12-13, 19-20, 22, 62, 69, 72, 90, 92, 149, 152, 157, 177, 208-209, 212, 255, 296, 299
personalized learning 2-4, 19, 23, 189, 208, 230, 254, 305
Personalized Search Agent (PS-Agent) 182, 184, 190-194, 198-199, 201-205
Personal Learning Environment (PLE) 157
planning context (PC) 52, 187-188
PopRank 104
portability 305, 312
Predicting Student Performance (PSP) 129-134, 136, 138, 140, 142, 147-148, 150-151, 153, 180
prerequisite content map 26, 34, 41
probabilistic reasoning 50
problem hierarchy (PH) 20, 143
problem name (PN) 30, 143, 197
problem view (PV) 142-143

R

RACOFI 213, 228, 321
rating prediction 130, 132-133, 136, 146, 153
real-time contextual information 309, 311, 320
recommendation ontology network 75, 80
Recommender System Architecture 184
recommender system (RS) 1-5, 13-15, 19-20, 22-26, 28-29, 31-33, 37-39, 41, 43-47, 53-54, 56, 58, 60-62, 64, 66-69, 71, 75, 80, 83-84, 87-93, 97-98, 101, 118-120, 122, 124, 129-133, 136, 142-143, 146-158, 160-161, 169, 175-186, 188-190, 192, 198, 200-214, 217-221, 223, 226-228, 230-233, 239-240, 251-256, 258, 260-263, 272-273, 275-280, 282, 285-289, 293-295, 297-301, 306-307, 322-327
ROGUE package 8
root mean squared error (RMSE) 137, 144-147
RSS feed-readers 96
rule based reasoning 50
rule-based recommenders 212
rule-based recommender systems 213, 223, 231
rule induction 288

S

SCORM-compliant learning objects 188
search engines 91, 98, 104, 107, 154, 159-161, 163, 168-169, 171, 181
self-organizing MAP (SOM) 156
Semantic Educational Recommender Systems 67-68, 80
Semantic Refining Agent (SR-Agent) 190-191, 204
Semantic Web Rule language (SWRL) 70-71, 81, 85-86, 88, 90, 93
Semantic Web Technologies 45, 90-91, 177
sentence distance 9
sentence extraction 6-8
sentence linking 6, 8-9
Several Searchers Agents (Si-Agent) 190-191
similarity metric 290, 301
Simple Query Interface (SQI) 185, 198-199
situated learning 123, 303, 309, 320, 323, 325-326, 328
skip bigrams 8
social filtering 3
social ontology 225
software architecture 232, 234-236, 240, 244, 247, 250, 252-256
Standard Generic Markup Language (SGML) 44, 48

step name (SN) 143, 203
 student autonomy 264
 student concept map generator module 5
 Student Information Systems (SIS) 134
 support vector machines (SVM) 8, 130, 132
 SWI-Prolog language 184
 symbolic reasoning 50
 synonyms 10, 157-158, 162-163, 191

T

Technology Enhanced Learning (TEL) 21, 71,
 89-90, 92, 130-131, 133, 148, 150-152, 155,
 177-178, 207, 221, 230-231, 254, 278, 322
 TELMA 220-221, 229
 tensor 129, 131, 133, 136-137, 141-142, 145-150,
 152-153
 tensor factorization (TF) 129, 131, 136, 141-142,
 145-148, 152-153
 Tensor Factorization - Weighting (TFW) 142, 146
 Tolog Topic Maps Query Engine 45
 topic maps 43-46, 50-51, 53, 62, 65
 Triplify 223, 230
 TrustRank 103-104

U

UML components process 237, 245
 Unified Modeling Language (UML) 48, 235-237,
 241, 243, 246, 253, 255
 unigrams 8-9
 urban school districts 2
 User Agent Profile (UAProf) 48
 User-Centered Design (UCD) 41, 259, 264
 User Profile Agent (UP-Agent) 190-191, 197, 204

V

vector space model 10, 120, 157-158, 179-180, 189,
 207
 Version Control System Subversion 214
 Virtual Learning Environment (VLE) 233
 virtual machine 214, 231, 244

W

weighted LCS 8
 WordNet 10, 21, 154-155, 157, 162, 177
 word overlap 8