

Index

A

agent-oriented software engineering (AOSE) 100
 agglutination 29
 Amazon 87, 93
 ant colony optimization (ACO) 215, 217, 219, 236
 anti-virus software 249
 AOL 87
 artificial intelligence (AI) 2, 3, 5, 6, 7, 8, 211, 216, 218, 219, 225, 226, 239, 290
 attribute hiding factor (AHF) 259, 260, 268
 attribute inheritance factor (AIF) 259, 260, 268
 automotive safety integrity levels (ASIL) 38, 66
 automotive software engineering 290
 auxiliary verbs 25
 average parameters per method metric (APPM) 261

B

backward chaining 162, 169, 173, 174
 bacteriologic algorithm (BA) 215, 217, 219
 bayesian networks (BNs) 289, 290, 292, 293, 294, 296, 298, 300, 304, 305, 307, 310
 Bayes' Theorem 292, 293
 bee colony optimization (ABC) 219, 239, 241
 BN sub models 304
 boolean circuits 290
 bounded exhaustive testing (BET) 216
 business process execution language (BPEL) 165, 166, 176

C

C++ 118
 candidate requirement databases 25
 capability maturity model (CMM or CMMI) 244, 245, 248, 251, 254, 255
 causal bayesian net 294
 central processing unit (CPU) 2, 12, 14, 15, 16
 class-attribute (CA) 261
 class-method (CM) 260, 261
 class-responsibility-collaborators (CRC) 104, 105, 106, 107
 class-responsibility-collaborators (CRC) cards 104, 105, 106, 108
 code quality 299, 301
 cohesion 256, 257, 258, 263, 265, 266, 268, 269, 270
 cohesion among methods of class (CAMC) 263, 264, 268
 collaborative filtering (CF) 184, 186
 collective knowledge 161
 communication model 101
 community semantic memory managers 167, 168
 component orientation 2
 comprehensive software reusability estimation (CSRE) 204, 205
 computer-aided software engineering 47
 computer science (CS) 2, 3
 computer scientists 162, 163, 166, 167, 168
 computing devices 119
 constraint satisfaction problems (CSP) 226
 content-based filtering (CBF) 184, 186
 control flow graph (CFG) 220

converging star 294
 cookies 88, 90, 91
 coordination model 101, 107
 corporate knowledge resources 85
 cost reduction 256
 coupling 256, 257, 258, 261, 262, 263, 265,
 266, 268, 270, 271
 coupling between objects (CBO) 198, 199,
 203, 204, 207
 cross-fertilization 163, 174
 customer knowledge management (CKM) 88,
 89, 90, 94
 customer relationship management (CRM) 85,
 87, 88, 89, 90
 cyber terrorism 245
 cyber terrorists 245

D

data access metric (DAM) 263, 264, 268
 data mining 289
 dedicated memory 162
 defect correction effort 295, 296, 297, 298,
 299, 300, 301, 302, 304, 305, 306, 307
 defect cost factor (DCF) 296, 298, 299, 300,
 301, 303, 305
 defect cost flow model (DCFM) 307
 defect proneness 256
 defined process followed 293
 demonstrative adjectives 26
 denial of service (DoS) 246
 depth of inheritance trees (DIT) 198, 199, 200,
 202, 203, 204, 207
 design metrics 196, 197, 199, 200, 202, 204,
 207, 208
 design quality 197, 198, 199, 203, 209
 development effort 290, 293, 295, 296, 299,
 300, 303, 305, 306, 310
 development strategies 99
 digital natives 119
 digital technologies 119
 direct class coupling (DCC) 263, 264, 268
 directed acyclic graphs (DAG) 165
 DISTANCE framework 266, 269
 documentation quality 299, 301
 document type definition (DTD) 140, 154
 domain engineering 192, 193, 194, 195

domain experts 167, 168, 169
 domain languages 71, 76
 domain specific engines (DSE) 10, 13, 14, 18
 domain specific kits (DSK) 10
 domain specific language (DSL) 10, 12, 13, 14,
 18
 domain specific tools (DST) 10
 dynamic bayesian net 294
 dynamic bayesian network (DBN) 289, 290,
 296, 303, 304, 305

E

e-government 10
 electrical/electronic/programmable electronic
 systems (E/E/PES) 35, 38
 electronic brains 1
 electronic business (EB) 87, 88, 90, 91
 electronic commerce (EC) 85, 87, 92, 119
 electronic control units (ECUs) 290, 291
 elicitation process 69, 71, 73, 80
 empirical analysis 197, 199, 200, 202, 207, 208
 end-users 161, 163, 164, 165, 166, 167, 169
 energy production 36
 estimation models 196, 197, 198, 199, 204,
 205, 207
 execution sequence graph (ESG) 220, 230, 242
 explicit knowledge 99, 106, 135, 160
 export coupling (EC) 261
 extensible markup language (XML) 9, 139,
 140, 145, 150, 151, 152, 153, 154, 157,
 159

F

failure tree analysis (FTA) 53, 54, 66
 fast delivery 292, 293
 fault management (FM) 11, 12, 13, 14, 15, 16,
 17, 18
 fault management (FM) systems 1
 feature complexity 298, 299, 300, 303
 feature difficulty 298, 299
 feature volatility 298, 299, 305
 firewalls 246, 247, 249, 251, 252, 254
 formal languages 23, 29
 functional requirements (FR) 52, 58
 fuzzy logic 215, 219, 240

G

generalized markup language (GML) 138
genetic algorithms (GA) 214, 215, 219, 220, 239
global economies 85
goal-driven models 161
goal oriented model design 289
goal question metric (GQM) 205, 297
Google 86
granularity 28
graphical user interfaces (GUI) 6
grounded theory (GT) 277, 285
groupware systems 70
GT coding 285

H

hackers 245, 246, 247
hierarchical model 264, 269
high product quality 293
household electrical goods 34
human-level intelligent 2
hybrid filtering (HF) 185
hybrid genetic algorithm (HGA) 219
hypertext markup language (HTML) 138, 140, 149

I

identity theft 253
image debiasing 167
image denoising 167
image normalization 167
image preprocessing 167
image registration 167
import coupling (IC) 261
indefinite terms 26
industrial production 36
information society 244, 254
in-silico experiment 176
instruction codes 3
intellectual property rights (IPR) 120
intelligent agents 96, 97, 98, 104, 110, 111, 211, 213, 217, 219, 222, 236, 240, 241, 242
intelligent receiving devices 246
internal design quality (IDQ) 197, 203
internal diagram block (IBD) 43

internalization 68, 70, 71, 79, 80, 83
Internet security 244, 245, 246, 247, 248, 249, 250, 251, 252, 254, 255
Irish indigenous software firms 273
Irish software development 273

K

Kawakita Jiro (KJ) method 72, 75, 80
key performance indicators (KPIs) 295, 296, 297, 298, 299, 303, 304, 307
KM processes 273
knowledge atrophy 273, 274, 276
knowledge creation spiral 68, 69, 70, 71, 73, 80
knowledge discovery in databases (KDD) 265
knowledge-intensive procedures 96
knowledge management (KM) 68, 71, 82, 84, 85, 86, 87, 88, 89, 93, 97, 98, 99, 100, 101, 104, 105, 106, 107, 273, 275, 276, 277, 281, 285
knowledge management systems (KMS) 68
knowledge representation (KR) 2
knowledge resources 85
knowledge spiral 83
knowledge systems 178
knowledge transfer 176
knowledge workers 85, 91, 92

L

lack of cohesion on method (LCOM) 198, 199, 200, 202, 203, 204, 263, 266, 269
level crossing control subsystem (LCSS) 52
lexical analysis 25, 27, 28, 29
lexicons 25, 26
London Ambulance System (LAS) 28

M

macro-management 273
maintainability 257, 264, 265, 266, 269, 270, 271
market research 90
measure of aggregation (MOA) 263, 264, 268
measure of functional abstraction (MFA) 263, 264, 268
message passing 256, 263

message sequence charts (MSC) 108, 109
 method hiding factor (MHF) 259, 260, 268
 model driven development (MDD) 2, 6
 model states 289
 model users 185, 186
 MOOD 259, 260, 268
 MOOD2 259
 MOOD2 metrics 259
 MOOD metrics 259, 260
 multi-agent application engineering methodology (MAAEM) 178, 179, 180, 181, 182, 183, 184, 193, 195
 multi-agent domain and application engineering integrated development environment (MADAE-IDE) 177, 178, 179, 187, 189, 190, 191, 192, 193, 194
 multi-agent domain and application engineering process (MADAE-Pro) 177, 178, 179, 180, 181, 182, 184, 185, 189, 192, 193, 194
 multi-agent domain engineering methodology (MADEM) 178, 179, 180, 181, 182, 183, 184, 193
 multi-agent recommender system 184
 multi-agent society 181, 182
 multiagents systems (MAS) 100, 101, 102, 103, 104, 107, 108, 110, 177, 179, 180, 183, 192, 193
 multi-agent system (MAS) family 177, 179, 183
 multiagent systems engineering (MaSE) 100, 111

N

naive bayesian classifier 294
 National Aeronautics and Space Administration (NASA) 197, 198, 209
 natural language (NL) processing techniques 22, 23, 30
 natural languages (NL) 21, 22, 23, 24, 25, 27, 29, 30, 31, 32, 33
 natural languages (NL) requirements 23, 27, 30, 31, 32
 network security 244, 246, 247, 249, 251, 254
 neural networks (NN) 215, 216, 219, 239
 non-functional requirements (NFR) 24, 28, 30, 32

non-functional taxonomies 28
 Number of Associations (NAS) 262, 263, 264, 268
 number of children (NOC) 198, 199, 203, 204
 number of class methods (NCM) 260, 261, 268
 number of class variables (NCV) 261, 268
 number of instance variables (NIV) 260, 261, 268
 number of methods inherited (NMI) 261, 268
 number of methods overridden (NMO) 261, 268

O

object constraint language (OCL) 47, 259
 object management group (OMG) 35, 41, 42, 47, 64, 66
 object modeling technique (OMT) 129
 object oriented (OO) 196, 197, 208, 256, 257, 258, 260, 262, 263, 264, 265, 267, 268, 269, 271
 object oriented (OO) paradigm 196, 256
 object-oriented software design (OOSD) 118, 119, 124, 125, 126, 128, 129, 140, 146, 148
 online communities 85, 90
 ontology models 8, 9
 OO development 256
 OO system 257
 open source software (OSS) 121
 operations center (OC) 48, 52, 59
 ordered hierarchy of content objects (OHCO) 139

P

particle swarm optimization (PSO) 219
 pattern administrators 120, 121
 pattern body of knowledge (PBOK) 116, 117, 130, 137
 pattern browsers 120, 121
 pattern collections 137, 142, 150
 pattern community 117, 119, 120, 126
 pattern description 117, 135, 137, 138, 144, 145, 146, 149, 150, 151, 152, 153, 160
 pattern description model (PDM) 136, 145, 146, 153, 156
 pattern documentation 117, 125, 128, 137

Index

pattern elements 137, 142, 147, 148
pattern engineers 120
pattern evaluators 120, 121
pattern forms 137, 144, 147, 148, 153, 154, 157
pattern information markup language (PIML) 140
pattern language markup language (PLML) 140, 157
pattern languages 116, 117, 118, 125, 131, 132, 133
pattern management system (PMS) 121
pattern perceivers 120, 121
pattern person 119, 120
pattern quality model (PQM) 136, 141, 142, 144, 145, 153
pattern readers 120, 121, 129
pattern sequence 124, 126, 135, 137, 138
pattern stakeholder 119, 127, 135, 140, 145, 152, 160
pattern stakeholder model (PSM) 136, 140, 141, 145, 153
pattern stakeholders 136, 140
pattern story 137, 146
pattern thumbnails 137, 148
pattern users 120, 121, 122, 123, 125, 128
performance monitoring 252
phishing 249, 253
polymorphism factor (PF) 259, 260, 268
portal-based access 166
postal costs 90
preliminary risk analysis (PRA) 53
prepositions 26
process model 244, 251
product requirement analysis 303
programming languages 3, 4, 11, 72, 207, 256, 262
publications 25
public instance methods (PIM) 260, 268

Q

questionnaires 85, 90

R

rational unified process (RUP) 97
reliability, availability, maintainability and safety (RAMS) 36, 37, 66

requirement analysis 22, 23, 28, 31, 32
requirement elicitation 103
requirement engineering 161, 176
requirements elicitation (RE) 69
response for class (RFC) 198, 199, 203, 204
reusability 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 207, 208, 209
reusability index (RI) 205, 207
Rhapsody 45
rich text format (RTF) 139
risk assessment 256, 257
role models 186, 188, 189

S

safety-critical systems 34, 35, 41, 54, 62, 65
safety integrity levels (SIL) 36, 45, 67
scalable development 161
scientific workflow 161, 162, 163, 164, 165, 166, 167, 175, 176
scientific workflow framework 164, 165
scientific workflow systems 165
scripting interfaces 29
security assessment 244, 245, 249, 251, 252
security improvement 244, 245, 252
security policies 248, 249, 250, 251
security situation 245, 252, 254
security threats 249, 252, 253
security tools 252
semantically annotated intentions for services (SATIS) 161, 162, 163, 166, 167, 168, 169, 170, 171, 172, 173, 174
semantic network diagrams 277
semantic web 136, 139, 154, 158, 160, 161, 171, 175, 176, 184, 185, 195
server log files 90
service designers 167
service development kits (SDK) 11
service orientation 2
service oriented architecture (SOA) 5, 7, 161, 164
service oriented computing (SOC) 161
service providers 161, 162, 163, 173
service query language (SQL) 10
simulated annealing (SA) 214, 215, 219
socialization 70, 71, 75
social networking 85, 90

social networking sites 85, 90
 social web 136, 139, 152, 154, 155, 160
 society knowledge model 181
 software architecture 118, 124, 131
 software design 118
 software development 1, 8, 18, 21, 22, 28, 29, 30, 96, 97, 177, 178, 179, 182, 187, 191, 192, 193, 194, 273, 274, 276, 277, 279, 280, 281, 283, 284, 285, 286, 287, 288
 software development life cycles 28, 30, 211
 software development organization (SDO) 97, 98, 99, 100
 software engineering (SE) 1, 3, 18, 19, 47, 65, 96, 97, 109, 110, 112, 115, 118, 120, 122, 124, 127, 129, 130, 136, 155, 177, 178, 182, 192
 software engineers 2, 3
 software metrics 256, 258, 271
 software potency 1
 software process improvement (SPI) 273, 274, 275, 276, 277, 280, 281, 285, 286, 288
 software process model (SPM) 289, 290, 295, 296, 297, 298, 299, 300, 302, 303, 304, 305, 306, 307
 software product line (SPL) engineering 2
 software product lines (SPL) 2, 7, 8, 10, 11
 software products 177, 178, 193, 194
 software quality 260, 270
 software reuse 176, 177, 195
 software security 244
 software service environments 162
 software testing 211, 212, 213, 214, 215, 217, 218, 220, 221, 225, 236, 237, 238, 239, 240, 241, 242, 243
 software testing tools 215
 software under test (SUT) 212, 214, 215, 217, 218, 220, 221, 222, 223, 224, 225, 226, 227, 229, 230, 232, 236, 243
 spatial hypertext 69, 73, 79, 81, 82, 83
 Spatial Hypertext Wiki (ShyWiki) 68, 69, 70, 73, 74, 75, 76, 77, 79, 80, 82, 83
 SPI initiatives 277
 SPI lifecycle 274
 SPI process 276, 280, 281
 stakeholder models 115, 119

stakeholders 22, 28, 29, 33, 68, 69, 71, 72, 75, 76, 77, 78, 79, 80, 81, 82, 115, 116, 119, 120, 121, 126, 127, 136, 140, 179, 180, 185, 186, 187, 188
 standard generalized markup language (SGML) 139, 140, 151, 153, 159
 structural complexity 256, 264, 269
 surveys 85, 88, 89, 90, 91, 92, 93
 syntactic analysis 21, 24, 25
 system requirements 180
 system requirements specifications 34, 35
 system vulnerabilities 249

T

Tabu Search 215, 217, 219
 tacit knowledge 68, 69, 70, 71, 75, 82, 89, 99
 tax law recommender system 185
 taxonomy 70, 72, 120, 121, 139, 165, 176
 threat management 252
 traceability 25, 29
 Trojans 246, 247, 249

U

unconditional clauses 189
 unified modeling language (UML) 35, 41, 42, 45, 46, 47, 48, 50, 51, 54, 63, 64, 65, 67, 129, 192, 193, 195, 198
 user interface design 118, 131
 user requirements (UR) 48, 49, 50, 52, 53, 54, 162

V

very small entities (VSEs) 273, 274, 277, 278, 279, 280, 281, 282, 283, 284, 285
 virtual boards 69
 viruses 246, 247, 249
 virus protection 253
 V-Model 290, 291, 292

W

web applications 75
 web browsing habits 90
 web ontology language (OWL) 154
 web-services 5, 7, 8, 9, 161, iv, 162, 163, 166, 167, 168, 169, 170, 171, 172, 173, 174

Index

weigted method for class (WMC) 198, 199,
203, 204
wiki pages 68, 73, 74, 76, 79, 80
wikis 68, 69, 73, 74, 75, 76, 77, 78, 79, 80, 81,
82, 83

workflow description language 165, 166
World Wide Web 244, 245
worms 246, 247

Y

Yahoo 86